

WIRE SHELVING

CHROMATE WIRE SHELVING

- Heavy-gauge shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000-lb.
- Shipped knocked down
- NSF certified



POSTS

Model No.	Height"	Wt. lbs.
RL611	33	4
RL330	54	6.3
RL331	63	7
RL332	74	8
RL333	86	8.8

WIRE SHELVES

Model No.	Dimensions W" x D"	Cap lbs. /Shelf*	Wt. lbs.
RL606	30 x 14	800	7.5
RL607	36 x 14	800	8.25
RL608	48 x 14	800	10.5
RL609	60 x 14	600	14.25
RL610	72 x 14	600	17.5
RL035	30 x 18	800	8.5
RL036	36 x 18	800	9.75
RL037	48 x 18	800	12.5
RL038	60 x 18	600	18
RL039	72 x 18	600	20.5
RL040	36 x 24	800	13.25
RL041	48 x 24	800	16.25
RL042	60 x 24	600	21.5
RL043	72 x 24	600	27

* Evenly distributed weight

ACCESSORIES

Model No.	Description	Wt. lbs.
RL048	Caster, 5", No Brake	2.8
RL049	Caster, 5", With Brake	2.7
RL050	Divider For Shelf, 18"	1.7
RL051	Divider For Shelf, 24"	2.2
RL052	Handle 18" - Can Only Be Used With Utility Carts	3.9
RL053	Handle 24" - Can Only Be Used With Utility Carts	4.4
RL054	Split Sleeves, Black 4 Pc/Bag	0.1
RL055	S-Hook For Attaching Add-On	0.1
RL056	Leveling Feet (Die Cast And Foot Bolt)	0.2
RL057	Die Cast For Leveling Feet	0.1
RL058	Foot Bolt For Leveling Feet	0.1
RL612	Direct Wall Mount, Single Shelf Support, 14"	2
RL613	Direct Wall Mount, Double Shelf Support, 14"	3.5
RL898	Direct Wall Mount, Single Shelf Support, 18"	1.75
RL899	Direct Wall Mount, Double Shelf Support, 18"	3.25
RL900	Direct Wall Mount, Single Shelf Support, 24"	1.9
RL901	Direct Wall Mount, Double Shelf Support, 24"	3.56
RL614	Ledge For Shelf, 14"	0.6
RL615	Ledge For Shelf, 18"	0.75
RL616	Ledge For Shelf, 24"	1
RL617	Ledge For Shelf, 30"	2
RL618	Ledge For Shelf, 36"	2.5
RL619	Ledge For Shelf, 48"	3.5
RL620	Ledge For Shelf, 60"	3.75
RL621	Ledge For Shelf, 72"	4



RL054

Use S hooks to eliminate two posts per adjacent shelf. Two required per shelf.



RL055



RL050
Divider



RL612
Direct Wall Mount,
Single Shelf Support



RL614
Ledge for Shelf



COMPLETE SHELVING UNITS

Model No.	Type	Dimensions W" x D" x H"	Cap lbs. /Shelf*	Wt. lbs.
4 SHELVES				
RL907	Starter	30 x 14 x 63	800	39
RL908	Add-On	30 x 14 x 63	800	32
RL632	Starter	36 x 14 x 63	800	42.6
RL633	Add-On	36 x 14 x 63	800	35.5
RL634	Starter	48 x 14 x 63	800	49
RL635	Add-On	48 x 14 x 63	800	42
RL636	Starter	60 x 14 x 63	600	64.75
RL637	Add-On	60 x 14 x 63	600	57.75
RL638	Starter	72 x 14 x 63	600	71.5
RL639	Add-On	72 x 14 x 63	600	64.4
RL059	Starter	36 x 18 x 63	800	48
RL060	Add-On	36 x 18 x 63	800	35
RL061	Starter	48 x 18 x 63	800	58
RL062	Add-On	48 x 18 x 63	800	53.5
RL063	Starter	60 x 18 x 63	600	81
RL064	Add-On	60 x 18 x 63	600	76.5
RL065	Starter	72 x 18 x 63	600	91
RL066	Add-On	72 x 18 x 63	600	86.5
RL067	Starter	36 x 24 x 63	800	62
RL068	Add-On	36 x 24 x 63	800	57.5
RL069	Starter	48 x 24 x 63	800	74
RL070	Add-On	48 x 24 x 63	800	69.5
RL071	Starter	60 x 24 x 63	600	95
RL072	Add-On	60 x 24 x 63	600	90.5
RL073	Starter	72 x 24 x 63	600	117
RL074	Add-On	72 x 24 x 63	600	112.5
5 SHELVES				
RL909	Starter	30 x 14 x 74	800	47
RL910	Add-On	30 x 14 x 74	800	39
RL640	Starter	36 x 14 x 74	800	51
RL641	Add-On	36 x 14 x 74	800	43.46
RL642	Starter	48 x 14 x 74	800	59
RL643	Add-On	48 x 14 x 74	800	42.8
RL644	Starter	60 x 14 x 74	600	78.78
RL645	Add-On	60 x 14 x 74	600	71
RL646	Starter	72 x 14 x 74	600	87.3
RL647	Add-On	72 x 14 x 74	600	79.5
RL075	Starter	36 x 18 x 74	800	67.75
RL076	Add-On	36 x 18 x 74	800	58.25
RL077	Starter	48 x 18 x 74	800	80.25
RL078	Add-On	48 x 18 x 74	800	70.75
RL079	Starter	60 x 18 x 74	600	109
RL080	Add-On	60 x 18 x 74	600	99.5
RL081	Starter	72 x 18 x 74	600	121.5
RL082	Add-On	72 x 18 x 74	600	112
RL083	Starter	36 x 24 x 74	800	85.25
RL084	Add-On	36 x 24 x 74	800	75.75
RL085	Starter	48 x 24 x 74	800	100.25
RL086	Add-On	48 x 24 x 74	800	90.75
RL087	Starter	60 x 24 x 74	600	126.5
RL088	Add-On	60 x 24 x 74	600	117
RL089	Starter	72 x 24 x 74	600	154
RL090	Add-On	72 x 24 x 74	600	144.5
RL448	Starter	36 x 18 x 86	800	62
RL449	Add-On	36 x 18 x 86	800	53
RL450	Starter	48 x 18 x 86	800	69
RL451	Add-On	48 x 18 x 86	800	60
RL452	Starter	60 x 18 x 86	600	91.5
RL453	Add-On	60 x 18 x 86	600	82
RL454	Starter	72 x 18 x 86	600	96
RL455	Add-On	72 x 18 x 86	600	87
RL456	Starter	36 x 24 x 86	800	74
RL457	Add-On	36 x 24 x 86	800	65
RL458	Starter	48 x 24 x 86	800	90
RL459	Add-On	48 x 24 x 86	800	80
RL460	Starter	60 x 24 x 86	600	107
RL461	Add-On	60 x 24 x 86	600	97
RL462	Starter	72 x 24 x 86	600	129
RL463	Add-On	72 x 24 x 86	600	120

* Evenly distributed weight

WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the *Kleton* chrome wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chrome wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage

Model No.	No. of Shelves	Shelving Dim.			Bin Dim.			No. of Bins	Colour
		W"	D"	H"	W"	D"	H"		
RL823	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Blue
RL824	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Yellow
RL825	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Green
RL826	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Red
RL835	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Blue
					11 13/16	x 17 11/16	x 7	7	Blue
					15 1/2	x 25	x 13	6	Blue
RL836	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Yellow
					11 13/16	x 17 11/16	x 7	7	Yellow
					15 1/2	x 25	x 13	6	Yellow
RL837	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Green
					11 13/16	x 17 11/16	x 7	7	Green
					15 1/2	x 25	x 13	6	Green
RL838	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Red
					11 13/16	x 17 11/16	x 7	7	Red
					15 1/2	x 25	x 13	6	Red



RL826



RL837

GREEN EPOXY FINISH WIRE SHELVING

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified

COMPLETE SHELVING UNITS

Model No.	Type	Dimensions			Cap. lbs. /Shelf
		W"	D"	H"	
4 SHELVES					
RL648	Starter	36	x 18	x 63	800
RL649	Add-On	36	x 18	x 63	800
RL650	Starter	48	x 18	x 63	800
RL651	Add-On	48	x 18	x 63	800
RL652	Starter	60	x 18	x 63	600
RL653	Add-On	60	x 18	x 63	600
RL654	Starter	72	x 18	x 63	600
RL655	Add-On	72	x 18	x 63	600
RL656	Starter	36	x 24	x 63	800
RL657	Add-On	36	x 24	x 63	800
RL658	Starter	48	x 24	x 63	800
RL659	Add-On	48	x 24	x 63	800
RL660	Starter	60	x 24	x 63	600
RL661	Add-On	60	x 24	x 63	600
5 SHELVES					
RL662	Starter	36	x 18	x 74	800
RL663	Add-On	36	x 18	x 74	800
RL664	Starter	48	x 18	x 74	800
RL665	Add-On	48	x 18	x 74	800
RL666	Starter	60	x 18	x 74	600
RL667	Add-On	60	x 18	x 74	600
RL668	Starter	72	x 18	x 74	600
RL669	Add-On	72	x 18	x 74	600
RL670	Starter	36	x 24	x 74	800
RL671	Add-On	36	x 24	x 74	800
RL672	Starter	48	x 24	x 74	800
RL673	Add-On	48	x 24	x 74	800
RL674	Starter	60	x 24	x 74	600
RL675	Add-On	60	x 24	x 74	600



RL648

POSTS

Model No.	Height"
RL629	63
RL630	74
RL631	86

WIRE SHELVES

Model No.	Dimensions W" x D"	Cap. lbs. /Shelf
RL622	36 x 18	800
RL623	48 x 18	800
RL624	60 x 18	600
RL625	72 x 18	600
RL626	36 x 24	800
RL627	48 x 24	800
RL628	60 x 24	600

WIRE SHELF CARTS

GREEN EPOXY WIRE SHELF CARTS

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- **Includes:** 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 600 lbs. evenly distributed
- 1-year limited warranty
- Shipped knocked-down
- NSF certified

KLETON

Model No.	Dimensions				Wt. lbs.	
	W"	x	D"	x		H"
4 SHELVES						
RL803	36	x	18	x	74	64
RL804	48	x	18	x	74	74
RL805	60	x	18	x	74	94
RL806	36	x	24	x	74	78
RL807	48	x	24	x	74	90
RL808	60	x	24	x	74	110
5 SHELVES						
RL809	36	x	18	x	86	68
RL810	48	x	18	x	86	78
RL811	60	x	18	x	86	98
RL812	36	x	24	x	86	82
RL813	48	x	24	x	86	94
RL814	60	x	24	x	86	114



WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate shelves and posts prevent corrosion
- Shelves can be adjusted easily and quickly
- Capacity: 600 lbs. evenly distributed weight
- **Includes:** 5" resilient rubber casters (two swivel, two with brake)
- 1-year limited warranty
- Shipped knocked down
- NSF certified

KLETON

Model No.	Dimensions				Wt. lbs.	
	W"	x	D"	x		H"
4 SHELVES						
RL600	36	x	18	x	63	56
RL601	48	x	18	x	63	65
RL602	60	x	18	x	63	83
MJ527	36	x	18	x	74	64
MJ528	48	x	18	x	74	74
MJ529	60	x	18	x	74	94
RL603	36	x	24	x	63	69
RL604	48	x	24	x	63	81
RL605	60	x	24	x	63	95
MJ530	36	x	24	x	74	78
MJ531	48	x	24	x	74	90
MJ532	60	x	24	x	74	110
5 SHELVES						
MJ533	36	x	18	x	86	68
MJ534	48	x	18	x	86	78
MJ535	60	x	18	x	86	98
MJ536	36	x	24	x	86	82
MJ537	48	x	24	x	86	94
MJ538	60	x	24	x	86	114



STANDARD DUTY UTILITY CARTS

- Durable, dependable transport solution that is easy to manoeuvre
- Highly rigid construction lets you easily adjust at 1" increments
- Durable chromate handles, shelves and posts
- Capacity: 600 lbs. evenly distributed weight
- **Includes:** Two handles, indicated number of shelves, and casters
- 1-year limited warranty
- Shipped knocked down
- NSF certified

KLETON

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
2 SHELVES						
MK781	30	x	18	x	39	36.5
MK782	36	x	18	x	39	40.25
MK783	48	x	18	x	39	44.75
MK784	60	x	18	x	39	54
MK785	36	x	24	x	39	47.75
MK786	48	x	24	x	39	53.75
MK787	60	x	24	x	39	63.5
3 SHELVES						
MJ539	30	x	18	x	39	45
MJ540	36	x	18	x	39	50
MJ541	48	x	18	x	39	57
MJ542	60	x	18	x	39	72
MJ543	36	x	24	x	39	61
MJ544	48	x	24	x	39	70
MJ545	60	x	24	x	39	85



PUSH CARTS

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**

KLETON

Model No.	Dimensions				
	W"	x	D"	x	H"
4 SHELVES					
RL914	30	x	14	x	54
RL915	36	x	14	x	54
RL916	48	x	14	x	54
RL917	60	x	14	x	54
5 SHELVES					
RL918	30	x	14	x	54
RL919	36	x	14	x	54
RL920	48	x	14	x	54
RL921	60	x	14	x	54



SLOTTED ANGLE SHELVING

- Ideal for shelving and storage systems, workbenches, tubing storage, protective framing around machinery, platforms around assembly projects, etc.
- Choose from the various components available, or pre-configured shelf units
- Unique boltless clip design allows for adjustability of shelves easily and effortlessly
- To ensure stability, it is recommended that three shelf levels are bolted when using boltless clips
- Assembly required

6 SHELVES/72" POST		7 SHELVES/84" POST		8 SHELVES/96" POST		Dimensions W" x L"
OPEN	CLOSED	OPEN	CLOSED	OPEN	CLOSED	
Model No.	Model No.	Model No.	Model No.	Model No.	Model No.	
RH701	RH774	RH707	RH780	RH713	RH786	12 x 36
RH702	RH775	RH708	RH781	RH714	RH787	18 x 36
RH703	RH776	RH709	RH782	RH715	RH788	24 x 36
RH704	RH777	RH710	RH783	RH716	RH789	12 x 48
RH705	RH778	RH711	RH784	RH717	RH790	18 x 48
RH706	RH779	RH712	RH785	RH718	RH791	24 x 48


All shelving units include four posts (1 3/8" x 1 3/8" slotted angle), shelves, panels (for closed units), plastic feet and all necessary hardware.



RH701



RH774



Model No.	Dimensions W" x D"	Angle Length'	Steel Gauge	Type	UDL*	Wt. lbs.
-----------	-----------------------	---------------	-------------	------	------	----------

SLOTTED ANGLE

RG979	1 3/8 x 1 3/8	8	14	140	-	6
RG980	1 3/8 x 1 3/8	10	14	140	-	7
RG981	1 3/8 x 1 3/8	12	14	140	-	8.5
RG982	2 1/2 x 1 5/8	8	14	225	-	9
RG983	2 1/2 x 1 5/8	10	14	225	-	11
RG984	2 1/2 x 1 5/8	12	14	225	-	13
RG320	3 x 1 1/2	10	12	300	-	14
RG321	3 x 1 1/2	12	12	300	-	17

SHELVES


RG985	12 x 36	-	20	-	450	7
RG986	15 x 36	-	20	-	450	8.3
RG987	18 x 36	-	20	-	450	9.6
RG988	24 x 36	-	20	-	450	12.2
RG989	32 x 42	-	18	-	300	23.7
RG990	12 x 48	-	20	-	350	9.2
RG991	15 x 48	-	20	-	350	10.9
RG992	18 x 48	-	20	-	350	12.6
RG993	24 x 48	-	19	-	400	18.5

*UDL: Maximum uniformly distributed load allowance where maximum shelf deflection is fully recovered when load is removed.


Model No.	Dim. W" x H"	Steel Gauge	Wt. lbs.
SIDE PANELS			
RH759	12 x 72	24	7
RH760	18 x 72	24	11
RH761	24 x 72	24	15
RH762	12 x 84	24	8
RH763	18 x 84	24	13
RH764	24 x 84	24	17
RH765	12 x 96	24	10
RH766	18 x 96	24	14
RH767	24 x 96	24	19

Model No.	Dim. W" x H"	Steel Gauge	Wt. lbs.
BACK PANELS			
RH768	36 x 72	24	22
RH769	48 x 72	24	29
RH770	36 x 84	24	25
RH771	48 x 84	24	34
RH772	36 x 96	24	29
RH773	48 x 96	24	38
KICK PANELS			
RH792	36 x 3	20	1.3
RH793	48 x 3	20	1.7


Steel slotted angle allows you to design and build anything to your own specifications:




Metal Decking




Tubing Storage




Overhead Storage



Overhead Storage



Wide Storage



Special Work Benches

SLOTTED ANGLE ACCESSORIES

CORNER GUSSET PLATES

- Add strength and rigidity to your slotted angle assembly
- 3" W x 3" L

PLASTIC FEET

- 1 3/8" x 1 3/8" angle posts



RG994



RG996



RL344

ACCESSORIES

Model No.	Description	Wt. lbs.
RG994	Corner Gusset Plate 3"	0.70
RG995	Nut and Bolt	0.05
RG996	Boltless Shelf Clip	0.60
RL344*	Plastic Foot for Single Post	0.02
RG238*	Plastic Foot for Double T-Post	0.03

*For 1 3/8" X 1 3/8" posts

SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted T-post and is immediately ready to receive a shelf
- No-bolt design reduces up to 80% of installation time
- Grey
- Shipped knocked down

METALWARE
STEEL SHELVING
corporation



RK550
T-Posts


RK472/RK565
Side and back
braces



RK552
Shelves



RK521
End Panels



RK470
Back Panels



RK575
Doors



RK483
Base Plates



RK566
Shelf Boxes

T-POSTS

- For open style shelving includes slots every 1" for shelf or brace installation
- Constructed of 1 1/2" x 2" x 1/8" double-formed steel in a "T" style with a smooth, unperforated face
- Capacity: 11 000 lbs.

Model No.	Height	Wt. lbs.
RK549	3'4"	4
RK550	6'4"	8
RK551	7'4"	9
RK548	8'4"	10
RK544	9'4"	11
RL879	10'4"	12

SHELVES

- Shelves are easily installed using four clips
- Constructed from 18-gauge steel
- Four clips included with each shelf

Model No.	Dimensions W" x D"	Capacity lbs.	Wt. lbs.
RK552	36 x 12	600	8
RK553	42 x 12	500	9
RK554	48 x 12	350	10.5
RK555	36 x 15	600	9.75
RK556	42 x 15	500	11.5
RK557	48 x 15	350	12.5
RK558	36 x 18	600	11.5
RK559	42 x 18	500	13
RK560	48 x 18	350	15
RK561	36 x 24	600	14.75
RK562	42 x 24	500	16.5
RK563	48 x 24	350	19
RK564	36 x 30	625	18

DOORS

- Lockable swinging doors install easily on closed style shelving

Model No.	Dimensions W x H	Wt. lbs.
RK575	36" x 6'4"	43
RK576	36" x 7'4"	50

BASE PLATES

- Install at floor level to close openings

Model No.	Dimensions W" x H"	Wt. lbs.
RK483	36 x 3	2
RK484	42 x 3	2.25
RK485	48 x 3	2.5

END PANELS

- For closed style shelving
- Each panel incorporates two slotted posts

Model No.	Dimensions D x H	Wt. lbs.
RK521	12" x 3'4"	10.5
RK522	12" x 6'4"	20.75
RK523	12" x 7'4"	23.5
RK520	12" x 8'4"	26.25
RK525	15" x 3'4"	11.5
RK526	15" x 6'4"	22.5
RK527	15" x 7'4"	25.5
RK524	15" x 8'4"	28.5
RK537	18" x 6'4"	24
RK538	18" x 7'4"	27
RK519	18" x 8'4"	30.5
RK529	24" x 3'4"	14
RK530	24" x 6'4"	27
RK531	24" x 7'4"	31
RK528	24" x 8'4"	34.5
RK532	30" x 8'4"	38.75

SIDE & BACK BRACES

- Provide stability to open style shelving units
- Sold in pairs**

Model No.	Description	Wt. lbs.
RK472	Back Brace	4
RK565	Side Brace	2

BACK PANELS

- For closed style shelving
- Attach easily to end panels using back brackets provided

Model No.	Dimensions W x H	Wt. lbs.
RK470	36" x 6'4"	19
RK471	36" x 7'4"	22
RK460	36" x 8'4"	25
RK465	42" x 7'4"	25.5
RK462	42" x 8'4"	29
RK947	48" x 3'4"	13.5
RK468	48" x 6'4"	25.5
RK469	48" x 7'4"	29.5
RK466	48" x 8'4"	33.5

SHELF BOXES

- Slide onto properly spaced shelving
- Extends 100% without spills
- Constructed of 20-gauge steel


Model No.	Dimensions W" x D" x H"	Wt. lbs.
RK566	5 5/8 x 12 x 2 3/4	2.5
RK569	5 5/8 x 18 x 2 3/4	3.5
RK570	5 5/8 x 12 x 4 3/4	3.5
RK572	5 5/8 x 15 x 4 3/4	4
RK573	5 5/8 x 18 x 4 3/4	4.5
RK574	11 x 18 x 4 3/4	5
RK571	12 x 12 x 4 3/4	5.5



RK503
Dividers



RK540
Label Holders



RC453
Gussets



RL756
48" Hanger Bars



RK949
Foot Plates



RK475
Bin Front

DIVIDERS

- Separate shelves into bin compartments
- Constructed of 20-gauge steel

Model No.	Dimensions			Wt. lbs.
	D"	x	H"	
RK503	12	x	6	0.5
RK504	15	x	6	0.75
RK505	18	x	6	1
RK506	24	x	6	1.5
RK507	12	x	8	0.75
RK508	15	x	8	1
RK509	18	x	8	1.5
RK510	24	x	8	2
RK487	12	x	10	1
RK488	15	x	10	1.25
RK489	18	x	10	1.75
RK490	24	x	10	2.25
RK491	12	x	12	1.25
RK492	15	x	12	1.75
RK493	18	x	12	2
RK494	24	x	12	2.75
RK495	12	x	14	1.5
RK496	15	x	14	2
RK497	18	x	14	2.25
RK498	24	x	14	3.25
RK499	18	x	16	2.5
RK500	18	x	18	2.75

BIN FRONT

- Used in conjunction with bin dividers

Model No.	Dimensions			Wt. lbs.
	L"	x	H"	
RK475	36	x	1	1.75
RK477	36	x	2	2
RK479	36	x	3	2.25
RK476	42	x	1	2
RK478	42	x	2	2.25
RK480	42	x	3	2.5

LABEL HOLDERS

- Install on shelf front to identify contents of shelves

Model No.	Width"	Wt. lbs.
RK540	36	0.3
RK542	48	0.3

MISCELLANEOUS

Model No.	Description	Wt. lbs.
RK949	Foot Plate	0.3
RC453	Gusset (pairs)	1
RL756	48" Hanger Bar	3.5
RL757	Hanging Bar Brackets	0.05
RC515	Shelf Clip	0.01
RC382	Back to Back Brackets	0.01
RC505	Back Panel Clip	0.2

For Our Complete Line
Of Labels & Label Holders



See Page B37

SHELVING


BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted T-post and is immediately ready to receive a shelf

- No-bolt design reduces up to 80% of installation time
- Grey
- Shipped knocked down

METALWARE
STEEL SHELVING
corporation

48" W X 7'4" H




4 SHELVES

Starter Unit	Depth"
RK285	12
RK287	18
RK289	24

Add-On Unit	Depth"
RK284	12
RK286	18
RK288	24

48" W X 7'4" H




7 SHELVES

Starter Unit	Depth"
RK297	12
RK299	18
RK301	24

Add-On Unit	Depth"
RK296	12
RK298	18
RK300	24

36" W X 6'4" H




4 SHELVES

Starter Unit	Depth"
RK205	12
RK207	18
RK209	24

Add-On Unit	Depth"
RK204	12
RK206	18
RK208	24

36" W X 6'4" H




7 SHELVES

Starter Unit	Depth"
RK217	12
RK219	18
RK221	24

Add-On Unit	Depth"
RK216	12
RK218	18
RK220	24

36" W X 6'4" H




10 SHELVES

Starter Unit	Depth"
RK229	12
RK231	18
RK233	24

Add-On Unit	Depth"
RK228	12
RK230	18
RK232	24

36" W X 6'4" H




13 SHELVES

Starter Unit	Depth"
RK241	12
RK243	18
RK245	24

Add-On Unit	Depth"
RK240	12
RK242	18
RK244	24

36" W X 7'4" H




4 SHELVES

Starter Unit	Depth"
RK309	12
RK311	18
RK313	24

Add-On Unit	Depth"
RK308	12
RK310	18
RK312	24

36" W X 7'4" H




7 SHELVES

Starter Unit	Depth"
RK333	12
RK335	18
RK337	24

Add-On Unit	Depth"
RK332	12
RK334	18
RK336	24

36" W X 7'4" H




8 SHELVES

Starter Unit	Depth"
RK321	12
RK323	18
RK325	24

Add-On Unit	Depth"
RK320	12
RK322	18
RK324	24

36" W X 7'4" H




15 SHELVES

Starter Unit	Depth"
RK345	12
RK347	18
RK349	24

Add-On Unit	Depth"
RK344	12
RK346	18
RK348	24

36" W X 8'4" H




9 SHELVES

Starter Unit	Depth"
RK401	12
RK403	18
RK405	24

Add-On Unit	Depth"
RK400	12
RK402	18
RK404	24

36" W X 8'4" H




13 SHELVES

Starter Unit	Depth"
RK413	12
RK415	18
RK417	24

Add-On Unit	Depth"
RK412	12
RK414	18
RK416	24

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"
RK425	12
RK427	18
RK429	24

Add-On Unit	Depth"
RK424	12
RK426	18
RK428	24



Open Style Shelving


BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted T-post and is immediately ready to receive a shelf

- No-bolt design reduces up to 80% of installation time
- Grey
- Shipped knocked down

METALWARE
STEEL SHELVING
corporation


48" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK291	12
RK293	18
RK295	24


48" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK303	12
RK305	18
RK307	24


36" W X 6'4" H



4 SHELVES

Starter Unit	Depth"
RK211	12
RK213	18
RK215	24

36" W X 6'4" H



7 SHELVES

Starter Unit	Depth"
RK223	12
RK225	18
RK227	24


Add-On Unit	Depth"
RK290	12
RK292	18
RK294	24

Add-On Unit	Depth"
RK302	12
RK304	18
RK306	24

Add-On Unit	Depth"
RK210	12
RK212	18
RK214	24

Add-On Unit	Depth"
RK222	12
RK224	18
RK226	24


36" W X 6'4" H



10 SHELVES

Starter Unit	Depth"
RK235	12
RK237	18
RK239	24


36" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK315	12
RK317	18
RK319	24


36" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK339	12
RK341	18
RK343	24

36" W X 7'4" H



8 SHELVES

Starter Unit	Depth"
RK327	12
RK329	18
RK331	24


Add-On Unit	Depth"
RK234	12
RK236	18
RK238	24

Add-On Unit	Depth"
RK314	12
RK316	18
RK318	24

Add-On Unit	Depth"
RK338	12
RK340	18
RK342	24

Add-On Unit	Depth"
RK326	12
RK328	18
RK330	24


36" W X 7'4" H



15 SHELVES

Starter Unit	Depth"
RK351	12
RK353	18
RK355	24


36" W X 8'4" H



9 SHELVES

Starter Unit	Depth"
RK407	12
RK409	18
RK411	24

36" W X 8'4" H



13 SHELVES

Starter Unit	Depth"
RK419	12
RK421	18
RK423	24

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"
RK431	12
RK433	18
RK435	24

Add-On Unit	Depth"
RK350	12
RK352	18
RK354	24

Add-On Unit	Depth"
RK406	12
RK408	18
RK410	24

Add-On Unit	Depth"
RK418	12
RK420	18
RK422	24

Add-On Unit	Depth"
RK430	12
RK432	18
RK434	24

For Our Complete Line
Of Plastic Bins



See
Pages
B1-B9



Closed Style
Shelving


SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted T-post and is immediately ready to receive a shelf
- No-bolt design reduces up to 80% of installation time
- Grey
- Shipped knocked down

METALWARE
STEEL SHELVING
corporation

36" W X 6'4" H




4 SHELVES

Starter Unit	Depth"
RK849	12
RK850	18
RK851	24

Add-On Unit	Depth"
RK852	12
RK853	18
RK854	24

36" W X 6'4" H




7 SHELVES W/DOORS

Starter Unit	Depth"
RK855	12
RK856	18
RK857	24

Add-On Unit	Depth"
RK858	12
RL013	18
RL015	24

36" W X 7'4" H



4 SHELVES W/ DOORS

Starter Unit	Depth"
RK893	12
RK894	18
RK895	24

Add-On Unit	Depth"
RK896	12
RK897	18
RK898	24

36" W X 7'4" H



7 SHELVES W/DOORS

Starter Unit	Depth"
RK899	12
RK900	18
RK989	24

Add-On Unit	Depth"
RK902	12
RK903	18
RK904	24

36" W X 7'4" H



10 DIVISIONS W/DOORS

Starter Unit	Depth"
RK911	12
RK912	18
RK913	24

Add-On Unit	Depth"
RK914	12
RK915	18
RK916	24

36" W X 7'4" H



21 DIVISIONS W/DOORS

Starter Unit	Depth"
RK921	12
RK922	18
RK923	24

Add-On Unit	Depth"
RK924	12
RK925	18
RK926	24

36" W X 6'4" H



14 DIVISIONS

Starter Unit	Depth"
RK259	12
RK261	18
RK263	24

Add-On Unit	Depth"
RK258	12
RK260	18
RK262	24

36" W X 6'4" H



18 DIVISIONS

Starter Unit	Depth"
RK265	12
RK267	18
RK269	24

Add-On Unit	Depth"
RK264	12
RK266	18
RK268	24

36" W X 6'4" H



72 DIVISIONS

Starter Unit	Depth"
RK271	12
RK273	18
RK275	24

Add-On Unit	Depth"
RK270	12
RK272	18
RK274	24

36" W X 7'4" H



14 DIVISIONS

Starter Unit	Depth"
RK363	12
RK365	18
RK367	24

Add-On Unit	Depth"
RK362	12
RK364	18
RK366	24

36" W X 7'4" H




21 DIVISIONS

Starter Unit	Depth"
RK369	12
RK371	18
RK373	24

Add-On Unit	Depth"
RK368	12
RK370	18
RK372	24

36" W X 8'4" H



24 DIVISIONS

Starter Unit	Depth"
RK443	12
RK445	18
RK447	24

Add-On Unit	Depth"
RK442	12
RK444	18
RK446	24



With Doors



With Dividers


BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted T-post and is immediately ready to receive a shelf

- No-bolt design reduces up to 80% of installation time
- Grey
- Shipped knocked down



36" W X 6'4" H




24 DIVISIONS
& 30 BOXES

Starter Unit	Depth"
RK970	12
RK868	18

Add-On Unit	Depth"
RK969	12
RK971	18

36" W X 7'4" H




27 DIVISIONS
& 30 BOXES

Starter Unit	Depth"
RK917	12
RK918	18

Add-On Unit	Depth"
RK919	12
RK920	18

36" W X 7'4" H




84 DIVISIONS
W/BIN FRONTS

Starter Unit	Depth"
RK383	12
RK385	18
RK387	24

Add-On Unit	Depth"
RK382	12
RK384	18
RK386	24

36" W X 6'4" H




72 BOXES

Starter Unit	Depth"
RK877	12
RK878	18

Add-On Unit	Depth"
RK879	12
RK880	18

36" W X 6'4" H




108 BOXES

Starter Unit	Depth"
RK980	12
RK982	18

Add-On Unit	Depth"
RK979	12
RK981	18

36" W X 6'4" H




36 BOXES

Starter Unit	Depth"
RK277	12
RK886	18

Add-On Unit	Depth"
RK276	12
RK983	18

36" W X 6'4" H



57 BOXES

Starter Unit	Depth"
RK886	12
RK890	18

Add-On Unit	Depth"
RK891	12
RK987	18

36" W X 6'4" H




72 DIVISIONS

Starter Unit	Depth"
RK271	12
RK273	18
RK275	24

Add-On Unit	Depth"
RK270	12
RK272	18
RK274	24

36" W X 7'4" H




84 DIVISIONS

Starter Unit	Depth"
RK905	12
RK906	18
RK907	24

Add-On Unit	Depth"
RK908	12
RK909	18
RK910	24

36" W X 7'4" H



84 BOXES

Starter Unit	Depth"
RK927	12
RK928	18

Add-On Unit	Depth"
RK929	12
RK930	18

36" W X 7'4" H



126 BOXES

Starter Unit	Depth"
RK931	12
RK932	18

Add-On Unit	Depth"
RK933	12
RK934	18

36" W X 7'4" H




42 BOXES

Starter Unit	Depth"
RK935	12
RK936	18

Add-On Unit	Depth"
RK937	12
RK938	18

36" W X 7'4" H



69 BOXES

Starter Unit	Depth"
RK939	12
RK940	18

Add-On Unit	Depth"
RK941	12
RK942	18



With Boxes

DRAWER INSERTS

INTEGRATED SHELVING DRAWER INSERTS

FOR METALWARE SHELVING

- Integrated drawer inserts allow you to install directly into your existing or new Metalware shelving units
- The system maximizes the storage space available in your shelving unit and reduces the need for additional shelving for storage of small parts
- Drawer dividers included
- Drawer capacity: 400 lbs.
- Grey
- Other colours available upon request
- Assembly required

LISTA
making workspace work




Shelving not included

OVERALL HEIGHT: 24"




6 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL760	24	x	36	102
RL759	24	x	42	114
RL758	24	x	48	144



5 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL763	24	x	36	75
RL762	24	x	42	90
RL761	24	x	48	108



4 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL766	24	x	36	48
RL765	24	x	42	48
RL764	24	x	48	72

OVERALL HEIGHT: 36"




10 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL769	24	x	36	174
RL768	24	x	42	192
RL767	24	x	48	252




9 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL772	24	x	36	174
RL771	24	x	42	192
RL770	24	x	48	252



8 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL775	24	x	36	120
RL774	24	x	42	144
RL773	24	x	48	180




7 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL778	24	x	36	96
RL777	24	x	42	108
RL776	24	x	48	144



6 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL781	24	x	36	72
RL780	24	x	42	72
RL779	24	x	48	108



5 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL784	24	x	36	48
RL783	24	x	42	48
RL782	24	x	48	72

OVERALL HEIGHT: 48"




12 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL787	24	x	36	204
RL786	24	x	42	228
RL785	24	x	48	204



8 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL796	24	x	36	96
RL795	24	x	42	96
RL794	24	x	48	144



7 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL799	24	x	36	90
RL798	24	x	42	108
RL797	24	x	48	135

TCF trays are open face roll out trays

TCF trays are open face roll out trays

LABEL HOLDERS

- Clearly identify your shelf/bin contents with the efficient and time-saving Aigner holders
- Versatile, highly protective, easy to read, and even custom designed with a special matte finish, making bar code applications easy
- Ideal for all types of racking, shelving and bin/drawer storage systems
- Labels provided

HOL-DEX®

- Can be custom cut to your specific size specifications
- Package of 12



SUPERSCAN™

- Available in four extra large sizes for pallet-racking installation
- Clear plastic matte finish assures precise bar code reading everytime
- Inserts are laser ink jet printer compatible for easy labeling



SUPERSCAN™ (CLEAR ONLY)

Model No.	Dimensions W" x L"	Qty /Box	Model No.	Dimensions W" x L"	Qty /Box
SELF-ADHESIVE			MAGNETIC		
OG356	2 x 3 1/2	50	OG357	2 x 3 1/2	50
RG670	3 x 5	50	RG672	3 x 5	50
RG671	4 x 6	50	RG673	4 x 6	50
RG681	5 x 7	25	RG683	5 x 7	25

WIRE-RAC™

- Snap-on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included

Model No.	Dimensions W" x L"	Qty /Box
RH683	1 5/16 x 3	25
RH684	1 5/16 x 6	25
RH685	1 5/16 x 12	12
RH686	1 5/16 x 24	6



SLIP 'N STIK™ AISLE SIGNS


- Create your own customized warehouse signs
- Built-in flexible hinge prevents breakage
- Includes:** 10 sign holders (11" x 8 1/2"), 12 yellow laser/ink jet sheets and instructions

Model No. OE798 Snap-On

- Snaps into pallet rack assembly holes, can snap out to relocate

Model No. OJ943 Self-Adhesive

- Adheres to flat surfaces, for more permanent applications



WRITE-ON MAGNETIC TAGS


- A fast, simple and inexpensive means of labeling high-volume applications, primary uses in warehouses and other storage areas
- Newly formulated write-on/wet erase tags come with a strong magnetic backing
- Special wet-erase feature will keep tags clear and clean for extended periods
- Mark with a standard wet erase marker, erase with a damp cloth and remark

50' ROLLS

Model No.	Width"
RH698	1
RH699	2
RH700	3

TAGS, 25/BOX

Model No.	Dimensions W" x L"
RH696	3 x 6
RH697	3 x 8
RH693	2 x 6



MAGNETIC TAPE FOR LABELS

- Peel and stick computer printed or hand written labels to non magnetic (matte) side
- Scissor cut to desired length
- Magnetic (shiny) side adheres to metal surface
- Can change label or relocate as required

Model No.	Dimensions W" x L"
OJ940	1 x 50
OJ941	2 x 50
OJ942	3 x 50


Custom pre-scored sizes available



SLIP STRIP™ LABEL HOLDING SYSTEMS

- Excellent for displaying bar codes, messages, prices or other information on pallet racking and shelving
- Self-adhesive label/document holder system allows you to change labels without messy adhesive build-up
- Six per package

Model No.	Dimensions W" x L"
OE802	1 x 36
OE803	1 1/4 x 48
OE804	2 x 48



MAGNETIC CARD HOLDERS

- Fast, simple and versatile means of labeling
- Great for metal racks, shelves, bins, drawers and more
- Insertable magnetic C-channel design allows for labels to be changed simply by re-marking the paper insert or re-positioning the magnet
- Black
- Custom cut sizes available on special order
- Inserts included

Model No.	Dimensions W" x L"	Qty /Box
OE250	1 x 3	25
OE251	1 x 4	25
OE252	1 x 6	25
OE253	1 x 8	25
OE254	2 x 3	25
OE255	2 x 4	25
OE256	2 x 6	25
OE257	2 x 8	25
OE258	3 x 4	25
OE259	3 x 6	25
OE260	3 x 8	25



PREMIUM JOB TICKET HOLDERS

- Protect work orders, production schedules, inventory cards and other important documents from excessive handling and wear
- Sewn edges are reinforced with heavy-duty vinyl and a brass eyelet is centered for hanging
- Clear 8 mil. PVC for easy visibility

Model No.	Dimensions W" x L"	Qty /Box
PC529	9 x 6	25
PC530	12 x 9	25



OPEN-EDGE™ LABEL HOLDERS

- The "top loading" feature is ideal for organizing any storage area
- Strong adhesive system assures the label holder will not fall off any clean dry surface
- Made from clear, durable, heavy-duty PVC that is bar code compatible
- White inserts included

Model No.	Dimensions W" x L"	Qty /Box
OG358	1/2 x 12	100
OG359	1 x 12	100
OG360	2 x 12	100
OG361	3 x 5	100



SHELVING & RACKING

STAINLESS STEEL SOLID RIVET SHELVING

- High quality stainless steel solid shelving made of type 304 stainless steel construction with brushed finish
- 18-gauge thick shelves adjustable in 1 1/2" increments
- Two-piece corner posts design includes plastic connectors
- **Includes:** Five adjustable shelves with a capacity of 600 lbs. per shelf
- Shipped knocked down, easy assembly



Model No.	Mfg. No.	Dimensions				Cap lbs. /Shelf	
		W"	x	D"	x		H"
RL853	LWSS-1836	18	x	36	x	72	600
RL854	LWSS-1848	18	x	48	x	72	600
RL855	LWSS-2436	24	x	36	x	72	600
RL856	LWSS-2448	24	x	48	x	72	600

ULTRARACK HEAVY-DUTY BOLTLESS SHELVING


- Modular design; use as storage shelving, a work centre or assemble as a workbench
- Heavy-duty 16-gauge steel construction provides maximum weight carrying capacity
- Each shelf supports 600 - 1800 lbs. based on evenly distributed loads
- Double riveted beams lock into heavy-duty corner post to form a structurally secure unit
- Includes five particleboard shelves that adjust easily on 1 1/2" centres
- Convenient access from all four sides
- Tough baked enamel finish



Model No.	Mfg. No.	Dimensions				Cap/Shelf lbs.	
		W"	x	D"	x		H"
RL894	UR1836	36	x	18	x	72	1200
RL895	UR2436	36	x	24	x	72	1800
RL896	UR1848	48	x	18	x	72	1000
RL897	UR2448	48	x	24	x	72	1400

HEAVY-DUTY BULK STORAGE RACKS

- These racks bridge the gap between pallet racking and conventional industrial racking
- Engineered for hand loading of intermediate weight bulky items
- Constructed of all welded 14-gauge steel upright frames punched on 1 1/2" centres
- 14-gauge Z-step beam design provides maximum weight capacity
- Comes with 5/8" thick particle board decking (steel decking also available)
- Additional shelves include two beams and a deck
- Other dimensions also available
- Assembly required



Innovative Z-Beam Design

Starter Model No.	Wt. lbs.	Add-on Model No.	Wt. lbs.	Rack Height'	Rack Width"	Cap. lbs. /Shelf
STANDARD 3 SHELF UNITS - 24" DEEP UNIT						
RK028	181	RK046	158	6	60	4000
RK029	205	RK047	182		72	3500
RK030	253	RK048	230		96	2800
RK031	199	RK049	167	8	60	4000
RK032	223	RK050	191		72	3500
RK033	271	RK051	239		96	2800
STANDARD 3 SHELF UNITS - 36" DEEP UNIT						
RK040	221	RK052	196	6	60	4000
RK041	254	RK053	229		72	3500
RK042	317	RK054	292		96	2800
RK043	243	RK055	207	8	60	4000
RK044	276	RK056	240		72	3500
RK045	339	RK057	303		96	2800

ADDITIONAL SHELVES

24" Deep unit	Wt. lbs.	36" Deep unit	Wt. lbs.	Rack Width"
RK058	45	RK061	57	60
RK059	53	RK062	68	72
RK060	69	RK063	89	96

EXTRA HEAVY-DUTY SHELVING

DESIGNED TO HOLD THE HEAVIEST LOADS

- Clear access on all four sides
- Excellent for storage of dies, fixtures, jigs or any heavy material
- Formed angle 2" x 2" uprights are constructed of 13-gauge steel, punched on 1" centres for quick and easy shelf adjustment
- Powder coat finish
- Shelf capacities are based on loads that are evenly distributed
- Extra shelves and 96" high units are available
- Each unit includes five shelves
- Assembly required



Shelves:

14-gauge, 2" deep channels on all four sides.
An extra channel welded to the bottom of shelf to prevent flexing under heavy loads.




Model No.	Dimensions				Cap lbs. /Shelf	Wt. lbs.	
	W"	x	D"	x			H"
RC524	36	x	18	x	72	3000	167
RC525	48	x	18	x	72	3000	212
RC526	60	x	18	x	72	3000	252
RC527	36	x	24	x	72	3000	197
RC528	48	x	24	x	72	3000	242
RC529	60	x	24	x	72	3000	292

PRONTO BULK STORAGE RACKS


- Up to 2000-lb. capacity per shelf
- Starter unit includes two all-welded end frames, and three 5/8" presswood shelves flush-fitted into positive locking steel shelf beams (two per shelf)
- Add-on units include only one end frame
- Additional shelves may be added into any unit at 4" vertical centres
- For extra stability and rigidity, all units feature three safety bars per shelf
- Blue enamel finish
- Rack only units (no wood shelves) are available upon inquiry

Note: Not recommended for powered lift truck applications.



Starter Unit

Add-On Unit



Assembles quickly without bolts



Dim. W' x H'	Description	24" SHELF DEPTH			36" SHELF DEPTH			48" SHELF DEPTH		
		Cap. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.		
7 x 8	Starter	1400	RA443	245	RA475	288	RA507	331		
7 x 8	Add-on	1400	RA441	217	RA473	258	RA505	299		
7 W	Add'l shelf	1400	RA470	63	RA502	76	RA534	89		
8 x 10	Starter	2000	RA453	302	RA485	351	RA517	400		
8 x 10	Add-on	2000	RA451	268	RA483	315	RA515	362		
8 W	Add'l shelf	2000	RA471	78	RA503	93	RA535	108		
8 x 12	Starter	2000	RA463	316	RA495	365	RA527	414		
8 x 12	Add-on	2000	RA461	275	RA493	322	RA525	369		
8 W	Add'l shelf	2000	RA471	78	RA503	93	RA535	108		

BULK STORAGE RACKS

- Ideal solution for storage of large and bulky items
- Designed to work without nuts and bolts which allows for assembly in minutes
- Shelves are adjustable among 1 1/2" increments
- Optional particle board deck panels combine economy and strength and are easy to install
- Units come standard with sturdy 84" high, 14-gauge posts and left to right beams as well as 16-gauge front to back beams
- Double riveted beams lock into corner posts to eliminate back and side sway
- Durable baked gray enamel finish to resist rust and corrosion
- Shipped knocked down



Easy assembly: Only a mallet is needed

Dimensions W" x D" x H"	Shelf Cap. lbs.	3 Levels		4 Levels		Particle Board Deck	
		Model No.	Wt. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.
48 x 24 x 84	1200	RL124	62	RL139	74	RL154	20
48 x 36 x 84	1200	RL125	68	RL140	82	RL155	29
48 x 48 x 84	1200	RL126	74	RL141	90	RL156	39
60 x 24 x 84	1000	RL127	72	RL142	88	RK016	25
60 x 36 x 84	1000	RL128	78	RL143	96	RK019	37
60 x 48 x 84	1000	RL129	84	RL144	104	RL157	49
72 x 24 x 84	750	RL130	74	RL145	90	RK017	29
72 x 36 x 84	750	RL131	80	RL146	98	RK020	44
72 x 48 x 84	750	RL132	86	RL147	106	RL158	59
96 x 24 x 84	600	RL133	86	RL148	106	RK018	39
96 x 36 x 84	600	RL134	92	RL149	114	RK021	59
96 x 48 x 84	600	RL135	98	RL150	122	RL159	78
96 x 24 x 84	800	RL136	98	RL151	122	RK018	39
96 x 36 x 84	800	RL137	104	RL152	130	RK021	59
96 x 48 x 84	800	RL138	110	RL153	138	RL159	78



RACKING

UPRIGHTS & STRINGERS

Make every inch of your storage space count by combining standard sized uprights and stringers (box type or recessed type) to create a racking system that is customized to your needs.

- Feature a 50 k.s.i. minimum yield to achieve higher load capacities
- Various racking accessories (below) may be added to store any specialty items that regular racking cannot handle
- **All racking is FOB Concord, Ontario**

Contact our sales department for further technical assistance.




MEDIUM DUTY UPRIGHTS 20000-LB. CAPACITY

Depth Height	24"	30"	36"	42"	48"	60"
6'	RB798	RB800	RB802	RB803	RB804	RB805
7'	RB806	RB808	RB810	RB811	RB812	RB813
8'	RB814	RB816	RB818	RB819	RB820	RB821
9'	RB822	RB824	RB826	RB827	RB828	RB829
10'	RB742	RB744	RB746	RB747	RB748	RB749
11'	RB750	RB752	RB754	RB755	RB756	RB757
12'	RB758	RB760	RB762	RB763	RB764	RB765
13'	RB766	RB768	RB770	RB771	RB772	RB773
14'	RB774	RB776	RB778	RB779	RB780	RB781
15'	RB782	RB784	RB786	RB787	RB788	RB789
16'	RB790	RB792	RB794	RB795	RB796	RB797

HEAVY-DUTY UPRIGHTS 27000-LB. CAPACITY

Depth Height	24"	30"	36"	42"	48"	60"
6'	RB714	RB715	RB716	RB717	RB718	RB719
7'	RB720	RB721	RB722	RB723	RB724	RB725
8'	RB726	RB728	RB730	RB731	RB732	RB733
9'	RB734	RB736	RB738	RB739	RB740	RB741
10'	RB608	RB610	RB612	RB613	RB614	RB615
11'	RB616	RB618	RB620	RB621	RB622	RB623
12'	RB624	RB626	RB628	RB629	RB630	RB631
13'	RB632	RB634	RB636	RB637	RB638	RB639
14'	RB640	RB642	RB644	RB645	RB646	RB647
15'	RB648	RB650	RB652	RB653	RB654	RB655
16'	RB656	RB658	RB660	RB661	RB662	RB663
18'	RB664	RB666	RB668	RB669	RB670	RB671
20'	RB672	RB674	RB676	RB677	RB678	RB679
22'	RB680	RB682	RB684	RB685	RB686	RB687
24'	RB688	RB690	RB692	RB693	RB694	RB695
26'	RB696	RB697	RB698	RB699	RB700	RB701
28'	RB702	RB703	RB704	RB705	RB706	RB707
30'	RB708	RB709	RB710	RB711	RB712	RB713



BOX TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
2"	RB203	RB204	RB205	RB206	RB207	RB208	RB209	RB210	RB211	RB212	RB213	RB214	RB215	RB216	RB217	RB218	RB219
2 1/2"	RB220	RB221	RB222	RB223	RB224	RB225	RB226	RB227	RB228	RB229	RB230	RB231	RB232	RB233	RB234	RB235	RB236
3"	RB237	RB238	RB239	RB240	RB241	RB242	RB243	RB244	RB245	RB246	RB247	RB248	RB249	RB250	RB251	RB252	RB253
3 1/2"		RB254	RB255	RB256	RB257	RB258	RB259	RB260									
4"			RB270	RB271	RB272	RB273	RB274	RB275									
4 1/2"				RB284	RB285	RB286	RB287	RB288									
5"					RB297	RB298	RB299	RB300									
5 1/2"								RB309									
6"									RB308								
6 1/2"										RB308							


7/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
2 1/2"	RB379	RB381	RB383	RB385	RB387	RB389	RB391	RB393	RB395	RB397	RB399	RB401	RB403	RB405	RB407	RB409	RB411
3"	RB413	RB415	RB417	RB419	RB421	RB423	RB425	RB427	RB429	RB431	RB433	RB435	RB437	RB439	RB441	RB443	RB445
3 1/2"		RB447	RB449	RB451	RB453	RB455	RB457	RB459	RB461	RB463	RB465	RB467	RB469	RB471	RB473	RB475	RB477
4"			RB479	RB481	RB483	RB485	RB487	RB489	RB491	RB493	RB495	RB497	RB499	RB501	RB503	RB505	RB507
4 1/2"				RB509	RB511	RB513	RB515	RB517	RB519	RB521	RB523	RB525	RB527	RB529	RB531	RB533	RB535
5"							RB535	RB537	RB539	RB541	RB543	RB545	RB547	RB549	RB551	RB553	RB555
5 1/2"									RB557	RB559	RB561	RB563	RB565	RB567	RB569	RB571	RB573
6"																	
6 1/2"																	

1 5/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR


LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
2 1/2"	RB380	RB382	RB384	RB386	RB388	RB390	RB392	RB394	RB396	RB398	RB400	RB402	RB404	RB406	RB408	RB410	RB412
3"	RB414	RB416	RB418	RB420	RB422	RB424	RB426	RB428	RB430	RB432	RB434	RB436	RB438	RB440	RB442	RB444	RB446
3 1/2"		RB448	RB450	RB452	RB454	RB456	RB458	RB460	RB462	RB464	RB466	RB468	RB470	RB472	RB474	RB476	RB478
4"			RB480	RB482	RB484	RB486	RB488	RB490	RB492	RB494	RB496	RB498	RB500	RB502	RB504	RB506	RB508
4 1/2"				RB488	RB490	RB492	RB494	RB496	RB498	RB500	RB502	RB504	RB506	RB508	RB510	RB512	RB514
5"					RB510	RB512	RB514	RB516	RB518	RB520	RB522	RB524	RB526	RB528	RB530	RB532	RB534
5 1/2"						RB536	RB538	RB540	RB542	RB544	RB546	RB548	RB550	RB552	RB554	RB556	RB558
6"								RB558	RB560	RB562	RB564	RB566	RB568	RB570	RB572	RB574	RB576
6 1/2"																	

ACCESSORIES FOR PALLET RACKING



CENTENNIAL PROFILE ACCESSORIES

FLUSH SAFETY BARS FOR BOX BEAMS



Model No.	Dimensions			Wt. Cap. lbs.
	W"	x	L"	
RB878	2	x	42	1100
RB884	6	x	42	1200
RB872	12	x	42	1200

DRUM CRADLES


- For positive positioning of cylindrical containers
- Unit fits onto cross bars and provides wedge type security



Model No.	Description
RB847	Drum Cradle (Type II - 36")
RB848	Drum Cradle (Type II - 42")

SKID CHANNELS

- For use with legged skids
- Fits across beams, from front to rear
- Recessed channel provides support for skid legs



Model No.	Dimensions		
	W"	x	L"
RB920	6	x	24
RB921	6	x	30
RB922	6	x	36
RB923	6	x	42
RB924	6	x	48
RB918	12	x	42

WALL CONNECTORS

- Wall connectors are used to provide a tie between racking and the wall
- Plate is punched to allow lagging



Model No.	Dimensions"
RB835	6
RB830	12

ROW CONNECTORS


- Row connectors are used on back to back racking layouts to maintain spacing between rows
- May be located at any level other than where a stringer is located



Model No.	Dimensions"
RB327	6
RB328	8
RB322	12

WIRE DECKING

- Easy to install
- Step/Waterfall style
- Three channels sit on the beam to carry the load
- Capacity: 2500 lbs.
- Grey



Model No.	Dimensions		
	W"	x	D"
RL379	46	x	42
RL380	52	x	42
RL377	46	x	36
RL378	52	x	36

PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2" x 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish



WILEY

Model No.	Description	Wt. lbs.
RL929	Back Guard 4' x 8' w/6" Brackets	39
RL930	Back Guard 4' x 8' w/9" Brackets	40
RL931	Back Guard 4' x 8' w/12" Brackets	41
RL932	Back Guard 4' x 9' w/6" Brackets	49
RL933	Back Guard 4' x 9' w/9" Brackets	50
RL934	Back Guard 4' x 9' w/12" Brackets	51
RL935	Back Guard 4' x 10' w/6" Brackets	57
RL936	Back Guard 4' x 10' w/9" Brackets	58
RL937	Back Guard 4' x 10' w/12" Brackets	59
RL938	Back Guard 4' x 11' w/6" Brackets	63
RL939	Back Guard 4' x 11' w/9" Brackets	64
RL940	Back Guard 4' x 11' w/12" Brackets	65
RL941	Back Guard 4' x 12' w/6" Brackets	70
RL942	Back Guard 4' x 12' w/9" Brackets	71
RL943	Back Guard 4' x 12' w/12" Brackets	72

For our complete line of labels & label holders



See page B37



STORAGE RACKS

BAR STORAGE RACKS


All-steel vertical and horizontal racks are ideal for storing bars, tubes, pipes and angles. Economical knocked-down design reduces storage and shipping costs.

COMBINATION VERTICAL RACKS

- Stores bars up to 12' long and features three shelves for extra storage of small parts
- 8" deep arms divided into three sections
- Overall dimensions: 36" W x 24" D x 84" H
- Capacity: 3000 lbs.
- Durable Kleton blue enamel finish
- Weight: 128 lbs.

Model No. RL922

RB958



RL922

HORIZONTAL BAR RACKS

- Stores bars up to 10' long
- 9" deep arms with nine storage levels at 6" intervals
- Overall dimensions: 18" W x 40" D x 84" H
- Capacity: 1800 lbs.
- Durable Kleton blue enamel finish
- Weight: 68 lbs.

Model No. RB958

VERTICAL BAR RACKS

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four 24" deep dividers
- Overall dimensions: 48" W x 24" D x 60" H
- Capacity: 3000 lbs.
- Durable Kleton blue enamel finish
- Weight: 100 lbs.

Model No. RL383




RL383

MOBILE PIPE & BAR RACKS

- Safely stores up to 1000 lbs. of material
- Folds to compact size of 61" W x 34" D x 15 1/2" H
- Features four rack levels with curved edges to prevent pipe from rolling off
- Constructed of structural square tubing
- Two swivel and two rigid, 6" hard rubber casters
- Overall dimensions: 58 1/2" W x 34" D x 58" H
- Blue enamel finish
- Weight: 100 lbs.

Model No. RB951



RB951

STANDARD VERTICAL SHEET RACKS

- All-welded steel construction
- Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- Capacity: 4000 lbs.
- Durable Kleton blue enamel finish



Model No.	Overall Dim. W" x D" x H"	Number of Bays	Distance Between Bays"	Wt. lbs.
RL384	84 x 50 x 36	4	10	200

CANTILEVER BAR-STOCK RACKING

LIGHT-DUTY

- All-welded components assemble easily
- Seven 12" adjustable arms per column side
- Capacity per arm: 1000 lbs.
- 36" W x 18 1/4" D x 75" H
- Shipped knocked down

REGULAR-DUTY

- Ideal for storing of steel, iron, aluminum, wood or plastic pipe
- All-welded components assemble easily
- Seven 14" adjustable arms per column side
- Capacity per arm: 2000 lbs.
- 36" W or 72" W x 21" D x 84" H
- Shipped knocked down



LIGHT-DUTY

Model No.	Description	Capacity lbs. /Unit	Wt. lbs.
RL730	Single-Sided	7000	306
RL731	Double-Sided	14 000	434

REGULAR-DUTY

Model No.	Description	Width"	Capacity lbs. /Unit	Wt. lbs.
STARTER				
RL732	Single-Sided	36	14 000	315
RL734	Double-Sided	36	28 000	452
RL736	Single-Sided	72	14 000	329
RL738	Double-Sided	72	28 000	466
ADD-ON				
RL733	Single-Sided	36	7000	168
RL735	Double-Sided	36	14 000	236
RL737	Single-Sided	72	7000	182
RL739	Double-Sided	72	14 000	250

For capacities to be validated, units must be anchored to slab using a minimum of two 1/2" x 3 3/4" wedge anchors per column (MLA725)

THREADED ROD RACKS

- Eighteen 2 1/8" diameter openings
- Overall dimensions: 24 1/8" W x 6 7/8" D x 24" H
- Weight: 16 lbs.
- Grey
- Shipped knocked down


Model No. CB578



DURHAM
MANUFACTURING

HORIZONTAL SHEET RACKS

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and an open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.



Model No.	Overall Dim. L" x W" x H"	Number of Shelves	Net Wt. lbs.
RL923	103 x 55 x 48	5	575

NESTABLE EXPORT PALLETS

- Economic, environmental and efficient alternative to wood pallets
- 100% recyclable export pallet made from 100% recycled material
- Low cost lightweight pallet ideal for export and 1-way shipments
- Available in a flat deck **CC435** or discontinuous rim to reduce load shifting **CC436**
- Flow thru design allows for easy cleaning
- True 4-way entry for forklifts and pallet trucks
- ISPM 15 exempt




ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
CC435	48	x	40 x 5 1/2	10000	2300	21.5
CC436	48	x	40 x 6 1/2	10000	2300	21.5

NESTABLE LIGHTWEIGHT PALLETS WITH LIP

- 5/8" raised edge surrounding the deck prevents loads from sliding off
- Single faced, 1-piece high-density polyethylene construction
- Cleans easily with efficient drainage design
- 4-way fork lift and 2-way pallet truck entry
- ISPM 15 exempt



ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
CB521	48	x	40 x 5 1/2	20000	2500	21

Also available in USDA/FDA approved material for non-direct food contact.

RACKSTAR II PALLETS

- Highly impact resistant design
- 100% recyclable with fully removable reinforcement structure
- Solid wall design for increased durability
- 4-way forklift accessible
- Easy to sanitize
- Removable/repairable stringers or full frame bottom, with easy-to-replace fasteners, are available for added capacity in forklift and conveyor use
- Perimeter molded-in lip options offer secure product loading and stacking
- Rackable
- ISPM 15 exempt




ORBIS

Model No.	Description	Dim. L" x W"	Capacity lbs.		Capacity lbs.			Wt. lbs.
			Static	Dynamic	Decking	Centre Supports	Edge Supported	
CC162	w/Lip	48 x 40	30000	6000	6000	6000	3000	56.6
CC163	w/o Lip	48 x 40	30000	6000	6000	6000	3000	56.6

(Includes 16 Deck Grommets)

MEDIUM-DUTY RACKABLE PLASTIC PALLETS

- Unique rib design for easy cleaning and sanitary applications
- Edge-supported racking application, maximum capacity of 1400 lbs.
- Bottom design of pallet ideal for automated conveying
- Anti-skid grommets on both top and bottom
- High pressure injection molded plastic pallets made with recyclable materials
- Grey
- ISPM 15 exempt



MONOFLO
INTERNATIONAL, INC.

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
MN172	48	x	40 x 6	30000	3000	42

REUSABLE NESTABLE PALLETS

- Nestable pallet designed for long life
- Choice of two popular small footprint pallets
- 100% recyclable and reusable pallet with long service life
- Economic, environmental and efficient alternative to wood pallets
- 2-way entry for forklift and hand pallet trucks
- ISPM 15 exempt



ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
CB518	28	x	20 x 5.3	5000	1500	9.4
CB519	40	x	28 x 5.3	10000	2000	18.9

NESTABLE SINGLE-FACED PALLETS

- 1-piece structural foam pallets are lightweight, nestable and recyclable
- High-density polyethylene construction
- Large rectangular legs make it an excellent choice for most conveyor systems
- Fork lift: 4-ways
- Pallet truck: 4-ways
- ISPM 15 exempt




ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
CB520	48	x	40 x 5	30000	3000	29
CB524	48	x	48 x 5 3/4	30000	4000	45.5

RACKSTAR PALLETS

- Ideal for use in food industry and in situations where higher capacity racking capabilities are important
- Double-deck, 1-piece construction with an open grid and large corner for easy cleaning
- Standard high-density polyethylene or USDA/ FDA approved HDPE
- In an edge-supported rack, pallet can hold up to a 2500 lbs. evenly distributed load
- Dynamic load capacity of 5000 lbs.
- Static load capacity: 30000 lbs.
- 4-way fork lift or pallet truck entry
- Colour: Standard-Black, USDA/FDA-Blue
- ISPM 15 exempt



ORBIS

Model No.	Description	Dimensions"			Wt. lbs.
		L"	x	W" x H"	
CB536	Standard	48	x	40 x 6 5/8	45
CB537	USDA/FDA Food Approved	48	x	40 x 6 5/8	45

Note: Test for pallet deflection on loads over 2500 lbs. when used with unsupported (edge-supported) pallet rack.

EXTRA-LONG STACKABLE PALLETS

- Pallet is fully reversible for double stacking of loads
- Manufactured in HDPE structural foam
- Designed for handling and shipping heavy product loads
- Ideal for stack loading, conveying systems, distribution and static storage
- 4-way entry for fork trucks
- ISPM 15 exempt



ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.
	L"	x	W" x H"	Static	Dynamic	
MN169	60	x	48 x 5.8	30000	3500	88
MN170	72	x	48 x 5.8	30000	4000	110

WIRE MESH PARTITIONS & ENCLOSURES

Rugged *Kleton* wire mesh partitions and enclosures provide maximum security at a minimal cost. It is ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required.

Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable *Kleton* blue or safety yellow finish (Other colours available)



WIRE MESH PARTITION COMPONENTS

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.

1. UNIVERSAL POSTS

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

Universal Posts




Blue Model No.	Yellow Model No.	Height	Wt. lbs.
KD053	KH860	8' 3"	22
KD046	KH922	10' 3"	27
KD050	KH923	12' 3"	32

2. PANELS

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

Examples:

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally



Panels

Blue Model No.	Yellow Model No.	Frame Dimensions			Wt. lbs.
		W'	x	H'	
KD121	KH926	4	x	1	10
KD120	KH927	8	x	1	21
KD030	KH928	2	x	2	10
KD031	KH929	3	x	2	11
KD032	KH914	4	x	2	12
KD033	KH915	8	x	2	31
KD034	KH916	8	x	3	40
KD035	KH930	3	x	4	20
KD036	KD130	4	x	4	23
KD037	KD131	8	x	4	45

3. ADJUSTABLE FILLER PANELS

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Adjustable Filler Panels



Blue Model No.	Yellow Model No.	Dimensions			Wt. lbs.
		W'	x	H'	
KD119	KH924	4	x	1	5
KD118	KH925	8	x	1	10



Safety Yellow

WIRE MESH PARTITIONS & ENCLOSURES

WIRE MESH PARTITION COMPONENTS (CONTINUED)

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.



Customize it to your specifications. See page B60 for details.


4. SWING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the **KD112** and **KH937** heavy swing door with wicket which swings open to the left only)
- Fasteners are included

STANDARD-DUTY

- Frame constructed with 1 1/4" x 1 1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included



Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KD110	KH933	Heavy-Duty Swing Door	3 x 7	65
KH853	KH934	Standard-Duty Swing Door	3 x 7	54
KD111	KH935	Heavy-Duty Swing Door	4 x 7	74
KH854	KH936	Standard-Duty Swing Door	4 x 7	62
KD112	KH937	Heavy-Duty Swing Door w/Wicket	4 x 7	85


5. SLIDING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

STANDARD-DUTY

- Frame constructed with 1 1/2" x 1 1/2" angle iron frame
- All are 7' in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width



Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KH852	KH938	Standard-Duty Sliding Door	4 x 8	71
KD106	KH939	Heavy-Duty Sliding Door	4 x 8	85
KD108	KH940	Heavy-Duty Sliding Door	8 x 8	122
KD107	KH941	Heavy-Duty Sliding Door	8 x 10	148

6. HARDWARE REQUIRED

For Each Stacked Panel Add:

- 4 x **MLV180**, 4 x **MLV180** for each 8' stacked panel
- 2 x **MLV180**, 2 x **MLV180** for each stacked panel under 8' long

For Each Post Add:

- 8 x **MLK389**, 8 x **MLK714**, 2 x **KD001** for each **KD053** and **KH860**
- 12 x **MLK389**, 12 x **MLK714**, 2 x **KD001** for each **KD046** and **KH922**
- 12 x **MLK389**, 12 x **MLK714**, 2 x **KD001** for each **KD050** and **KH923**

For Each Sliding Door Add:

- 1 x **KD028**, 1 x **KD029** door track for each **KD106** and **KH852** 4' wide sliding door
- 1 x **KD028**, 2 x **KD029** door track for each **KD108** and **KD107** 8' wide sliding door

Blue Model No.	Yellow Model No.	Description	Wt. lbs.
KD029	KH942	8' Door Track	16
KD028	KH943	Sliding Door Hardware Kit	6
KD115	KH944	Wall Bracket Kit	0.1
MLV180*	-	5/16" x 1" Carriage Bolt	0.01
MLK389*	-	5/16" x 3" Carriage Bolt	0.01
MLK714	-	Nut 5/16" Hex	0.01
KD001	-	3/8" Anchor Bolt	0.01

* 1 x **MLK714** is required for each **MLV180** and **MLK389**.

STRIP CURTAIN DOORS

Everything you need in one package to install your own strip curtain door and save money!

ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple-to-follow installation instructions are included in every package.

- Determine inside width and height of door opening.
NOTE: If mounting on door above lintel, measure from floor to mounting height.
- Select type of PVC material required: STANDARD or LOW TEMP.
Standard recommended for temperatures from -23°C to 66°C.
Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.
- Select from the standard sizes listed in the chart below.
NOTE: If required size is not available, order the next largest size.
Installation instructions describe how simple trimming can custom fit almost any door opening.
- Special size doors and hanging applications are available upon request.
- For overhead doors, please call one of our sales representatives for assistance.



INTERIOR DOORS



- Save energy costs**
- The optimal solution to open door heat/cooling loss
- Reduce noise pollution**
- Provides the ideal acoustical barrier around noisy equipment




Every strip curtain door comes complete with PVC strips and universal hardware for door or wall mounting. Simple-to-follow installation instructions included in every package.

EASY TO ORDER

It is easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

CONVEYORS



- Provide extra safe passage**
- People can see and be seen so there is less chance of accidents
- Control smoke, dust and sprays**
- Strip curtains can control in-plant contaminants to improve employee environment

DOCKS



- Low maintenance**
- Clear flexible vinyl resists stretching and stands up to abrasion
 - All aluminum hardware is used for maximum durability
 - May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
 - Deep stains and ingrained dirt can be removed by carefully applying ethanol

STANDARD DOOR SIZES

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Door Opening			Wt. lbs.
			W'	x	H'	
KF022	KF004	8"	4	x	7	25
KF023	KF005	(8" x 0.080)	5	x	8	35
KF024	KF006		6	x	8	40
KF026	KF008	12"	8	x	8	80
KF025	KF007	(12" x 0.120)	8	x	10	100
KF020	KF002		10	x	10	125
KF021	KF003		12	x	12	175

NOTE: Doors with 8" strips have 2" standard overlap.
Doors with 12" strips have 4" standard overlap.

REPLACEMENT STRIPS - 5 PER CARTON

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Wt. lbs.
KF032	KF013	8" x 0.080 x 8'	15
KF029	KF011	12" x 0.120 x 12'	45

BULK ROLLS

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Colour	Roll'	Wt. lbs.
KF033	KF014	8" x 0.080	Clear	300	99
KF030	KF012	12" x 0.120	Clear	200	150
KF031	-	16" x 0.160	Clear	100	140
ML959*	-	8" x 0.080	Dark Amber	300	99


* For welding applications



CUSTOMIZE IT TO YOUR SPECIFICATIONS. SEE PAGE B60 FOR DETAILS

REPLACEMENT ANGLE MOUNT

Model No.	Description
KF001	Complete 4' aluminum angle mount



CURTAIN PARTITIONS

- Curtain partitions screen, isolate, enclose and protect any area of any size
- Commonly used in welding and paint shops, but can be used anywhere
- Brackets made of 16-gauge steel and designed for wall or ceiling mount but can be self supported by floor stands
- Large selection of drape material can be utilized with any curtain

DESIGN YOUR OWN CURTAIN


Curtains - Take exact length of area of enclosure and add 10% fullness for proper draping. Then multiply length and height to obtain square footage. Curtains hemmed on top and two sides 2" pocket on bottom side. Brass grommets spaced every 12". Refer to model number for square footage cost of fabric required.

Track - Straight and curved. Straight track available in 5' and 10' lengths. Curved corners are 3' long with 2' radius welded splicer on each end included. When using a curved track, length is increased by 2', e.g. 8' straight track with a curve at each end overall = 12'.




Carriers - Since curtains are made to any length be sure to add one additional carrier to actual length of curtain ordered. For example every 10' of curtain is fabricated with 11 grommets on top side. Therefore 11 carriers are required. A double carrier should be used at the beginning of each curtain. Steel roller carriers are permanently lubricated enclosed bearings.

Clamps - Available for flush ceiling/beam mounting and floor mounting. Clamps can also be used as track splicers. All fasten with supplied Allen bolts. Order sufficient clamps to support track every 5'. When free standing uprights are required, be sure to specify clamps for fastening track on posts **KB032** (Posts are required every 8'). Other custom heights on application.

Note: All posts should be lagged or welded to floor as required.






Model No.	Description
TRACKS	
KB017	5', 16 ga. Track
KB016	10', 16 ga. Track
KB029	Track Splicer
KB012	End Stop
ROLLERS	
KB013	Single Nylon Roller 25 lbs., Cap. 2 1/2" Hook
KB018	Single Steel Roller 75 lbs., Cap. 2 1/2" Hook
KB019	Double Steel Roller 125 lbs., Cap. 2 1/2" Hook
KB014	Overlap By-Pass Roller 12" Long x 2 3/4" High
WALL MOUNTS	
KB020	Wall Connector Bracket, Down
KB021	Wall Connector Bracket, Up
KB011	End Connector Fastener, Up
KB010	End Connector Fastener, Down



Model No.	Description
KB040	15 oz/sq.yd., Before Treatment Cotton Duck, Flame Resistant Army Green
KB004	14 mil Yellow PVC, Flame Resistant
KB003	14 mil Green PVC, Flame Resistant
KB038	20 mil Clear PVC, Flame Resistant

Other colours are available

Model No.	Description
FLOOR MOUNTS	
KB009	3' 90° Curve Track
KB025	Track Splicer
KB027	90° Corner Connector
KB024	3-Way T-Connector
KB032	8' Square Post
KB005	12" x 12" Base
BEAM MOUNTS/SUSPENSION	
KB008	3' 90° Curve Track
KB031	Ceiling Clamp
KB028	90° Corner Connector
KB023	3-Way T-Connector
CEILING MOUNTS	
KB007	3' 90° Curve Track, Three Flush Connectors
KB030	Track Splicer
KB026	90° Corner Connector
KB022	3-Way T-Connector



SAFETY GUARDS & BOLLARDS

PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish



MESH STYLE KITS

Blue Model No.	Yellow Model No.	Description	Dimensions W" x H"	Wt. lbs.
KH945	RL848	Starter Section	48 x 48	46
KH946	RL849	Add-On Section	48 x 48	46
KH947	RL850	Starter Section	96 x 48	65
KH948	RL851	Add-On Section	96 x 48	65

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

Blue Model No.	Yellow Model No.	Description	Dimensions W x H	Wt. lbs.
KD036	KD130	Mesh Panel	4' x 4'	20
KD037	KD131	Mesh Panel	8' x 4'	39
KH861	KD129	Post Universal	49 1/2" H	13

HARDWARE REQUIRED

KD001	Floor Anchors (Two per Post)
MLK389	5/16" x 3" Carriage Bolt (Four per Frame)
MLK714	5/16" Hex Nut (One Nut for Each MLK389)
KD116	Post Caps (One per Post)

TUBULAR STYLE

Model No.	Description	Dimensions W" x H"	Wt. lbs.
KD132	Starter Section	48 x 49 1/2	45
KD133	Add-On Section	48 x 49 1/2	32
KD134	Starter Section	96 x 49 1/2	66
KD135	Add-On Section	96 x 49 1/2	53

HARDWARE REQUIRED

KD001	Floor Anchors (Four per Starter Section / Two per Add-On Section)
KD116	Post Caps (One per Post)

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



CUSTOMIZE IT TO YOUR SPECIFICATIONS.
SEE PAGE B60 FOR DETAILS

Model No.	Dimensions W" x H"	Wt. lbs.
KD127	24 x 18	65
KH855	36 x 18	75
KD128	48 x 18	85
KD136	24 x 42	95
KD856	36 x 42	110
KD139	48 x 42	115

UPRIGHT PROTECTORS


- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- Four pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coat finish



Model No.	Dimensions W" x D" x H"	Wt. lbs.
KH858	7 x 7 x 12	12
RB925	7 x 7 x 18 1/4	15

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



Model No.	Height"	Wt. lbs.
KD125	24	30
KH857	36	40
KD126	48	50

SECURITY GATES & PROTECTORS

SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, *Soft Edge* prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C



Style	Model No. 1 Metre	Model No. 5 Metres
A	KH866	KH865
B	KH868*	KH867*
C	KH870	KH869
D	KH872	KH871
E	KH952	KH953
F	KH954	KH955
G	KH956*	KH957*
H	KH958	KH959

*Held by pressure fit, not peel-away adhesive








COLUMN PROTECTORS

STRUCTURAL COLUMN PROTECTORS

- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design - capable of handling a hit from a 7000-lb. forklift at 6 mph
- Easy to assemble
- Nylon fasteners (included) for breakaway ability

EXTREMELY VERSATILE

- Fits over 80% of standard columns
- Protect columns under virtually any condition and temperature down to 0°F




Dixie Poly Drum Corp.

Model No.	Dim."	Fits Square Column"	Fits Round Column"	Dia."	Overall Height"	Wt. lbs.
KH779	6 Sq.	Up to 6	Up to 6 Dia.	26	42	46
KH780	8 Sq.	6 to 8	6 to 8 Dia.	26	42	46
KH781	10 Sq.	8 to 10	8 to 10 Dia.	26	42	46
KH782	12 Sq.	10 to 12	10 to 12 Dia.	26	42	46
KH783	9 Round	Up to 6	Up to 8 5/8 Dia.	26	42	46
KH784	14 Sq.	12 to 14	12 to 14 Dia.	28 1/2	42 3/4	70
KH785	16 Sq.	14 to 16	14 to 16 Dia.	28 1/2	42 3/4	70

HEAVY-DUTY DOOR GATES

- Folding door gates can be installed in any doorway up to 48" wide inside or outside the jamb
- Gates pivot on a hinge so that they can open in or out, just like a door
- All folding door gates come with a locking bar that when padlocked provides maximum security
- Frame is constructed from 1 1/2" x 1 1/2", 12-gauge angle iron, zinc-plated
- Channel constructed from 3/8" x 3/4", 14-gauge steel
- Installation hardware not included

Model No.	Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.
KH873	4	6.08	5.8	44
KH874	4	6.6	6.3	49
KH875	4	6.75	6.5	50



GALVANIZED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 14-gauge steel folding gates
- Constructed of galvanized steel U-channels riveted using aircraft quality rivets for durability
- Double folding gates centre drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates
- Durable 3" rubber casters that fully retract when not in use
- Installation hardware included



SINGLE FOLDING GATES

Lock Location		Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.
Left Model No.	Right Model No.				
KA035	KA036	3 to 4	6.5	6	69
KA037	KA038	3 to 4	7	6.5	73
KA039	KA040	3 to 4	7.5	7	77
KA041	KA042	3 to 4	8	7.5	80
KA043	KA044	3 to 4	8.5	8	84
KA065	KA066	6 to 7	6.5	6	82
KA067	KA068	6 to 7	7	6.5	85
KA069	KA070	6 to 7	7.5	7	87
KA071	KA072	6 to 7	8	7.5	90
KA073	KA074	6 to 7	8.5	8	92
KA085	KA086	8 to 9	7	6.5	102
KA087	KA088	8 to 9	7.5	7	104
KA089	KA090	8 to 9	8	7.5	106
KA031	KA032	9 to 10	7	6.5	109
KA033	KA034	9 to 10	8	7.5	112

DOUBLE FOLDING GATES

Model No.	Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.
KA001	8 to 10	6.5	6	144
KA002	8 to 10	7	6.5	148
KA003	8 to 10	7.5	7	153
KA004	8 to 10	8	7.5	158
KA005	8 to 10	8.5	8	162
KA006	10 to 12	6.5	6	168
KA007	10 to 12	7	6.5	172
KA008	10 to 12	7.5	7	177
KA009	10 to 12	8	7.5	182
KA010	10 to 12	8.5	8	187
KA011	12 to 14	6.5	6	180
KA012	12 to 14	7	6.5	184
KA013	12 to 14	7.5	7	189
KA014	12 to 14	8	7.5	196
KA015	12 to 14	8.5	8	199
KA016	14 to 16	6.5	6	192
KA017	14 to 16	7	6.5	196
KA018	14 to 16	7.5	7	199
KA019	14 to 16	8	7.5	201
KA020	14 to 16	8.5	8	206
KA021	16 to 18	7	6.5	204
KA022	16 to 18	7.5	7	208
KA023	16 to 18	8	7.5	211
KA024	18 to 20	7	6.5	216
KA025	18 to 20	8	7.5	230

PIPE FITTINGS

















There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Pipe fittings are galvanized malleable iron castings designed to suit eight sizes of tube.

A standard hex key and tube cutters are the only tools required to create strong, rigid structures.

Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting. The setscrew is manufactured in case hardened steel and is coated to protect against corrosion.

- Simple method of constructing tubular structures
- Cost effective alternative to welding
- Galvanized to resist corrosion



Pipe size O.D." 1.05 1.315 1.66 1.90 2.375	SHORT TEES RK597 RK598 RK599 RK600 RK601 	LONG TEES RK602 RK603 RK604 RK605 RK606 	SIDE OUTLET TEES RK607 RK608 RK609 RK610 RK611 	TWO SOCKET CROSSES RK612 RK613 RK614 RK615 RK616 
1.05 1.315 1.66 1.90 2.375	90° ELBOWS RK617 RK618 RK619 RK620 RK621 	3 WAY 90° ELBOWS RK628 RK629 RK630 RK631 N/A 	BASE FLANGES RK638 RK639 RK640 RK641 RK642 	RAILING BASE FLANGES RK643 RK644 RK645 RK646 RK647 
1.05 1.315 1.66 1.90 2.375	PLASTIC END PLUGS RA179 RA180 RA181 RA182 RA183 	CLAMP-ON TEES RK651 RK652 RK653 RK654 N/A 	HANDRAIL BRACKETS RK663 RK664 RK665 RK666 N/A 	SIDE PALM FIXINGS N/A RK671 RK672 RK673 N/A 
1.05 1.315 1.66 1.90 2.375	SHORT SWIVEL TEES RK677 RK678 RK679 RK680 N/A (sold in pairs only) 	SLEEVE JOINTS RK681 RK682 RK683 RK684 RK685 	INTERNAL JOINTS N/A RK686 RK687 RK688 N/A 	90° CROSSOVERS RK697 RK698 RK699 RK700 RK701 

PIPES

Build an unlimited array of strong rigid structures combining standard black iron (unthreaded) pipe or galvanized (threaded-on one side) pipe (schedule 40), with any combination of corresponding sized fittings. Pipe sizes are available from 3/4" to 2" (inside diameter). Standard pipe length is 21 ft., with cut lengths available upon request. A cutting charge will be added per cut length of piping.

Black Iron Model No.	Galvanized Iron Model No.	Pipe O.D."	Pipe I.D."	Fitting Dimensions	Pipe Length'
RA109	RA110	1.05	3/4	A	21
RA111	RA112	1.315	1	B	21
RA113	RA114	1.66	1 1/4	C	21
RA115	RA116	1.9	1 1/2	D	21
RA117	RA118	2.375	2	E	21



DRAWER CABINETS



LOCKABLE CABINETS

Safety, security, reduced shrinkage

All cabinets come with individual lock and two keys. Lock cores can be exchanged in the field for both keyed alike and master key systems

ERGONOMIC HANDLES

Improved safety, appearance and ergonomics

When drawers are closed, handles are flush with housing so nothing protrudes. Drawer handles are full width, and are located at top of drawer

HINGED LABEL HOLDERS

Easy labelling of drawer contents

Drawer handles are covered with clear hinged covers for display of drawer labels

100% FULL EXTENSION DRAWERS

Benefit: Easy access and full use of the furthest corners of storage

Continuous smooth extension even with a full load with a 400-lb. capacity

INSTALLED DRAWER DIVIDERS

Fast, accurate identification of compartment contents and easier inventory control. Angled tops allow easy identification of contents and can accommodate most bar code labels

PREVENTIP® INTERLOCK SYSTEM

Added safety and security

Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over

EXCLUSIVE SUSPENSION SYSTEM

Durable, smooth, quiet operation

Lista's suspension system has been tested against the globally respected RAL-RG 614 standard. The drawers exceeded the required number of cycles at full load without diminished performance

FORK TRUCK BASE WITH FRONT AND REAR COVERS

Transport your cabinet easily from one location to another

Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 5

Number of compartments: 61

Model No. FI125 Bright Blue

Model No. FI126 Light Grey



A



B



C

DRAWER CONFIG.

Drawers 1-3: A
Drawer 4: B
Drawer 5: C



Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 7

Number of compartments: 114

Model No. FI127 Bright Blue

Model No. FI128 Light Grey



A



B



C

DRAWER CONFIG.

Drawers 1-4: A
Drawer 5: B
Drawers 6-7: C



Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 9

Number of compartments: 154

Model No. FI129 Bright Blue

Model No. FI130 Light Grey



A



B



C



D



DRAWER CONFIG.

Drawers 1-2: A
Drawers 3-4: B
Drawers 5-7: C
Drawers 8-9: D


Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 10

Number of compartments: 210

Model No. FI131 Bright Blue

Model No. FI132 Light Grey




A



B



C



D



E

DRAWER CONFIG.

Drawers 1-2: A
Drawers 3-4: B
Drawers 5-6: C
Drawers 7-8: D
Drawers 9-10: E



Other colours available upon request

DRAWER CABINETS


DRAWER CABINETS



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
 Number of drawers: 5
 Number of compartments: 57
Model No. FI133 Bright Blue
Model No. FI134 Light Grey

DRAWER CONFIG.



Drawers 1-2: A
 Drawer 3: B
 Drawer 4: C
 Drawer 5: D



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
 Number of drawers: 9
 Number of compartments: 117
Model No. FI137 Bright Blue
Model No. FI138 Light Grey

DRAWER CONFIG.



Drawers 1-2: A
 Drawers 3-5: B
 Drawers 6-7: C
 Drawers 8-9: D



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
 Number of drawers: 9
 Number of compartments: 124
Model No. FI141 Bright Blue
Model No. FI142 Light Grey

DRAWER CONFIG.


Drawers 1-4: A
 Drawers 5-9: B



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
 Number of drawers: 7
 Number of compartments: 96
Bright Blue Model No. FI135 Bright Blue
Light Grey Model No. FI136 Light Grey

DRAWER CONFIG.



Drawers 1-2: A
 Drawers 3-4: B
 Drawers 5-6: C
 Drawer 7: D



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
 Number of drawers: 8
 Number of compartments: 88
Model No. FI139 Bright Blue
Model No. FI140 Light Grey

DRAWER CONFIG.



Drawers 1-6: A
 Drawers 7-8: B



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
 Number of drawers: 11
 Number of compartments: 172
Model No. FI143 Bright Blue
Model No. FI144 Light Grey

DRAWER CONFIG.

Drawers 1-4: A
 Drawers 5-8: B
 Drawers 9-10: C
 Drawer 11: D




Call today for all your cabinet needs!

DRAWER CABINETS




DRAWER CABINETS

Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
 Number of drawers: 12
 Number of compartments: 210
Model No. FI145 Bright Blue
Model No. FI146 Light Grey




DRAWER CONFIG.
 Drawers 1-2, 5-6: A
 Drawers 3-4, 7: B
 Drawers 8-10: C
 Drawers 11-12: D




Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
 Number of drawers: 15
 Number of compartments: 300
Model No. FI147 Bright Blue
Model No. FI148 Light Grey




DRAWER CONFIG.
 Drawers 1-15: A




Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
 Number of drawers: 7
 Number of compartments: 66
Model No. FI149 Bright Blue
Model No. FI150 Light Grey




DRAWER CONFIG.
 Drawers 1-4: A
 Drawers 5-7: B




Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
 Number of drawers: 9
 Number of compartments: 105
Bright Blue Model No. FI151 Bright Blue
Light Grey Model No. FI152 Light Grey




DRAWER CONFIG.
 Drawers 1-3: A
 Drawers 4-7: B
 Drawers 8-9: C



Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
 Number of drawers: 10
 Number of compartments: 159
Model No. FI153 Bright Blue
Model No. FI154 Light Grey




DRAWER CONFIG.
 Drawers 1-2: A
 Drawers 3-5: B
 Drawers 6-8: C
 Drawer 9: D
 Drawer 10: E



SHELF CABINETS

Overall dimensions: 56 1/2" W x 28 1/2" D x 33 1/2" H
 One fixed and one adjustable shelf
Model No. FI157 Bright Blue
Model No. FI158 Light Grey




SHELF CABINETS

Overall dimensions: 40 1/4" W x 22 1/2" D x 33 1/2" H
 One fixed and one adjustable shelf
Model No. FI159 Bright Blue
Model No. FI160 Light Grey



BUTCHER BLOCK TOPS



Fits on 28 1/4" W x 28 1/2" D cabinets
Model No. FI155



Fits on 40 1/4" W x 22 1/2" D cabinets
Model No. FI156

CABINETS

COMPACT CABINETS

COUNTER HIGH CABINETS

- Serves as counter and cabinet combo
- Double doors with 3-point door locking device swing to full 180°
- Quiet operating cabinet
- Two shelves, adjustable every 2"
- Cabinet dimensions: 36" W x 42" H with 18" or 21" D
- Capacity per shelf: 180 lbs.
- Shipped knocked down



LYON

Model No.	Description	Depth"	Wt. lbs.
FF985	Cabinet	18	88
FF986	Cabinet	21	96
FF987	Extra Shelf for FF985	18	9
FF988	Extra Shelf for FF986	21	7

ECONOMICAL COMPACT CABINETS

- Ideal anywhere a full sized cabinet is too large
- Includes adjustable shelves
- Locking doors
- Shipped knocked down



edsal

Model No.	Dimensions W" x D" x H"	No. of Shelves	Wt. lbs.
FH482	21 x 15 x 35	2	33
FH483	30 x 15 x 66	4	50

VISUAL CABINETS

- Keep a close eye on valuable inventory
- Plexiglass door panels resist breakage and will not shatter
- 22-gauge shelves, adjustable on 2" centres
- 20-gauge steel doors
- 3-point locking mechanism with die-cast locking handle (includes two keys)
- Capacity per shelf: 150 lbs.
- Shipped knocked down



edsal

Model No.	Dimensions W" x D" x H"	No. of Shelves
MI629* FH645*	30 x 12 x 26	2
MI630 FH646	36 x 18 x 42	2
MI631 FH647	36 x 24 x 78	4

*Wall unit

48" EXTRA-WIDE ALL-WELDED CABINETS

- Offers plenty of storage space for large and small supplies
- All-welded 20-gauge steel construction
- Overall dimensions: 48" W x 21" D x 72" H
- Capacity per shelf: 175 lbs. evenly distributed
- **Includes:** Four adjustable shelves and locking handle
- Fully assembled



RLB
INDUSTRIES

Model No.	Colour	Wt. lbs.
FI073	Dark Grey	230
FI074	Beige	230

ECONOMICAL QUICK ASSEMBLY STORAGE CABINETS

- Designed for an easy assembly with fewer fasteners
- Shelves are easily adjustable on 2" centres
- 1-piece base serves as an additional shelf increasing storage capacity
- 3-point locking system, with locking chrome handle and two keys, adds security
- Capacity per shelf: 100 lbs.
- Tough grey or tan powder coat finish for durability
- Shipped knocked down



edsal

Model No.	Dimensions W" x D" x H"	Wt. lbs.
FH643 FH648	30 x 15 x 66	88
FH649 FH650	36 x 24 x 78	130
FH651 FH652	48 x 24 x 78	158

HEAVY-DUTY RUBBERMAID® PLASTIC CABINETS

- Durable resin construction is easy to clean, will not rust or crack
- Functional and modular organization
- Doors are lockable (locks not included)
- Quick assembly without tools
- Ventilated shelves hold 180 lbs. each
- Shipped knocked down



Rubbermaid
Home Products

MH722

MH724

Model No.	Dimensions W" x D" x H"	No. of Shelves	Wt. lbs.
MH724	36 x 18 x 37	1	28
MH722	36 x 18 x 72	3	55

DEEP DOOR STORAGE CABINETS

- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock sold separately
- Capacity per shelf: 500 lbs.



Special padlock hasp conceals padlocks from bolt cutters.



Model No.	Description	Dimensions				Wt. lbs.
		W"	x	D"	x H"	
FB024	Cabinet	38	x	24	x 72	315
FB025	Extra Shelf for Cabinet	38	x	21 1/4	x -	18
FB026	Extra Shelf for Door	18	x	6	x -	2
SA898	Padlock Keyed Different					
SR892	Padlock Keyed Alike					

DEEP DOOR 96-BIN COMBINATION CABINETS

- All-welded heavy-duty 16-gauge combination bin/shelf cabinet
- 4" deep hinged doors
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Padlock sold separately
- Powder-coated Kleton grey finish
- **Bins included:**
84 each of 4 1/8" W x 5 3/8" D x 3" H
12 each of 5 1/2" W x 10 7/8" D x 5" H



Model No.	Description	Wt. lbs.
CF371	Cabinet w/Blue Plastic Bins	359
CF372	Cabinet w/Red Plastic Bins	359
CF373	Cabinet w/Yellow Plastic Bins	359
CF374	Cabinet w/Green Plastic Bins	359
CF375	Cabinet w/Stone Plastic Bins	359

VISIBLE STORAGE WIRE MESH CABINETS

- All-welded mesh storage cabinet provides a secure yet visible area to place your tools and equipment
- Reinforced K-brace welded to the door frame delivers additional strength
- Diamond-shaped 13-gauge steel mesh
- Adjustable shelves bolt into holes
- Door has 3-point latching system with cam-lock and chrome-plated handle
- Dimensions: 24" W x 21" D x 72" H
- Weight: 146 lbs.

Model No. FB015



HEAVY GAUGE STORAGE CABINETS

- All-welded 14-gauge cabinets and shelves which can be adjusted every 3"
- Doors feature secure 3-point locking system
- 7-gauge bolt-on legs adding 4" to overall height of cabinet and provide fork lift access to move cabinet
- Capacity per shelf: 1450 lbs.



Model No.	Dimensions				No. of Shelves	Wt. lbs.
	W"	x	D"	x H"		
FB013	36	x	21	x 78	4	370
FB012	36	x	21	x 60	3	300
FB011	36	x	21	x 42	2	230

CLEARVIEW CABINETS

- Clear polycarbonate windows so all your tools and supplies are visible at a glance
- 12-gauge 1-piece body design
- 6" sweep space
- Adjustable 14-gauge shelves
- 3-point locking device
- Hinges are 10-gauge



Model No.	Dimensions				O. A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.
	W"	x	D"	x H"				
FG851	48	x	24	x 60	66	3	1200	446
FG852	48	x	24	x 72	78	4	1200	536

EXTRA HEAVY-DUTY STAINLESS STEEL CABINETS

- The strongest storage product available in the market today
- Made of 12-gauge, #304 stainless steel, with a #3 finish
- Corrosion-resistant, acid-resistant, will not rust and will take the everyday abuse in an industrial environment
- Shelves adjust on 2" centers
- 3-point locking system
- 7-gauge welded legs

These units can also be found in medical, pharmaceutical, automotive, electronics, textile, breweries, marine facilities, restaurants, etc.



Model No.	Dimensions				O. A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.	Extra Shelf Model No.
	W"	x	D"	x H"					
FB340	36	x	24	x 60	66	3	1900	406	FB349
FB341	36	x	20	x 72	78	4	1600	435	FB350
FB342	36	x	24	x 72	78	4	1900	475	FB349
FB343	48	x	24	x 60	66	3	1200	489	FB351
FB344	48	x	24	x 72	78	4	1200	573	FB351
FB345	60	x	24	x 60	66	3	1650	595	FB352
FB346	60	x	24	x 72	78	4	1650	699	FB352
FB347	72	x	24	x 60	66	3	1525	726	FB353
FB348	72	x	24	x 72	78	4	1525	856	FB353

CABINETS

SHOP FURNITURE THAT'S BUILT LIKE A TANK!

There are times and environments that demand more than run-of-the-mill shop furniture. This is the time and place for *Strong Hold*. A line of shop furniture so durable and robust that it is accepted and demanded by industrial heavyweights. Major auto manufacturers use hundreds of these units!



A. FG816



B. FI331



C. FG830



D. FG836



E. FG838

A. ROUGH & TOUGH STORAGE CABINETS

These heavy-duty 12 gauge steel models provide protection for valuable tools and machine parts. Built for "rough and tough" industrial use. Shelves are adjustable and more can be added for versatility.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG815	36	20	72	78	4	418	FG820	1600
FG816	36	24	72	78	4	459	FG821	1900
FG817	48	24	72	78	4	557	FG822	1200
FG818	60	24	72	78	4	685	FG823	1650
FG819	72	24	72	78	4	733	FG824	1525

B. HEAVY-DUTY VENTILATED STORAGE CABINETS

The 12-gauge steel doors are perforated with a diamond shape for easy visibility and ventilation. Ideal for industry, health clubs or any facility where personal belongings need to be securely locked and ventilated.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FI329	36	24	72	78	4	470	FG821	1900
FI330	48	24	72	78	4	548	FG822	1200
FI331	60	24	72	78	4	666	FG823	1650

C. DOUBLE SHIFT STORAGE CABINETS

These space saving cabinets provide two separate storage compartments. Companies with a second shift can secure the first shift's valuables while the second shift is on duty. Also you can use one side for personal belongings and the other to store tools.

Model No.	Width"	Depth"	Height"	O.A. Shelf Height"	Adj. Shelf Per Each Side	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG829	48	24	72	78	4	624	FG832	1275
FG830	60	24	72	78	4	722	FG833	1600
FG831	72	24	72	78	4	813	FG834	1950

D. BROOM CLOSET STORAGE CABINETS

Organize your housekeeping needs with our broom closet cabinets. As heavy-duty as the rest of the *Strong Hold* line, double doors permit full access to all shelves. Closet side stores long handled floor care items. Use side shelves to store paper products, cleaners and brushes. Shelves can be adjusted or removed to accommodate large pails.

Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG835	36	24	72	78	4	477	FG845	1025
FG836	48	24	72	78	4	567	FG846	1375
FG837	60	24	72	78	4	669	FG847	1750

E. WARDROBE/STORAGE CABINETS

This cabinet fits into the heavy-duty line up as the answer to clothing storage with tools and supplies. 3-point latching mechanism adds extra protection.

Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG838	36	24	72	78	4	477	FG845	1100
FG839	48	24	72	78	4	567	FG846	1500
FG840	60	24	72	78	4	669	FG847	1900

WELDED STORAGE CABINETS

- Suitable for office, plant, school or institutional storage needs
- Fully adjustable shelves, recessed handle, cylinder lock, and coat rods (wardrobe and combination types)
- Choose from *Hi-Boy*, *Lo-Boy*, wardrobe, and combination cabinets
- *Lo-Boy* comes with two shelves
- Capacity: 150 lbs. evenly distributed



FB039
Hi-Boy Type



FB030
Wardrobe Type



FB036
Combination Type



Model No.			Description	Dimensions					Wt lbs.
Grey	Beige	Black		W"	x	D"	x	H"	
FB039	FB034	FB029	<i>Hi-Boy</i>	36	x	18	x	72	140
FB040	FB035	FB030	Wardrobe	36	x	18	x	72	121
FB041	FB036	FB031	Combination	36	x	18	x	72	144
FB038	FB033	FB028	<i>Lo-Boy</i>	36	x	18	x	40	90
FB037	FB032	FB027	Additional Shelf	36	x	16	x	1	6.5

HEAVY-DUTY WELDED STORAGE CABINETS

- All-welded 20-gauge steel cabinet features four adjustable 18-gauge shelves, locking handle
- Shelves adjust on 2" centres
- Capacity per shelf: 300 lbs. evenly distributed
- Grey



FB021



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
FB021	Cabinet	36 x 18 x 72	185
FB022	Additional Shelf	36 x 18 x 1	8

WELDED WALL HUNG CABINETS

- Suitable for areas where floor space is limited
- Dimensions: 36" W x 12" D x 30" H
- **Includes:** Fully adjustable shelf, recessed handle and cylinder lock

FI071



Model No.	Colour	Wt. lbs.
FI071	Dark Grey	55
FI072	Beige	55



HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 4" blue elastic casters
- Capacity: 800 lbs. evenly distributed



Model No.	Dimensions W" x D"	Wt. lbs.
FI292	36 x 18	32
FI293	36 x 24	33
FI294	48 x 18	34
FI295	48 x 24	36

STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighter's equipment or any other application where easy access to uniforms and/or equipment is required
- Open face and perforated sides make these lockers fully accessible and ventilated
- Lockable safety box and foot locker allows for safely storing of valuable goods
- Lower shelf functions as a bench which eliminates the need for locker room benches
- **Base model includes:** Safety box, upper shelf and coat bar

FI101



Model No.			Dimensions				Wt lbs.	
Light Grey	Beige	Red	W"	x	D"	x		H"
BASE MODELS								
FI084	FI092	FI100	24	x	21	x	72	240
FI086	FI094	FI102	30	x	21	x	72	251
FI088	FI096	FI104	36	x	21	x	72	278
W/FOOT LOCKER & LOWER SHELF								
FI085	FI093	FI101	24	x	21	x	72	280
FI087	FI095	FI103	30	x	21	x	72	296
FI089	FI097	FI105	36	x	21	x	72	328

DELUXE WELDED GEAR LOCKERS

- Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- **Base model includes:** Three half shelves, one full width shelf, coat bar and lockable doors

FI091




Model No.			Dimensions				Wt lbs.	
Light Grey	Beige	Red	W"	x	D"	x		H"
BASE MODELS								
FI090	FI098	FI106	36	x	21	x	72	407
W/LATERAL DRAWER								
FI091	FI099	FI107	36	x	21	x	72	527

CABINETS & LOCKERS

ALL-WELDED STANDARD STEEL LOCKERS

- Rugged, all-welded steel lockers will provide years of maintenance-free service
- Designed for industrial, commercial, mining institutional, sports, educational and government facilities
- Locker components are welded together, eliminating nuts, bolts and rivets
- Dimensions: 12" W x 18" D x 72" H
- Single tier lockers include hat shelf and three hooks
- Double and triple tier lockers have two hooks per opening
- Baked enamel grey paint finish (beige also available)
- Black recessed base
- Custom colours available (subject to minimum quantities)
- Mesh lockers available with slope tops and recessed base



Bank of 1

Bank of 2

Bank of 3

Bank of 4



SLOPE TOP

Slope top prevents the collection of debris and is easier to maintain against the accumulation of dust



RECESSED BASE

Raises locker 4" off the floor



SINGLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FC116	1	52
FC152	2	96
FC186	3	139
FC222	4	183
W/SLOPE TOP		
FC125	1	56
FC161	2	104
FC195	3	151
FC231	4	199
W/RECESSED BASE		
FC119	1	56
FC155	2	104
FC189	3	151
FC225	4	199
W/RECESSED BASE & SLOPE		
FC122	1	60
FC158	2	112
FC192	3	163
FC228	4	215
W/PERFORATED DOORS		
FC723	1	52
FC725	2	96
FC727	3	139
FC729	4	83

DOUBLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FC246	1	53
FC270	2	98
FC294	3	141
FC318	4	187
W/SLOPE TOP		
FC255	1	57
FC279	2	106
FC303	3	153
FC327	4	203
W/RECESSED BASE		
FC249	1	57
FC273	2	106
FC297	3	153
FC321	4	203
W/RECESSED BASE & SLOPE		
FC252	1	61
FC276	2	114
FC300	3	165
FC324	4	219
W/PERFORATED DOORS		
FC716	1	53
FC718	2	98
FC720	3	141
FC721	4	187

TRIPLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
MH710	1	55
MH711	2	100
MH712	3	142
MH713	4	189
W/RECESSED BASE & SLOPE		
MH714	1	63
MH715	2	116
MH716	3	167
MH717	4	222
W/PERFORATED DOORS		
MH718	1	54
MH719	2	99
MH720	3	140
MH721	4	186

LOCKERETTES

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FH805	1	56
FH981	2	112
FH982	3	168
W/PERFORATED DOORS		
FH809	1	50
FH983	2	100
FH984	3	150

ACCESSORIES

Model No.	Description
FC100	Cylinder Lock
FC101	Number Plates Installed
FC103	Coat Rod
FC598*	Chrome Pocket
FI354	Finishing End Panel Grey
FI355	Finishing End Panel Beige

* Available for standard lockers only

FREE STANDING BASE

- Ideal for making the underneath of your lockers accessible for cleaning

Model No.	For Bank of	Wt. lbs.
FH976	1	5
FH977	2	8
FH978	3	12
FH979	4	15



FH978

ALL-WELDED HEAVY-DUTY DURA-LOCKERS™

- Dura-Locker™ builds on the benefits of our standard lockers while adding extra durability and an overall more modern look into one package
- Door stops on top, bottom and full length of the door strike combined with piano hinge allow for increased sturdiness and security
- New hook design 3/4" wide with rounded edge to avoid damage to clothing
- The inside bottom is sloped downwards, ending flush with the frame making cleaning and drainage easier
- Perforations help with drainage
- Dimensions: 12" W x 18" D x 72" H
- Baked enamel dark grey



Innovative chrome spring embedded in door strike ensures doors will remain closed

Full length handle

Incorporated ventilation on the doors

16-gauge double panelled door

Full length piano hinge

Bottom includes a depression towards centre to evacuate water

Redesigned bottom is galvanized to protect against corrosion

OPTIONS


Model No.	Description
FH724	Honeycomb Door Insert

Type	Bank of 1 Model No.	Wt. lbs.	Bank of 2 Model No.	Wt. lbs.	Bank of 3 Model No.	Wt. lbs.	Bank of 4 Model No.	Wt. lbs.
SINGLE LOCKERS								
Basic	FH676	64	FH680	119	FH684	174	FH688	229
DOUBLE LOCKERS								
Basic	FH692	65	FH696	121	FH700	176	FH704	231
TRIPLE LOCKERS								
Basic	FH708	66	FH712	122	FH716	178	FH720	233

Slope tops and recessed base options also available

PLASTIC LOCKERS

A NEW GENERATION OF LOCKERS



- These plastic lockers are maintenance-free
- Drain holes make them easy to clean, just hose them down with soap and water
- Durable plastic construction makes them perfect for wet environments: food processing plants, athletic facilities, etc.
- Optional clear door design allows for easy inspection locker contents

SPECIFICATIONS:

- Rust-proof
- No need for painting
- Easy Cleaning
- Maintenance-free
- Durable polyethylene construction
- Each unit is fully assembled
- Easy installation
- Space saving design

Model No.	Description	Dimensions			Hook	Shelf	Top	Door Colour	Wt. lbs.
		W"	x	D"					
FH725	12"H Locker (Usually Stacked 6 units high)	12	x	15	No	No	Flat	Grey	6
FH726	12"H Locker (Usually Stacked 6 units high)	12	x	15	No	No	Flat	Clear	6
FH727	12"H Locker	12	x	15	No	No	Slope	Grey	8
FH728	12"H Locker	12	x	15	No	No	Slope	Clear	8
FC689	18"H Locker (Usually Stacked 4 units high)	15	x	15	No	No	Flat	Grey	10
FC691	18"H Locker	15	x	15	No	No	Slope	Grey	45
FC693	36"H Locker (Usually Stacked 2 units high)	12	x	15	Yes	No	Flat	Grey	16
FH729	36"H Locker	12	x	15	Yes	No	Slope	Grey	18
FC695	Full Size 60"H Locker	15	x	18	Yes	Yes	Slope	Grey	42

All dimensions and weight are nominal and may vary due to molding tolerances. Mounting hardware not included

16-DOOR ARCHETTES

- Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartment dimensions 12" W x 18" D x 12" H
- Overall dimensions: 72" W x 18" D x 72" H
- Light grey
- Assembly required



Model No.	Type	Wt. lbs.
FI544	w/Padlock Hasp	123
FI545	w/Cylinder Lock	131

WALL HUNG LOCKERS

- All-in-one storage for clothing and personal effects
- Four compartments measuring 12" W x 18" D x 12" H
- Baked enamel grey finish
- Weight: 94 lbs.



Model No. FH980



LOCKER ROOM BENCHES

- Necessary for any locker room
- Wood top benches feature black powder coated legs that can be used free-standing or bolted to the floor



Model No.	Type	Dimensions			Wt. lbs.		
		L"	W"	H"			
FB002	Steel	72	x	12	x	17	35
RL871	Wood	48	x	9 1/4	x	16 1/2	23
RL872	Wood	60	x	9 1/4	x	16 1/2	29
RL873	Wood	72	x	9 1/4	x	16 1/2	31
RL874	Wood	96	x	9 1/4	x	16 1/2	39

BUILT

100% Canadian Owned

KLETON

TOUGH!



Kleton builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the *Kleton Custom Symbol* indicating which products can be customized to meet your specific needs.

**Call with
your specs today!**

- Strip Curtain Doors
- Platform Trucks
- Safety Guards
- Bollards
- Gas Cylinder Cabinets
- Workbenches
- Shelf Trucks
- And more...

PEDESTAL WORKBENCHES

CUSTOMIZE YOUR OWN WORKBENCH . . . SIMPLY SELECT ANY TWO CABINETS LISTED AND ADD A TOP

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Reversible doors, can be opened on either left or right side (factory installed hinges on right side)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Capacity: 100 lbs. per drawer evenly distributed
- Powder coat finish with grey *Kleton* shell and *Kleton* blue on doors and drawers

KLETON



FULL DOOR CABINETS

Model FH666

16 3/4" W x 21" D x 24" H
Internal Adjustable
Shelf included
Weight: 48 lbs.



2-DOOR CABINETS

Model FH667

(2) 16 3/4" W x 21" D x 12" H
Weight: 48 lbs.



2-DRAWER W/ONE DOOR CABINETS

Model FH668

(2) 15 3/8" W x 20" D x 5 5/8" H
(1) 16 3/4" W x 21" D x 12" H
Weight: 59 lbs.



2-DRAWER CABINETS

Model FI166

(2) 15 3/8" W x 20" D
x 11 5/8" H
Weight: 66 lbs.



3-DRAWER CABINETS

Model FI167


(2) 15 3/8" W x 20" D
x 5 5/8" H
(1) 15 3/8" W x 20" D
x 11 5/8" H
Weight: 78 lbs.



4-DRAWER CABINETS

Model FH669


(4) 15 3/8" W x 20" D
x 5 5/8" H
Weight: 68 lbs.



4-DRAWER W/ONE DOOR CABINETS

Model FH670


(4) 15 3/8" W x 20" D x 2 5/8" H
(1) 16 3/4" W x 21" D x 12" H
Weight: 63 lbs.



6-DRAWER CABINETS

Model FH671

(4) 15 3/8" W x 20" D x 2 5/8" H
(2) 15 3/8" W x 20" D x 5 5/8" H
Weight: 94 lbs.



OPTIONAL PEDESTAL BASES

Model FH672

4" High -
34" high with top
Weight: 5 lbs.

LEG AND PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coated *Kleton* grey finish

Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML264	Single Leg for Use w/24"D Top	22 x 32	14
ML265	Single Leg for Use w/30"D or 36" D Top	28 x 32	15
FH672	Pedestal Base (Max 1)	4" H	5
FF920	Bench Leg Gussets (Pkg. of 2)	-	3

Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations

WE TRY TO MAKE IT EASY . . .

LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B64 TO B65.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your *Kleton* dealer with your specs today!



HOW TO ORDER

1. Choose the pedestal and leg combination desired
 2. Choose your desired top
- See our selection of workbench tops on page B63.

CUSTOM WORKBENCHES

CREATE A WORKBENCH DESIGNED FOR YOUR APPLICATION

- Select from the components below to build the workbench to fit your needs
- All components required to make up your workbench are on this page
- Optional features for enhanced functionality are on the following page
- All steel components constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 3000 lbs.
- All steel components are powder coated *Kleton* grey
- Shipped knocked down

A - LEGS

- Legs static or mobile
- Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" with top



B - TOPS

A variety of tops are available. 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

Our complete list of tops can be found on page B63.



C - UNIVERSAL STRINGERS

- Adds stability to the workbench
- Prevents legs from shifting
- Included in kits **ML266** to **ML269**
- Weight: 11 lbs.

Model No. FF979 - for 48", 60" or 72" bench

Model No. FH925 - for 84" bench

Model No. FH926 - for 96" bench



CUSTOMIZE YOUR WORKBENCH WITH ANY OF THE FOLLOWING OPTIONS

D - DRAWERS

- Add storage to any workbench
- All-welded heavy-gauge steel
- 100% full extension with ball bearing slide mechanism
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps



SINGLE DRAWER UNITS

Model FH673

(1) 15 3/8" W x 20" D x 5 5/8" H



DOUBLE DRAWER UNITS

Model FH674

(2) 15 3/8" W x 20" D x 2 3/4" H

E - BENCH RISER SHELVES


- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H • One per workbench

Model No.	Overall Width"	Wt. lbs.
FF956	48	19
FF957	60	24
FF958	72	29
FI319	84	35
FI320	96	42

G - BACK STOPS

- Add a 3" edge to the back of any workbench
- One per bench top

Model No.	Overall Width"	Wt. lbs.
FF704	48	8
FF705	60	10
FF708	72	12
FI317	84	14
FI318	96	16



THINGS TO CONSIDER WHEN ORDERING A WORKBENCH

1. Determine the size (length, width, height) of the workbench required.
2. Select one of each of the required components listed on this page, respecting the determined size of the workbench.

Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML266	Pair of Legs and Stringer for Use w/24" D Top	22 x 32	38
ML268	Pair of Legs and Stringer for Use w/30" D or 36" D Top	28 x 32	45
ML264	Single Leg for Use w/24" D Top	22 x 32	14
ML265	Single Leg for Use w/30" D or 36" D Top	28 x 32	15
ML267	Mobile Kit for Use w/24" D Top (Pair)	22 x 32	40
ML269	Mobile Kit for Use w/30" D, 36" D, 48" D, 60" D or 72" D Tops (Pair)	28 x 32	40
FG732	Leg Extensions to Make Height Adjustable from 34"-39" in 1" Increments (Set of 4)	-	8

F - LOWER SHELVES

- Add extra storage to any workbench
- 9" D
- One or two 9" deep shelves can be used per workbench

Model No.	Overall Width"	Wt. lbs.
FF934	44 (For Use with 48" Top)	14
FF935	56 (For Use with 60" Top)	16
FF936	68 (For Use with 72" Top)	18
RL866	80 (For Use with 84" Top)	21
RL867	92 (For Use with 96" Top)	24

H - END STOPS

- Add 3" sides to any workbench
- One per side desired to enclose

Model No.	Overall Depth"	Wt. lbs.
FF792	24	4
FF793	30	5
FF794	36	6



WE TRY TO MAKE IT EASY . . .

LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B64 TO B65.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your *Kleton* dealer with your specs today!

CUSTOM WORKBENCHES

SELECT ONE OF THESE SIX TOPS TO CUSTOMIZE YOUR WORKBENCH.

LAMINATED HARDWOOD TOPS - SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FD015	24 x 48	56
FD016	24 x 60	70
FD017	24 x 72	84
FG969	24 x 84	98
FG970	24 x 96	112
FG972	24 x 120	140
FD019	30 x 48	70
FD020	30 x 60	88
FD021	30 x 72	105
FD022	30 x 84	123
FG973	30 x 96	140
FD018	30 x 120	175

Tops over 36" in depth are shipped in two pieces, hardware is included

LAMINATED HARDWOOD TOPS - BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FI522	24 x 48	56
FI523	24 x 60	70
FI524	24 x 72	84
FH742	24 x 84	98
FI525	24 x 96	112
FI526	24 x 120	140
FI527	30 x 48	70
FI528	30 x 60	88
FI529	30 x 72	105
FI530	30 x 84	123
FI531	30 x 96	140
FH750	30 x 120	175

Tops over 36" in depth are shipped in two pieces, hardware is included

Model No.	Dimensions D" x W"	Wt. lbs.
FH751	36 x 48	84
FI532	36 x 60	105
FI533	36 x 72	126
FH754	36 x 84	147
FI534	36 x 96	168
FH756	36 x 120	210
FH757	48 x 48	112
FH758	48 x 60	140
FH759	48 x 72	168
FH760	48 x 84	196
FH761	48 x 96	224
FH762	48 x 120	280

SHOP TOPS


- Great top for medium-duty applications
- 1/2" double sealed resin boards laminated over 3/4" MDF core
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FD001	24 x 48	60
FD002	24 x 60	75
FH764	30 x 48	75
FD004	30 x 60	94
FD005	30 x 72	113
FH765	30 x 84	131
FH766	30 x 96	150
FH767	36 x 48	90
FD006	36 x 60	113
FD007	36 x 72	135
FH768	36 x 84	158
FH769	36 x 96	180

STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Powder coated Kleton grey



Model No.	Dimensions D" x W"	Wt. lbs.
FD030	24 x 48	59
FD031	24 x 60	74
FH871	30 x 48	74
FD033	30 x 60	92
FD034	30 x 72	110
FH872	30 x 84	129
FH873	30 x 96	147
FH874	36 x 48	89
FD035	36 x 60	110
FD036	36 x 72	132
FH875	36 x 84	154
FH876	36 x 96	176

PLASTIC LAMINATE TOPS


- Light-duty top with smooth white leather plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- White



Model No.	Dimensions D" x W"	Wt. lbs.
FD008	24 x 48	65
FD009	24 x 60	72
FH771	30 x 48	72
FD011	30 x 60	90
FD012	30 x 72	108
FH772	30 x 84	126
FH773	30 x 96	144
FH774	36 x 48	86
FD013	36 x 60	108
FD014	36 x 72	130
FH776	36 x 84	151
FH777	36 x 96	173

304 STAINLESS STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FI268	24 x 48	59
FI269	24 x 60	74
FI270	30 x 48	74
FI271	30 x 60	92
FI272	30 x 72	110
FI273	30 x 84	129
FI274	30 x 96	147
FI275	36 x 48	89
FI276	36 x 60	110
FI277	36 x 72	132
FI278	36 x 84	154
FI279	36 x 96	176

STAINLESS STEEL TOP WORKBENCHES

- Top constructed of 14-gauge stainless steel with a number 4 finish and formed edges
- Top reinforced with wood core for sound reduction and added strength
- 1 3/4" overall thickness
- Overall dimensions: 72" W x 30" D x 34" H
- Legs and stringers are constructed from 14-gauge steel powder coated Kleton grey finish
- Capacity: 2500 lbs. evenly distributed

Model No. FI296



KLETON

WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FF672	FF671	FF670	FF669	FF667
164 lbs.	156 lbs.	166 lbs.	146 lbs.	110 lbs.

LAMINATED WOOD

FF658	FF657	FF656	FF655	FF653
171 lbs.	149 lbs.	150 lbs.	130 lbs.	106 lbs.

SHOP TOP

FF679	FH877	FF677	FF676	FH878
171 lbs.	157 lbs.	150 lbs.	133 lbs.	111 lbs.

PLASTIC LAMINATE

FF665	FH879	FF663	FF662	FH880
171 lbs.	152 lbs.	150 lbs.	133 lbs.	108 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FF707	FF706	FF703	FF702	FF700
201 lbs.	188 lbs.	203 lbs.	178 lbs.	142 lbs.

LAMINATED WOOD

FF691	FF690	FF689	FF688	FF686
208 lbs.	181 lbs.	187 lbs.	162 lbs.	138 lbs.

SHOP TOP

FF715	FH881	FF713	FF712	FH882
208 lbs.	189 lbs.	187 lbs.	165 lbs.	143 lbs.

PLASTIC LAMINATE

FF698	FH885	FF696	FF695	FH884
208 lbs.	184 lbs.	187 lbs.	165 lbs.	140 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG293	FG292	FG291	FG290	FG289
228 lbs.	215 lbs.	230 lbs.	205 lbs.	169 lbs.

LAMINATED WOOD

FG285	FG284	FG283	FG282	FG281
235 lbs.	208 lbs.	214 lbs.	189 lbs.	165 lbs.

SHOP TOP

FG296	FH883	FG295	FG294	FH886
235 lbs.	216 lbs.	214 lbs.	192 lbs.	170 lbs.

PLASTIC LAMINATE

FG288	FH887	FG287	FG286	FH888
235 lbs.	211 lbs.	214 lbs.	192 lbs.	167 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG109	FG108	FG107	FG106	FG104
209 lbs.	201 lbs.	211 lbs.	191 lbs.	161 lbs.

LAMINATED WOOD

FG095	FG094	FG093	FG092	FG090
216 lbs.	194 lbs.	195 lbs.	175 lbs.	158 lbs.

SHOP TOP

FG116	FH889	FG114	FG113	FH890
216 lbs.	202 lbs.	195 lbs.	178 lbs.	163 lbs.

PLASTIC LAMINATE

FG102	FH891	FG100	FG099	FH892
216 lbs.	197 lbs.	195 lbs.	178 lbs.	161 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG277	FG276	FG275	FG274	FG273
208 lbs.	200 lbs.	210 lbs.	190 lbs.	160 lbs.

LAMINATED WOOD

FG269	FG268	FG267	FG266	FG265
215 lbs.	193 lbs.	194 lbs.	174 lbs.	156 lbs.

SHOP TOP

FG280	FH893	FG279	FG278	FH894
215 lbs.	201 lbs.	194 lbs.	177 lbs.	201 lbs.

PLASTIC LAMINATE

FG272	FH895	FG271	FG270	FH896
215 lbs.	198 lbs.	194 lbs.	177 lbs.	158 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG640	FG641	FG642	FG643	FG644
213 lbs.	205 lbs.	215 lbs.	195 lbs.	165 lbs.

LAMINATED WOOD

FG635	FG636	FG637	FG638	FG639
220 lbs.	198 lbs.	199 lbs.	179 lbs.	162 lbs.

SHOP TOP

FG645	FH897	FG646	FG647	FH898
220 lbs.	205 lbs.	199 lbs.	182 lbs.	167 lbs.

PLASTIC LAMINATE

FG648	FH899	FG649	FG650	FH900
220 lbs.	202 lbs.	199 lbs.	182 lbs.	164 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG245	FG244	FG243	FG242	FG241
263 lbs.	255 lbs.	265 lbs.	245 lbs.	246 lbs.

LAMINATED WOOD

FG237	FG236	FG235	FG234	FG233
270 lbs.	248 lbs.	249 lbs.	229 lbs.	213 lbs.

SHOP TOP

FG248	FH905	FG247	FG246	FH906
270 lbs.	256 lbs.	249 lbs.	232 lbs.	218 lbs.

PLASTIC LAMINATE

FG240	FH907	FG239	FG238	FH908
270 lbs.	251 lbs.	249 lbs.	232 lbs.	215 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG137	FG136	FG135	FG134	FG132
304 lbs.	296 lbs.	306 lbs.	286 lbs.	257 lbs.

LAMINATED WOOD

FG123	FG122	FG121	FG120	FG118
311 lbs.	289 lbs.	290 lbs.	270 lbs.	254 lbs.

SHOP TOP

FG144	FH901	FG142	FG141	FH902
311 lbs.	297 lbs.	290 lbs.	273 lbs.	258 lbs.

PLASTIC LAMINATE

FG130	FH903	FG128	FG127	FH904
311 lbs.	292 lbs.	290 lbs.	273 lbs.	256 lbs.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG229	FG228	FG227	FG226	FG225
261 lbs.	253 lbs.	263 lbs.	243 lbs.	214 lbs.

LAMINATED WOOD

FG221	FG220	FG219	FG218	FG217
268 lbs.	246 lbs.	247 lbs.	227 lbs.	211 lbs.

SHOP TOP

FG232	FH917	FG231	FG230	FH918
268 lbs.	254 lbs.	247 lbs.	230 lbs.	216 lbs.

PLASTIC LAMINATE

FG224	FH919	FG223	FG222	FH920
267 lbs.	249 lbs.	247 lbs.	230 lbs.	213 lbs.

Continued on page B65

If you need specific sizes or requirements not available on this page... see pages B61 to B63 to customize your own workbench or call your Kleaton dealer with your specs today!



WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG464	FG465	FG466	FG467	FG468
247 lbs.	239 lbs.	249 lbs.	229 lbs.	200 lbs.

LAMINATED WOOD

FG459	FG460	FG461	FG462	FG463
254 lbs.	232 lbs.	233 lbs.	213 lbs.	197 lbs.

SHOP TOP

FG469	FH913	FG470	FG471	FH914
254 lbs.	240 lbs.	233 lbs.	216 lbs.	202 lbs.

PLASTIC LAMINATE

FG472	FH915	FG473	FG474	FH916
254 lbs.	235 lbs.	233 lbs.	216 lbs.	199 lbs.

36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG624	FG625	FG626	FG627	FG628
266 lbs.	258 lbs.	268 lbs.	248 lbs.	219 lbs.

LAMINATED WOOD

FG619	FG620	FG621	FG622	FG623
273 lbs.	251 lbs.	252 lbs.	232 lbs.	216 lbs.

SHOP TOP

FG629	FH909	FG630	FG631	FH910
271 lbs.	259 lbs.	252 lbs.	235 lbs.	221 lbs.

PLASTIC LAMINATE

FG632	FH911	FG633	FG634	FH912
273 lbs.	254 lbs.	252 lbs.	235 lbs.	218 lbs.

36" x 72" 36" x 60" 30" x 72" 30" x 60" 24" x 60"

STEEL - WOOD FILL

FG415	FG414	FG413	FG412	FG411
271 lbs.	263 lbs.	273 lbs.	253 lbs.	224 lbs.

LAMINATED WOOD

FG420	FG419	FG418	FG417	FG416
278 lbs.	256 lbs.	257 lbs.	237 lbs.	221 lbs.

SHOP TOP

FG423	FH921	FG422	FG421	FH922
278 lbs.	264 lbs.	257 lbs.	240 lbs.	226 lbs.


PLASTIC LAMINATE

FG426	FH923	FG425	FG424	FH924
278 lbs.	259 lbs.	257 lbs.	240 lbs.	223 lbs.

EXTRA HEAVY-DUTY WORKBENCHES

ALL WELDED BENCHES

- Our most solid workbench available
- All-welded construction features a wood-filled 3/16" steel top with 11-gauge steel legs and stringers
- Mobile units come with 6" polyurethane casters, two swivel with brakes and two rigid
- Bolt-down footplates are standard
- Overall height: 34"
- Durable Kleaton blue enamel finish



3500-lb. or 5000-lb. Capacity All-Welded Bench



Model No.	Style	Dimensions			Cap. lbs.	Wt. lbs.
		W"	x	D"		
FF494	Static	72	x	30	5000	290
FF495	Static	72	x	36	5000	360
FH465	Mobile	72	x	30	3500	290
FH466	Mobile	72	x	36	3500	360

Other sizes available on request

HEAVY-DUTY MACHINE STANDS

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- All-welded construction, 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- 14" shelf clearance
- Overall height: 32"
- Durable Kleaton blue enamel finish



1000-lb. Capacity All-Welded

Model No.	Dimensions			Cap. lbs.	Wt. lbs.
	W"	x	D"		
FH268	30	x	18	1000	60
FH269	36	x	24	1000	70
FH270	48	x	24	1000	85

OPEN PEDESTAL BENCHES

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on all-welded pedestals with two shelves
- Pedestal dimensions: 18" W x 24" D x 32" H
- Overall height: 34"
- Durable Kleaton blue finish



2500-lb. Capacity Pedestal Bench

Model No.	Dimensions			Wt. lbs.
	W"	x	D"	
FF120	60	x	30	158
FF121	72	x	30	175
FF122	84	x	30	192
FF119	120	x	30	245

* 36" deep units and/or steel tops available upon request.

ECONOMY GRADE OPEN WORKBENCHES

- Meet any strength requirement for light manufacturing, assembly operations, maintenance service, etc.
- Heavy gauge adjustable legs from 29" to 34", front and back electrical knockouts, 12" wide lower shelf
- Choose between 1" presswood top or plastic top (1 1/2" grey laminated plastic surface) widely used in electronics, laboratories, and institutions
- Capacity: 200 lbs. per sq. ft.



FH214

Optional drawer FH271 can be added to all models

Model No.	Description	Dimensions			Wt. lbs.
		W"	x	D"	
FH213	1" Presswood Top	48	x	24	70
FH214	1" Presswood Top	60	x	24	76
FH215	1" Presswood Top	72	x	24	82
FH216	1" Presswood Top	60	x	30	83
FH217	1" Presswood Top	72	x	30	92
FF649	1 1/2" Plastic Top	48	x	24	77
FF650	1 1/2" Plastic Top	60	x	24	83
FF651	1 1/2" Plastic Top	72	x	30	122
FH271	Optional Drawer Only	18	x	12	12



CUSTOMIZE IT TO YOUR SPECIFICATIONS.
SEE PAGE B60 FOR DETAILS.

WORKBENCHES

BUILD YOUR OWN CABINET WORKBENCH



- Versatile cabinet workbench suited for any industrial application that requires work surface and secure tool and parts storage
- Durable Kleton blue enamel finish




A - CABINET SHELL ONLY

- Made of heavy gauge all-welded 14-gauge steel

Model No.	Dimensions			Wt. lbs.
	W"	x D"	x H"	
FH165	59	x 28	x 32	105

B - TOPS

- Our complete list of tops can be found on page B63.



Material	60" W x 30" D	72" W x 30" D	60" W x 36" D	72" W x 36" D
Blue Steel Wood Filled	FH183	FH184	FH185	FH186
Laminated Wood	FD020	FD021	FD026	FD027
Laminated Plastic	FD011	FD012	FD013	FD014
Shop Top	FD004	FD005	FD006	FD007

ERGONOMIC WORKSTATIONS

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration
- Workstation benefits include:
 - Greater productivity and efficiency
 - Reduced strain and increased ergonomic ease
 - Equipped to exactly suit your needs
 - Properly illuminated work areas
- Assembly required


TO PICK THE RIGHT FRAME FOR YOUR NEEDS YOU MUST DETERMINE THE FOLLOWING MEASUREMENTS:

Inside Useable Width (A): Is measured from the inside of one upright to the other.

Section Width (B): Is measured from the centre of one upright to the other.

Overall Width (C): Is measured from the outside of one foot plate to the other.

Then determine if you require a single frame or double frame unit.



SURFACE MOUNT FRAMES

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot Plate is 2 3/4" x 4"



C - SHELVES

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs.

Model No.	Dimensions		Wt. lbs.
	W"	x D"	
FH164	58 3/4	x 27 3/4	15


D - DOORS

- Made of 18-gauge steel on rollers
- Recessed handles
- **Includes:** Plunger lock and two keys

Model No.	Description	Wt. lbs.
FH163	Door Set, Lock Included	40

E - DRAWERS

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed
- **Includes:** Locks and two keys



Model No.	Drawer Dimensions			Wt. lbs.
	W"	x D"	x H"	
FH938	15 3/8	x 20	x 5 5/8	30
FH939	15 3/8	x 20	x 2 3/4	35



Model No.	Height"	Inside Useable Width" (A)	Section Width" (B)	Overall Width" (C)	Min Work Surface Width" Required
SINGLE FRAME SECTION					
FH368	30	22 3/4	24	26 3/4	30
FH369	48	22 3/4	24	26 3/4	30
FH370	30	28 3/4	30	32 3/4	36
FH371	48	28 3/4	30	32 3/4	36
FH992	30	34 3/4	36	38 3/4	42
FH994	48	34 3/4	36	38 3/4	42
FH993	30	46 3/4	48	50 3/4	54
FH995	48	46 3/4	48	50 3/4	54
DOUBLE FRAME SECTION					
FH996	30	(2) 22 3/4	(2) 24	50 3/4	54
FH998	30	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60
FH997	48	(2) 22 3/4	(2) 24	50 3/4	54
FH999	48	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60

ACCESSORIES FOR ERGONOMIC WORKSTATIONS

OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items



Model No.	Overall Dimensions				
	W"	x	D"	x	H"
FI364	24	x	15	x	16
FI365	30	x	15	x	16
FI366	36	x	15	x	16
FI367	48	x	15	x	16

PLASTIC BOX RAILS

- Easily adjustable for ergonomic access
- Can be mounted either parallel or a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included



Model No.	Overall Width"
FI030	24
FI031	30
FI032	36
FI033	48

STEEL LOUVERED BACK PANELS

- Designed to accommodate industry standard plastic bins that featured louvered edge or lip



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI034	24 x 18	FI038	24 x 30
FI035	30 x 18	FI039	30 x 30
FI036	36 x 18	FI040	36 x 30
FI037	48 x 18	FI041	48 x 30

STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI042	24 x 18	FI046	24 x 30
FI043	30 x 18	FI047	30 x 30
FI044	36 x 18	FI048	36 x 30
FI045	48 x 18	FI049	48 x 30

REVERSIBLE MARKERBOARDS/TACKBOARDS

- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other



Model No.	Overall Dimensions W" x H"		
FI050	24	x	30
FI051	30	x	30
FI052	36	x	30
FI053	48	x	30

OVERHEAD LIGHT FIXTURES

- Tilts up or down 10°
- Kit includes a switch, 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs
- Support brackets not included



Model No.	Use with Frame Overall Width"
FI019	48
FI020	60

Model No.	Support Brackets for Worktops
FI327	Less than 30" Deep
FI328	Greater or Equal to 30" Deep

HORIZONTAL POWER BOARDS

- 15 Amps with six plugs
- Pivots on axis providing full horizontal adjustability



Model No.	Overall Width"
FI022	24
FI023	30
FI024	36
FI025	48

ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed



Model No.	Overall Dimensions W" x D"		
FI001	24	x	12
FI002	30	x	12
FI003	36	x	12
FI004	48	x	12
FI005	24	x	15
FI006	30	x	15
FI007	36	x	15
FI008	48	x	15
FI009	24	x	18
FI010	30	x	18
FI011	36	x	18
FI012	48	x	18

SHELF DIVIDERS

- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface



Model No.	Overall Dimensions D" x H"		
FI013	12	x	4
FI014	12	x	6
FI015	12	x	8
FI016	15	x	4
FI017	15	x	6
FI018	15	x	8

VERTICAL POWER BOARDS

- 15 Amps with six outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

Model No. FI021




WORKBENCHES & WORKSTATIONS

TOOLS BALANCERS

- Designed to enhance productivity, comfort and safety
- Protect tools from being damaged
- Aircraft (steel/nylon) cable and a standard 360° swivel hanger
- No force required to maintain load, light force to position load
- Installed easily in minutes
- Recommended that a secondary support chain/cable be attached to equipment suspended overhead

W Woodhead Canada Ltd.

Model No.	Mfg. No.	Locking Model No.	Mfg. No.	Capacity lbs.	Cable Travel ft'	Duty
FA124	GM-31	-	-	1 - 12	4.8	Light
FA125	RB2	-	-	1 - 2	5.2	Light
FA126	RB4	-	-	2 - 4	5.2	Light
FA127	RF6	FA128	RFL6	4 - 6	6.6	Light
FA129	RF8	FA130	RFL8	6 - 8	6.6	Light
FA131	BF9	FA132	BFL9	6 - 9	6.6	Light
FA133	BF13	FA134	BFL13	9 - 13	6.6	Light
FA135	BF18	FA136	BFL18	13 - 18	6.6	Light



MAXI-BENCH WORKSTATIONS



- Bring your workstation to your work
- Features a sturdy 30" x 60" wood filled steel top and heavy duty all-welded 14-gauge steel frame mounted on 5" nylon non-marking casters, two rigid, two swivel (with brakes)
- Standard features: 42" high peg board panel, double drawers, swivel-out stool, lower shelf; end stops
- FF068 (shown) and FF071 include fluorescent lamp, 25' incandescent drop light, 4-outlet power bar
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish
- Shipped assembled



KLETON

Model No.	Description	Overall Height"	Wt. lbs.
FF068	Mobile, Complete	76	435
FF069	Mobile, No Electrical	76	415
FF071	Static, Complete	70	425
FF072	Static, No Electrical	70	405

SINGLE PEDESTAL BENCHES


- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Overall dimensions 20" W x 21" D x 37" H
- Capacity: 800 lbs.
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Comes complete with locks and two keys



KLETON

Model No.	Description	Wt. lbs.
FF984	4-Drawer Cabinet	120
MH801	Single Door Cabinet	75

72" LOUVERED BENCH RACKS



- All-welded louvered bench rack designed to be permanently installed on a 72" wide workbench
- Provides tool and storage for assembly or repair operations when combined with plastic parts bins
- 72" W x 15" D x 40" H
- Constructed of 1 1/4" square tube frame
- Durable Kleton blue enamel finish



KLETON

Model No.	Description
CB364	Bench Rack Only

RACK/BIN COMBINATIONS

Red	Model No.			Bin Qty	Overall Bin Dimensions W" x D" x H"
	Blue	Yellow			
CB173	CB172	CB174	144	4 1/8 x 7 3/8 x 3	
CB176	CB175	CB177	72	5 1/2 x 10 7/8 x 5	
CB185	CB184	CB186	36	8 1/4 x 14 3/8 x 7	



SERVICE BENCHES & CABINETS

MOBILE CABINET BENCHES

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top and a push handle
- Four 5" non-marking casters: two rigids and two swivels with brake
- Doors are reversible, can be opened either left or right side (factory installed hinges on right)
- All locks keyed alike by pedestal model
- Capacity: 1000 lbs.
- Cabinet frame powder coat finish with grey shell and *Kleton* blue on doors and drawers
- Shipped knocked down



CONFIGURE YOUR OWN UNIT BY CHOOSING:

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s))
2. Add to that the assembly kit, whether it be single, double or triple.
Assembly kit includes casters, base, handles and 1 1/4" laminated hardwood top.



Assembly Kit



FH666



FH667



FH668



FH669



FH670



FH671



F1166



F1167

1 - PEDESTAL STYLES - COMPLETE WITH LOCK AND TWO KEYS

Model No.	Description	Wt. lbs.
FH666	One Door	51
FH667	Two Half Doors	52
FH668	Two Large Drawers and One Half Door	75
FH669	Four Large Drawers	97
FH670	Four Small Drawers and One Half Door	84
FH671	Four Small Drawers and Two Large Drawers	98
F1166	Two Drawers	66
F1167	Three Drawers	78

2 - ASSEMBLY KITS

Model No.	Description	Wt. lbs.
FH407	Single	35
FH408	Double	65
FH409	Triple	95

MOBILE TOOL BOX BENCHES

- A versatile unit combining tool/storage area with a work surface
- All-welded construction, heavy-duty 11-gauge steel top and base
- Four 5" non-marking casters: two rigids and two swivels with brake
- Overall dimensions: 60" W x 22" D x 37" H
- Capacity: 1000 lbs.
- Durable *Kleton* blue enamel finish



FF993



FF994

3-DRAWER CABINETS WITH FLIP TOP PANEL COMPARTMENT

One 22 1/8" W x 16 3/4" D x 2" H drawer

Two 22 1/8" W x 16 3/4" D x 4" H drawers

One 26 1/2" W x 18" D x 12 3/8" H flip top compartment

Complete with locking bar

5-DRAWER CABINETS

One 22 1/8" W x 16 3/4" D x 2" H drawer

Two 22 1/8" W x 16 3/4" D x 4" H drawers

Two 22 1/8" W x 16 3/4" D x 6 1/8" H drawers

Complete with locking bar



FF995



Model No.	Description	Wt. lbs.
FF993	Five Drawers/Three Drawers	285
FF994	Three Drawers and Side Shelves	220
FF995	Five Drawers and Side Shelves	235

TOOL CARTS & MOBILE BENCHES

ALL WELDED INDUSTRIAL DUTY MOBILE SERVICE BENCHES

- Designed for moving heavy parts and tools to the job site
- 16-gauge all-welded steel construction
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37" H
- Capacity: 1000 lbs.
- Shell durable Kleton blue enamel finish
- Cabinets are powder coated grey and Kleton blue
- Locks included
- Shipped assembled



Model No.	Description	Wt. lbs.
ML325	Two Doors	235
ML326	One Drawer/One Door	190
ML327	Four Drawers/One Door	275
ML328	Eight Drawers	300

Note: Choose any combination of pedestals on page B61 to create your customized mobile service bench.



TOOL TOTER CARTS

For safe convenient storage of tools and equipment. An excellent addition to any tool centre

- Don't waste time looking for your tools and jigs
- Each drawer is 15 1/4" W x 23 3/4" D x 4 3/4" H with padlocking hasp
- Carrier is 18" W x 24" D x 34 1/2" H with 3" hard rubber swivel casters
- Drawer capacity: 50 lbs.
- Shipped knocked down



Model No.	Description	Wt. lbs.
FH210	Two Drawers	55
FH211	Four Drawers	85
FH212	Two Drawers and Cabinet	93



CABINET TABLES

- Sturdy combination storage cabinets and work tables provide safe locked-in storage
- Ideal for mounting vises, grinders or small power tools
- Heavy gauge steel
- Cylinder lock built into handle on door for added security
- Grey baked enamel finish

1-SHELF CABINETS

- 24" W x 24" D work area with 2" lip
- Unit is 34" H
- One full size centre shelf adjustable on 1 3/4" centres
- 12 cu. ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 80 lbs.
- Shipped knocked down

Model No. FF075

LOCKING CABINET TABLES

- 36" W x 24" D table top offers a large work area
- Unit is 34" H
- 2" deep lip prevents supplies from falling off
- Comes with one full-size centre shelf adjustable on 1 1/2" centres
- 18 cu.ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 110 lbs.
- Shipped knocked down

Model No. FF076

3-SHELF CABINETS

- 21" W x 15 1/2" D work surface can be mounted to form a 2" deep tray, or reversed to provide a rimless work area
- Unit is 34" H
- Three adjustable shelves
- 6.2 cu ft of storage space
- Capacity: 125 lbs. per shelf, evenly distributed; 500 lbs. per cabinet
- Weight: 46 lbs.
- Shipped knocked down

Model No. FF078



SHOP DESKS & CABINETS

WALL-MOUNTED SHOP DESK



- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 19" H
- Weight: 74 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI518



CABINET STYLE SHOP DESK



- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

Model No. FI520



OPEN FLOOR STYLE SHOP DESK



- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI519

OPTIONAL CASTER KIT

Model No. FI521



DELUXE SHOP DESKS



- All-purpose desk for warehouses, shops, shipping and receiving departments
- Comes with one tray lockable drawer, two double-deep file drawers, one all purpose drawer, desk top sorter and lower shelf
- Overall dimensions: 39" W x 28 3/4" D x 55 1/2" H
- Capacity: 275 lbs.
- Weight: 179 lbs.
- Grey baked enamel finish
- Shipped knocked down

Model No. FH459



OPEN STYLE SERVICE WRITERS



- This unit provides a locking upper door cabinet with one shelf for added storage space
- 25 3/8" W x 16 1/2" D x 3 1/4" H locking drawer on smooth slides
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 127 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH386



CLOSED STYLE SERVICE WRITERS



- Same features as FH386 plus a locking lower door compartment with one shelf for storage of large/bulky items
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 171 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH385



TOOL STORAGE

CELL PHONE & SMALL POUCH HOLDERS

- Attach to belt with snap closure or wide padded strap
- Four pockets and one padded pocket with elastic binding sized to fit most compact cell phones
- Detachable electrical tape sling

Model No. TJZ972



4-POCKET MULTI-PURPOSE TOOL HOLDERS

- Versatile three-way attachment
- Securely holds small tools or accessories

Model No. WI957



28-POCKET ELECTRICAL & MAINTENANCE TOOL POUCHES

- 7" x 5 1/2" multi-compartment, plastic tray included
- Tray slides into compartment at bottom of bag
- Box shaped design prevents tipping
- Electrical tape strap and pockets for drill bits, tips, etc.

Model No. BB390



TOOL/UTILITY HOLDERS

UTILITY POUCHES

Made of top grain leather. Holds knife, tape and pencil. Fits most belts.

Model No. TN236



UTILITY POUCHES

Made of full grain leather. Holds knife, pencil, felt marker, and other miscellaneous tools. Excellent for warehousing and utility use.

Model No. TP214



UTILITY KNIFE & PLIER HOLDERS

Made of heavy top grain leather. All-rivet construction with belt slots. Fits most standard utility style trim knives and most pliers.

Model No. TN244



UTILITY KNIFE, PEN/PENCIL HOLDERS

Made of full grain leather. Comes with quick release snap belt loop.

Model No. TBN197

PLASTIC TOOL BOXES

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Removable inner trays
- Deep storage compartments
- Padlock eye for safe storage



TLV082



TLV083



TLV084



TLV085



TLV086

Model No.	Dimensions					Features
	W"	x	D"	x	H"	
TLV082	15	x	7	x	5 1/2	1 Removable Inner Tray
TLV083	17 1/2	x	9 1/2	x	8	2 Removable Inner Trays
TLV084	17 1/2	x	9 1/2	x	8	2 Removable Inner Trays, 2 Parts Boxes, 1 Organizer
TLV085	22	x	11	x	10 1/2	1 Removable Inner Tray, 3 Organizers
TLV086	22	x	11	x	14 1/2	1 Removable Inner Tray, 3 Organizers, 2 Drawers

WATERLOO PORTABLE TOOL STORAGE SERIES

- Available in a choice of plastic and metal options
- Polyurethane portables with new design features provide additional strength



PLASTIC TOOL BOXES

Model No.	Mfg No.	Description	Dimensions				
			W"	x	D"	x	H"
TEP471	PP-2314BK	3-Drawer Plastic Portable Chest	23	x	10 1/2	x	13 1/2
TEP473	PP-2610BK	26" Plastic Tool Box w/Tote	26	x	10 1/2	x	10
TEP474	PP-2310BK	23" Plastic Tool Box w/Tote	23	x	10 1/2	x	10
TEP475	PP-2009BK	20" Plastic Tool Box w/Tote	20	x	9 1/4	x	9
TEP476	PP-1709BK	17" Plastic Tool Box w/Tote	17	x	9 1/4	x	9
TEP477	PP-1406BK	14" Plastic Tool Box w/Tote	14	x	7 1/2	x	6 1/4

TEP471



METAL TOOL BOXES


Model No.	Mfg No.	Description	Dimensions				
			W"	x	D"	x	H"
TEP478	MP-2012BK	20" 3-Drawer Portable Chest	20	x	9	x	12
TEP479	MP-2009BK	20" Tool Box w/Metal Tote	20	x	8	x	9
TEP480	MP-1608BK	16" Tool Box w/Plastic Tote	16	x	7	x	7 1/2

TEP478



PORTABLE TOOL BOXES

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish



TEP337




TEP338



TEP336



TEP339



TEP340

Model No.	Description	Overall Dimensions			Wt. lbs.
		L"	x W"	x H"	
TEP336	21" Tool Box w/Metal Tool Tray	21	x 8 3/4	x 9	12
TEP337	26" Tool Box w/Metal Tool Tray	26	x 8 3/4	x 9	15
TEP338	20" Hip Roof Box w/Metal Tool Tray	20	x 7	x 8	8
TEP339	21" Cantilever Tool Box	21	x 8 3/4	x 12	16
TEP340	21" 3-Drawer Chest	21	x 8 3/4	x 12	20

aurora tools

ATB200

- Double wall construction
- Full extension drawers with smooth action compound drawer slides
- Sturdy 5" x 2" casters
- Heavy-duty 14-gauge caster rails
- 75-lb. load rated drawers
- Non-slip drawer liners
- High gloss powder coat scratch resistant red paint



TEP328



TEP331



TEP333

Model No.	No. of drawers	Dimensions			Capacity lbs.	Wt. lbs.
		L"	x W"	x H"		
CHESTS						
TEP328	6	26	x 12	x 14 1/2	525	54
TEP329	12	26	x 18	x 20 1/2	925	59
TEP330	10	26	x 18	x 20 1/2	825	85
TOOL CARTS						
TEP331	5	27	x 18 3/4	x 35 5/8	600	93
TEP332	11	27	x 18 3/4	x 42 3/8	1600	135

aurora tools

7 YEAR
Limited Warranty

ACCESSORIES

Model No.	Description	Dimensions			Wt. lbs.
		L"	x W"	x H"	
TEP333	1-Shelf Side Cabinet	15	x 18 3/4	x 30 1/2	57
TEP334	7-Drawer Side Cabinet	15	x 18 3/4	x 30 1/2	73
TEP335	8-Drawer Side Cabinet	15	x 18 3/4	x 37	89

ATB300

- Double wall steel construction
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Heavy-duty 5" x 1 1/4" casters on **TEP313** and **TEP315**
- Heavy-duty 5" x 2" casters on **TEP317** and **TEP319**
- Gas struts on lid of **TEP316** and **TEP318** for ease of opening and closing
- Non-slip drawer liners
- High gloss powder coat scratch resistant black paint



TEP312



TEP314

aurora tools

5 YEAR
Limited Warranty



TEP315

Model No.	No. of Drawers	Dimensions			Drawer Capacity lbs.	Capacity lbs.	Wt. lbs.
		L"	x W"	x H"			
CHESTS							
TEP312	4	26	x 12	x 14 1/2	75	375	41
TEP314	6	26	x 18	x 19	75	675	75
TEP316	10	41	x 18	x 19	120	1200	119
TEP318	6	56	x 24	x 19	120	720	163
TOOL CARTS							
TEP313	5	27	x 18	x 31	100	500	85
TEP315	7	27	x 18	x 35 1/2	100	700	102
TEP317	11	42	x 18	x 40	120	1320	175
TEP319	10	56	x 24	x 39 1/2	120	1200	320

TOOL STORAGE

ATB400

- Heavy-duty double wall steel construction
- Quadra level ball bearing slides on all drawers
- Heavy-duty reinforced bottom support rails
- Heavy-duty casters 5" x 2" with double layer ball bearings
- Full extension slides for easy reach inside
- Integrated latch security drawer system prevents drawers from accidentally opening
- Heavy-duty gas struts on top lid
- High-gloss powder coat scratch-resistant blue paint
- Includes non-slip drawer liners

7 YEAR
Limited Warranty



TEP322



TEP323

aurora tools

Model No.	No of Drawers	Dimensions W" x D" x H"	Drawer Capacity Lbs.	Unit Capacity Lbs.	Wt. lbs.
CHESTS					
TEP320	4	26 7/8 x 18 1/4 x 18 1/4	100	500	74
TEP322	5	26 7/8 x 18 1/4 x 17	100	600	84
TEP324	6	41 1/2 x 18 1/4 x 20	100	700	118
TEP326	9	53 1/2 x 18 1/4 x 22 1/4	100	1000	173
TOOL CARTS					
TEP321	5	28 7/8 x 18 7/8 x 31 3/8	100	600	111
TEP323	7	28 7/8 x 18 7/8 x 36 5/8	100	800	135
TEP325	14	43 3/8 x 18 7/8 x 37 3/4	120	1600	221
TEP327	13	55 7/16 x 18 7/8 x 37 1/2	120	2400	264

WATERLOO SERIES

- Ball-bearing slides provide 50-lb. drawer load rating
- Standard 4 1/2" x 1 1/2" casters provide 700-lb. unit load rating
- Keyed locks with internal lock bars
- 41" cabinet includes MDF work surface and full-width top drawer for long-tool storage



TEP411

7 YEAR
Warranty

WATERLOO
TOOL STORAGE

Model No.	Mfg No.	No. of Drawers	Dimensions W" x D" x H"
CHESTS			
TEP411	WCH-266RD	6	26 x 12 x 15 1/2
TEP415	WCH-265RD	5	26 x 16 x 20
TEP439	WCH-418RD	8	41 x 16 x 20
INTERMEDIATE CHESTS			
TEP435	WIN-262RD	2	26 x 16 x 10 1/4
CABINETS			
TEP419	WCA-265RD	5	26 x 18 x 32
TEP427	WCA-266RD	6	26 x 18 x 41
TEP443	WCA-4111RD	11	41 x 18 x 37 1/2

PROFESSIONAL SERIES

- Posi-Latch drawer latching system included
- Full-width top drawers on cabinets offer opportunity for long tool storage
- Heavy-duty ball-bearing slides with 75-lb. drawer load rating
- Standard 5" x 2" heavy-duty swivel and locking casters provide 1120-lb. unit load rating
- Internal keyed locking system for secure tool storage
- Chests come complete with gas-struts and include full-width lid stiffener for added strength

5 YEAR
Warranty



TEP381



TEP385

WATERLOO
TOOL STORAGE

Model No.	Mfg No.	No. of Drawers	Dimensions W" x D" x H"
CHESTS			
TEP381	PCH-418RD	8	41 x 18 x 19
TEP393	PCH-528RD	8	52 x 18 x 20
CABINETS			
TEP385	PCA-4111RD	11	41 x 18 x 41
TEP397	PCA-5211RD	11	52 x 20 x 41

STAINLESS STEEL

Model No.	Mfg No.	Description	No. of Drawers	Dimensions W" x D" x H"
TEP405	PCH-4111SS	Chest	11	41 x 18 x 20
TEP407	PCA-4112SS	Cabinet	12	41 x 18 x 20

SHOP SERIES

- Full-width drawer pulls allows drawer access from all angles
- Friction slides provide 25-lb. drawer load rating
- Sturdy 4" casters for easy mobility provide 500-lb. unit load rating (Tool Center has 3" casters)
- External lock bar with keyed lock
- Top chests include inset handles

5 YEAR
Warranty

WATERLOO
TOOL STORAGE



TEP457

Model No.	Mfg No.	No. of Drawers	Dimensions W" x D" x H"
CHESTS			
TEP457	SCH-264RD-F	4	26 x 12 x 15 1/2
TEP458	SCH-267RD-F	7	26 x 12 x 17 1/2
INTERMEDIATE CHESTS			
TEP460	SIN-263RD-F	3	26 x 12 x 11 1/2
CABINETS			
TEP459	SCA-26514RD-F	5	26 x 14 x 32
TEP461	SCA-265RD-F	5	26 x 18 x 32

JOBBOX HAS:

EZ-LOADER® SKID BOLSTERS

- Fork lift from any side
- Easily load or unload heavy, fully loaded boxes from any sides
- One piece 7-gauge steel skid bolster reinforces the bottom of the box
- With holes for optional casters

TEXTURED POWDER PAINT FINISH

- Improved durability over liquid paint
- 10 times more corrosion resistance
- 5 times more abrasion resistance
- 2 times more chip resistance
- 2 times more scratch resistance

SITE-VAULT™ SECURITY SYSTEM

- 3-locking point system
- Cover plates protect the 3-lock hooks from being bent, broken, cut or pulled out
- Full length, high strength 12-gauge lock console protects the system and reinforces the front of the lid or door
- Exclusive: fluorescent reflective orange tape indicates when the **JOBBOX** is unlocked

JOBSITE CHESTS

- *Site-Vault™* security system
- *Ez-Loader®* skid bolsters
- *Grip-Rite™* recessed lifting channel
- Staked and welded hinge: 14-gauge steel, 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Heavily reinforced lid and body



SLOPE LID CHESTS

- All the characteristics of a regular *Jobsite Chest* plus:
 - Propped lid allows for a flat working surface
 - Full length reinforced channel
 - *Lift-N-Stow* hinged shelf to store bulky items in the bottom
- 60" W x 30" D x 39 1/2" H
- Usable cu. ft.: 32.7
- Weight: 243 lbs.



Model No. TEP159



Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP092	36	x	20	x	23 3/4	8.3	98
TEP136	42	x	20	x	23 3/4	9.3	118
TEP137	48	x	24	x	27 3/4	15.4	148
TEP156	60	x	24	x	27 3/4	19.3	182
TEP157	48	x	30	x	33 3/8	24.3	190
TEP158	72	x	24	x	27 3/4	23.2	220

CASTERS

- Heavy-duty casters for added mobility
- **Set includes:** Two fixed and two swivels
- Hardware included



4"

Model No. TEP230

6"

Model No. TEP231

PIANO BOXES

- *Site-Vault™* security system
- *Ez-Loader®* skid bolsters
- *Grip-Rite™* recessed lifting channel
- *Lift-N-Stow* bottom shelf
- 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Gas spring door lifts with quick release mount
- Recessed handles, door opens full 90°
- Two storage bins on both sides of walls
- Formed lid sides welded to lid bolsters resists pry bar entry
- **TEP164:** Punch holes for hanging safety harnesses, three shelves with 500-lb. capacity and three storage bins
- **TEP165 and TEP166:** Tapered drop down ramp that closes with a padlock (not included)



SMALL CHESTS & WELDER'S BOXES

- Compact and portable for flexible, secure storage
- A heavily-reinforced 16-gauge steel construction
- **TEP175** offers a heavily-reinforced lid able to resist pry bar entry, a recessed grip channel for opening lid, a bolt cutter proof locking system with a padlock (not included, **SR890**) protecting the lock from bolt cutters and pry bars and tall, strong bottom bolsters
- Staked and welded steel hinges
- **TEP348** is a welder's box that offers a notched upper side for storing tools connected to supply hoses



TEP175



TEP348

Model No.	Description	Dimensions					Usable Cu. Ft.	Wt. lbs.
		W"	x	D"	x	H"		
TEP175	Small Chest w/Embedded Lock	31	x	18	x	15 1/2	4	5.7
TEP349	Small Chest w/Hasp Lock	30	x	16	x	12	3.3	4.6
TEP348	Welder's Box	30	x	16	x	12	3.3	4.6

Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP161	48	x	31	x	50	38	286
TEP162	60	x	31	x	50	47.5	326
TEP163	74	x	31	x	50	56.5	423

HIGH CAPACITY MODEL

TEP164	74	x	34 5/8	x	63	85.7	500
--------	----	---	--------	---	----	------	-----

DROP-FRONT MODELS

TEP165	60	x	30	x	50	47.5	405
TEP166	74	x	30	x	50	56.5	468

FIELD OFFICE

- *Site-Vault™* security system
- *Ez-Loader®* skid bolsters
- One handle lock operation
- 30 cu. ft. storage locker
- Full length heavy-duty stainless steel hinges
- Built-in bottom door storage shelves
- Features overhead tube storage, steel pegboard, storage area for plans and binders, lockable large desktop area and door safety pin latch



Model No.	Dimensions				Usable Cu. Ft.	Wt. lbs.	
	W"	x	D"	x			H"
TEP167	63	x	42	x	80	100	660

DRAWER CABINETS

- *Site-Vault™* security system
- *Ez-Loader®* anti-tip skid bolsters
- Hand or foot operated latch released system
- 4 1/2" deep top shelf and 3" x 3" deep shelves on each door
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Three 5/8" steel locking pins per door
- High load capacity drawer: Three 2 1/2" deep drawers have 75-lb. capacity, five 5 1/2" deep drawers have 125-lb. load rating
- 60 1/8" W x 30 1/4" D x 53 1/4" H
- Usable cu. ft.: 58.7
- Weight: 610 lbs.

Model No. TEP173



TOOL STORAGE

CABINETS

- Site-Vault™ security system
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot operated latch released system
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door
- Five models to choose from:

- TEP168:** Two doors, 24" deep
- TEP169:** Four doors, features front and back access
- TEP170:** Two doors, tall closed on right side
- TEP171:** Two doors, 30" deep
- TEP172:** Two doors, bin and clam shell, has heavy-duty galvanised movable dividers



Model No.	W"	x	D"	x	H"	Usable Cu. Ft.	Wt. lbs.
TEP168	60 1/8	x	24 1/4	x	60 3/4	47.5	379
TEP169	60 1/8	x	32 1/4	x	60 3/4	63.7	523
TEP170	60 1/8	x	24 1/4	x	60 3/4	47.5	366
TEP171	60 1/8	x	30 1/4	x	60 3/4	58.7	436
TEP172	72	x	24	x	60 5/8	49	522

ROLLING WORK BENCHES

- High capacity, fully adjustable interior; drawers and shelves are easy to move to match your requirements, additional drawers and shelves can be added in
- 18-gauge steel drawers with heavy-duty ball bearing glides
- **Includes:** Two fixed and two lockable swivelling casters



Model No.	Description	Dimensions W" x D" x H"	Usable Cu. Ft.	Wt. lbs.
TEP180	Basic Unit with 6" Casters	49 7/8 x 26 7/8 x 40 5/8	24.6	264
TEP176	2 Drawers, 2 Shelves, 4" Casters	43 7/8 x 26 7/8 x 38 1/2	21.7	266.5
TEP177	2 Drawers, 2 Shelves, 6" Casters	43 7/8 x 26 7/8 x 40 1/2	21.7	279.5
TEP178	4 Drawers, 1 Shelf, 4" Casters	43 7/8 x 26 7/8 x 38 1/2	21.7	294
TEP179	4 Drawers, 1 Shelf, 6" Casters	43 7/8 x 26 7/8 x 40 1/2	21.7	307
TEP181	6 Drawers, 1 Shelf, 6" Casters	49 7/8 x 26 7/8 x 40 5/8	24.6	342

Additional drawers and shelves available upon request

TRUCK CHESTS

- Gear-Lock II™ locking system
- Self-aligning latch hoops
- Heavy-duty gas spring guards
- High-strength deep bevelled edge lid
- Recessed hinge on all chests, allows lid to be raised fully even when chest is placed flush against truck bed
- Usable Cu. Ft.: 10.2
- 5-year limited warranty



TEP214

Model No.	W"	x	D"	x	H"	Finish	Wt. lbs.
ALUMINUM							
TEP214	59 3/8	x	20 1/4	x	19	Clearcoat	49
TEP247	59 3/8	x	20 1/4	x	19	Black	49
STEEL							
TEP248	59 1/8	x	20 1/4	x	19	White	120

CROSSOVERS TRUCK BOXES

- Gear-Lock II™ locking system
- Self-latching latch hoops cannot be bent or pried out of the lock,
- Deep beveled edge lid design allows body to fit deeper inside the lid
- Channel reinforced front panel, one-piece box body construction, full length bolster reinforcement
- Full-length lock console, drill resistant push button locks
- 5-year limited warranty



TEP192 Single Lid

SINGLE LID CROSSOVERS TRUCK BOXES

Model No.	Dimensions L" x W" x H"	Usable Cu. Ft.	Finish	Wt. lbs.
ALUMINUM				
TEP192	72 x 21 x 18 7/8	10.7	Clearcoat	75
TEP232	72 x 21 x 18 7/8	10.7	Black	75
TEP234	72 x 30 x 18 7/8	17.5	Clearcoat	97.5
TEP235	72 x 30 x 18 7/8	17.5	Black	97.5
STEEL				
TEP196	72 x 21 x 18 7/8	10.7	White	156
TEP241	72 x 30 x 18 7/8	17.5	White	191

UNDERBED TRUCK BOXES

- 3-point locking system
- Rotating T-Handle and drill resistant lock cylinder
- Heavy-duty housing and locking rods
- 3/4" wide rain gutter surrounds the door opening
- Quick-release keyway connectors allow the door end of the support cable to be easily and quickly disconnected to allow the door to drop down
- **Steel underbed truck box** have 3" long industrial grade hinges with 1/2" diameter stainless steel pins, 1-piece lock housing and quick release keywall connectors
- **Aluminum underbed truck box** has continuous 3/8" diameter hinges with 1" knuckles for superior strength and durability

STEEL

White Model No.	Black Model No.	Dimensions W" x D" x H"	Wt. lbs.
TEP199	TEP249	18 x 18 x 18	55
TEP200	TEP250	24 x 18 x 18	68
TEP201	TEP251	30 x 18 x 18	80
TEP202	TEP252	36 x 18 x 18	92
TEP203	TEP253	48 x 18 x 18	117
TEP204	TEP254	60 x 18 x 18	142

ALUMINUM

Model No.	Dimensions W" x D" x H"	Wt. lbs.
TEP205	18 x 18 x 18	35
TEP206	24 x 18 x 18	40
TEP207	30 x 18 x 18	44
TEP208	36 x 18 x 18	48
TEP209	48 x 18 x 18	61
TEP210	60 x 18 x 18	74



TEP207

MOUNTING BRACKETS

- Sold in pairs

Model No.	Description	Wt. lbs.
TEP360	Mounting Brackets, 18" x 18"	15
TEP361	Mounting Brackets, 24" x 24"	15

STEP STOOLS, STANDS & LADDERS

STEP STOOLS

HEAVY-DUTY STEP STOOLS

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wt.: 10 lbs.

Model No. ON528



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Wt.: 7 lbs.



Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige



FOLDABLE STEP STOOLS

- Slip-resistant surfaces on steps and foot pads
- Stands upright when folded and requires minimum space for storage
- Easy to clean and resistant to dents and rust
- Capacity: 300 lbs.
- Wt.: 7 lbs.

Model No. MH866
Mfg. No. 4209-03



DIXIE STEP STOOLS

- Durable, non-corrosive, 500-lbs. capacity polyethylene construction
- Two, three and four step models have rear opening to access storage compartments
- Four step comes standard with handrails and casters
- Hand holes and lightweight construction combine for easy manoeuvrability
- All stools include rubber feet and non-skid tape surfaces
- Safety yellow for visibility

SINGLE STEP

Dimensions: 18" L x 12" W x 12" H
Weight: 10 lbs.


Model No. MK776



DOUBLE STEP

Dimensions: 22" L x 21" W x 20" H
Weight: 22 lbs.

Model No. MK777



TRIPLE STEP

Dimensions: 32" L x 22" W x 30" H
Weight: 33 lbs.

Model No. MK778



QUAD STEP WITH CASTERS

Dimensions: 45" L x 25" W x 69 1/2" H
Weight: 53 lbs.

Model No. MK779



Dixie Poly Drum Corp.

STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

STEP STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH228	20	18 x 16	11
MH229	24	22 x 16	13
MH230	32	30 x 16	16

ROLLING STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH225	20	18 x 16	17
MH226	24	22 x 16	19
MH227	32	30 x 16	22



MH228



MH225

WORK STEP STANDS

- Solid all-welded construction
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Capacity: 800 lbs.
- Durable Kleton blue enamel finish

Model No.	Platform Dimensions W" x D"	Top Step Height"	Wt. lbs.
VC127	24 x 32	6	28
VC128	32 x 32	6	34
VC129	24 x 32	12	32
VC130	32 x 32	12	38



VC129



VC127



TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip-resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



VC336



REPLACEMENT PARTS

Model No.	Description
VC055	Rubber Foot Tip

Model No.	No. of Steps	Step Dimension W" x D"	Top Step W" x D"	Top Step Height"	Base Dim. W" x D"	Wt. lbs.
VC335	1	22 x 16	22 x 16	16	29 x 16	24
VC336	2	22 x 8	22 x 16	19	29 x 24	33

FIBREGLASS LADDERS

WHAT HEIGHT?

STEPLADDER

Max. Height You Want to Reach*	Buy This Size
7'	4'
8'	5'
9'	6'
10'	7'
11'	8'
12'	10'
14'	12'
16'	14'
18'	16'
20'	18'
22', 24'	20'

*Assumes a 5' 6" person with a vertical 12" reach

EXTENSION LADDER

Height of Top Support Point	Buy This Size*
9' max.	16'
9' to 13'	20'
13' to 17'	24'
17' to 21'	28'
21' to 25'	32'
25' to 28'	36'
28' to 31'	40'

*Reflects section overlap, ladder angle

WHAT LOAD CAPACITY?

Formula:

Your Weight

+



Load Capacity

=

Material Weight

Typically Add:

75 lbs. For Heavy-Duty Projects
50 lbs. For Light-Duty Projects



200 lbs. **CSA Grade 3**
Household

225 lbs. **CSA Grade 2**
Tradesman and Farm

250 lbs. **CSA Grade 1**
Construction and Industrial

300 lbs. Construction and Industrial meets
ANSI Type1A, Extra Heavy Duty

375 lbs. Construction and Industrial meets
ANSI Type1AA, Special Duty

INDUSTRIAL-DUTY FIBREGLASS STEPLADDERS (6300 SERIES)

CSA Approved Grade 1, ANSI Type 1, 250-lb. Load Rating

- Durable non-conductive "C" channel front rails in high visibility safety orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Rear horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Heavy-duty slip-resistant safety shoes

VC025



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC023	4	46	23	20	30	17
VC024	5	57	34	21	34	18
VC025	6	68	45	23	43	20
VC026	7	79	56	24	44	23
VC027	8	90	67	26	55	26

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

CSA Approved Grade 1, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms
- Full rear "L" horizontal struts every 12"
- Reinforced with zinc-coated steel diagonal braces at top and bottom steps
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF609



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
MF606	3	34	11	19	23	12
MF607	4	45	23	20	28	14
MF608	5	56	34	21	34	17
MF609	6	68	45	23	39	20
MF610	7	79	56	24	44	23
MF611	8	90	67	26	51	26
MF612	10	113	90	29	61	37
MF613	12	137	114	32	74	48

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6400 SERIES)

CSA Approved Grade 1, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wraparound" brackets to strengthen spreader to rail connection
- Full rear "L" horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

MD487



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC211	2	24	11	17	17	8
MD487	3	34	11	19	23	12
MD488	4	46	23	20	28	15
MD489	5	57	34	21	34	19
MD490	6	68	45	23	39	23
MF516	7	79	56	24	44	27
MD491	8	90	67	26	50	30
MD492	10	113	90	29	61	38
MD493	12	137	114	32	74	52

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS STEPLADDERS (6800 AA SERIES)

CSA Approved Grade 1, ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Super tough copolymer top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is double braced with zinc-coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with zinc-coated steel diagonal braces offer maximum rigidity
- Heavy-duty aluminum "wraparound" sleeves at base of rails for maximum protection

VC256



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC254	4	46	23	20	28	15
VC255	5	57	34	21	34	19
VC256	6	68	45	23	39	27
VC257	7	79	56	24	45	31
VC258	8	90	67	25	50	35
VC259	10	113	90	29	61	44
VC260	12	136	113	31	72	59

FIBREGLASS LADDERS

INDUSTRIAL HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 SERIES)

CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc-coated steel braces offer maximum rigidity
- Heavy-duty slip-resistant safety shoes



MF411

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC205	4	46	24	21	30	17
VC206	5	57	35	23	36	22
MF411	6	68	46	24	42	25
MF412	8	90	68	26	53	33
MF413	10	113	92	29	67	41
VC207	12	135	115	31	75	50

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 AA SERIES)

CSA Approved Grade 1,
ANSI Type 1AA, 375-lb Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy duty aluminum "wraparound" sleeves at base of rails
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness



VC225

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC223	4	46	24	20	38	24
VC224	5	57	35	22	47	28
VC225	6	68	46	23	56	32
VC226	8	90	68	26	72	48
VC227	10	113	92	29	91	57
VC228	12	135	115	32	109	66

INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 SERIES)

CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating

- Double front construction allows two climbers to access the ladder from opposite sides
- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Reinforced with zinc-coated steel diagonal braces on the front of every other step providing extra rigidity
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance



MF414

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC214	4	45	23	20	38	19
MF414	6	67	45	23	56	26
MF415	8	90	67	26	72	36
MF416	10	112	89	29	91	46
VC215	12	135	112	32	109	58
VC216	14	160	138	36	122	79
VC217	16	184	162	39	139	98

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 AA SERIES)

CSA Approved Grade 1,
ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Double front construction allows access from either side
- Extra strength fiberglass side rails in high visibility safety yellow
- Redesigned super-tough top bracket system for even greater stability
- Slip-resistant 3" aluminum steps
- Heavy-duty aluminum "wraparound" sleeves at base of rails



VC219

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC218	4	45	23	20	38	19
VC219	6	67	45	23	56	26
VC220	8	90	67	26	72	36
VC221	10	112	89	29	91	46
VC222	12	135	112	32	109	58

SAFETY DO'S


Care & Maintenance

- Inspect the rails of fiberglass ladders for weathering due to UV (ultraviolet) exposure
- Keep the ladder protected from heat, weather, and corrosive materials



Safety Before You Climb


- Use fiberglass ladders if there is even a remote possibility of working near electricity or overhead power lines. Fiberglass is electrically non-conductive
- NEVER use metal, water logged or dirty wood ladders near electricity!



FIBREGLASS LADDERS

4 TO 1 RATIO

Place an extension ladder at a 75 1/2° angle. The set-back ("S") needs to be 1 ft. for each 4 ft. of length ("L") to the upper support point.



SAFETY DO'S

- Climb facing the ladder. Center your body between the rails. Maintain a firm grip
- Always move one step at a time, firmly setting one foot before moving the other
- Haul materials up on a line rather than carry them up an extension ladder
- Use extra caution when carrying anything on a ladder

SAFETY DON'T'S

- DON'T place the base of an extension ladder too close to the building as it may tip over backward
- DON'T place the base of an extension ladder too far away from the building, as it may slip out at the bottom. **Set the ladder at a 75 1/2° angle**
- DON'T over-reach, lean to one side, or try to move a ladder while on it. You could lose your balance or tip the ladder. **Climb down and then reposition the ladder closer to your work!**



INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6900 SERIES)

CSA Approved Grade 1, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Rung through rail design
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Black ABS, high impact non-marring end caps
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice picks

FEATHERLITE
INDUSTRIAL LADDERS

VC329

Model No.	Height'	Max. Open Height'	Base Section		Fly Section		Wt. lbs.
			Outside Width"	Inside Width"	Outside Width"	Inside Width"	
VC329	16	13	17 1/8	14 3/4	16 1/8	13 3/4	34
VC330	20	17	17 1/8	14 3/4	16 1/8	13 3/4	43
VC331	24	21	17 1/8	14 3/4	16 1/8	13 3/4	51
VC332	28	25	17 1/8	14 3/4	16 1/8	13 3/4	58
VC333	32	28	17 1/8	14 3/4	16 1/8	13 3/4	65



INDUSTRIAL EXTRA HEAVY-DUTY STRAIGHT LADDERS (5600 SERIES)

CSA Approved Grade 1, ANSI Type 1AA, 375-lb. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing
- Black ABS, high impact non-marring end caps
- Feature large heavy-duty pivot feet with slip-resistant rubber pads and ice picks

FEATHERLITE
INDUSTRIAL LADDERS

VC263

Round Rung Model No.	"D" Rung Model No.	Height'	Outside Width"	Inside Width"	Approx. Weight lbs.
VC263	VC268	8	17 3/8	15	18
VC264	VC269	10	17 3/8	15	21
VC265	VC270	12	17 3/8	15	24
VC266	VC271	14	17 3/8	15	28
VC267	VC272	16	17 3/8	15	31



INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6200 SERIES)

CSA Approved Grade 1, ANSI Type 1A, 300-lb Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing (available in round or "D" profile)
- Top cross over bar allows for ladder to be raised or lowered from front and provides tensional stiffness
- Premium heavy-duty rung locks for durability
- Exclusive "1-piece" foot assembly with spur wheel provides unequalled strength, durability and torsion resistance

FEATHERLITE
INDUSTRIAL LADDERS

MF405

Model No.	Height'	Max. Open Height"	Base Section		Fly Section		Approx. Weight lbs.
			Outside Height"	Inside Width"	Outside Width"	Inside Width"	
ROUND RUNG							
MF405	16	13	17 3/8	15	16 5/8	14 1/4	38
MF406	20	17	17 3/8	15	16 5/8	14 1/4	44
MF407	22	19	17 3/8	15	16 5/8	14 1/4	48
MF408	24	21	17 3/8	15	16 5/8	14 1/4	52
MF409	28	25	17 3/8	15	16 5/8	14 1/4	59
MF410	32	28	17 3/8	15	16 5/8	14 1/4	66

Model No.	Height'	Max. Open Height'	Base Section		Fly Section		Approx. Weight lbs.
			Outside Height"	Inside Width"	Outside Width"	Inside Width"	
D RUNG							
MF385	16	13	17 3/8	15	16 5/8	14 1/4	39
MF386	20	17	17 3/8	15	16 5/8	14 1/4	46
MF387	22	19	17 3/8	15	16 5/8	14 1/4	50
MF388	24	21	17 3/8	15	16 5/8	14 1/4	55
MF389	28	25	17 3/8	15	16 5/8	14 1/4	63
MF390	32	28	17 3/8	15	16 5/8	14 1/4	70
MF391*	36	32	19	15 1/2	17 3/4	14 1/4	96
MF392*	40	35	19	15 1/2	17 3/4	14 1/4	106

* Traditional raise from the rear pulley system

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (9200 SERIES)

CSA Approved Grade 1, ANSI Type 1AA, 375 lb. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Traditional raise from the rear pulley design
- Premium heavy-duty rung locks for durability
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice picks

FEATHERLITE
INDUSTRIAL LADDERS

VC229

Model No.	Height'	Max. Open Height'	Base Section		Fly Section		Approx. Weight lbs.
			Outside Height"	Inside Width"	Outside Width"	Inside Width"	
VC229	16	13	17 3/8	15	16 5/8	14 1/4	40
VC230	20	17	17 3/8	15	16 5/8	14 1/4	47
VC231	24	21	17 3/8	15	16 5/8	14 1/4	56
VC232	28	25	17 3/8	15	16 5/8	14 1/4	64
VC233	32	28	17 3/8	15	16 5/8	14 1/4	72



ALUMINUM LADDERS

INDUSTRIAL HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating.
High strength to weight ratio provides an economical
alternative for general contract work.

- Super tough copolymer top for strength and durability
- Wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- 10" x 10" heavy-duty hinged utility tray for holding tools and paint accessories
- Heavy-duty slip-resistant safety shoes



VC243

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VC241	4	46	23	18	29	12
VC242	5	57	34	20	35	14
VC243	6	68	45	21	41	17
VC244	8	91	67	24	54	22
VC245	10	114	90	26	66	28
VC315*	12	135	114	32	78	40
VC316*	14	158	134	35	88	51
VC317*	16	181	160	38	102	59

* Extra wide 3 1/2" steps and rails

INDUSTRIAL HEAVY-DUTY ALUMINUM PLATFORM STEPLADDERS (3500 SERIES)

CSA Approved Grade 1A,
ANSI Type 1, 300-lb. Load Rating.
Ideal for general fixed height work.

- Large comfortable slip-resistant platform, 14" x 18"
- Wide slip-resistant serrated aluminum steps for safe climbing
- Outside spreader arms
- Heavy-duty slip-resistant safety shoes



VC246

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
MF069	4	46	23	21	28	13
VC246	6	68	46	24	42	19
VC247	8	90	68	26	54	24
VC248	10	114	92	29	66	30
VC312*	12	135	115	34	78	43
VC313*	14	157	136	36	87	52
VC314*	16	180	158	39	102	60

* Extra wide 3 1/2" steps and rails

COMMERCIAL-DUTY ALUMINUM STEPLADDERS (2400 SERIES)

CSA Approved Grade 2,
ANSI Type 2, 225-lb. Load Rating

- Super tough molded copolymer utility top
- Durable yet light-weight extruded side rails
- 3" slip-resistant serrated steps
- J-shaped spreader arms
- Heavy-duty rubber safety shoes



MF064

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Wt. lbs.
MF063	4	45	24	18	31	9
MF064	6	67	45	21	44	13
MF065	8	90	67	23	56	19

INDUSTRIAL HEAVY-DUTY 2-WAY STEPLADDERS (3600 SERIES)

CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating

- Double-front construction allows access from either side
- Serrated steps and side rails
- Features extra thick top brackets for greater stability and heavy-duty rubber safety shoes



VC318

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Base Width"	Spread"	Wt. lbs.
VC318	4	19	39	14
VC319	6	21	57	20
VC320	8	24	72	28
VC321	10	26	89	36

SAFETY DON'T'S


- DON'T stand above the highest **safe standing level**
 - DON'T stand above the second step from the top of a stepladder and the 4th rung from the top of an extension ladder.
- A person standing higher may lose their balance and fall



ALUMINUM LADDERS

INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION/STRAIGHT LADDERS

- CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating
- Heavy-duty "C" channel construction
 - Side rails: 2 1/2" x 1" for straights up to 14'
 - Side rails: 3" x 1" for straights up to 16' and up
 - Heavy-duty serrated "D" rungs prevent slipping for safe and sure climbing
 - Black ABS, high impact, non-marking end caps
 - Heavy-duty safety shoes



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.
SINGLE LADDERS (3100D SERIES)				
VC273	8	-	17 3/4	12
VC274	10	-	17 3/4	14
VC275	12	-	17 3/4	18
VC276	14	-	17 3/4	21
VC277	16	-	17 3/4	24
VC278	18	-	17 3/4	27
VC279	20	-	17 3/4	30
EXTENSION LADDERS (3200D SERIES)				
VC322	16	13	17 3/4	31
VC323	20	17	17 3/4	36
VC324	24	21	17 3/4	43
VC325	28	25	17 3/4	51
VC326	32	29	17 3/4	58
VC327	36	32	17 3/4	69
VC328	40	35	17 3/4	77

INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION/STRAIGHT LADDERS

- CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating
- Rigid box section side rails, unequalled for strength and durability
 - Side-mounted rope pulley and slide guide system keeps rope clear of climbers feet and allows easy raising (only on extension)
 - Yellow ABS, high impact non-marring end caps
 - Premium heavy-duty rung locks (only on extension)
 - Slip-resistant serrated "D" rungs for safe climbing and comfort (round rung on single)
 - Heavy-duty ribbed swivel feet with ice picks



FEATHERLITE INDUSTRIAL LADDERS


Model No.	Nominal Length'	Working Length'	Width"	Wt. lbs.
SINGLE LADDERS (4100 SERIES)				
MD506	8	-	14 5/8	13
MD507	10	-	14 5/8	16
MD508	12	-	14 5/8	19
MD509	14	-	14 5/8	22
MD510	16	-	14 5/8	25
MD511	18	-	14 5/8	28
MD512	20	-	14 5/8	31
MD513	22	-	15 3/4	41
MD514	24	-	15 3/4	44
EXTENSION LADDERS (4200D SERIES)				
VC033	16	13	17	29
VC034	20	17	17	37
VC035	24	21	17	44
VC036	28	25	17	50
VC037	32	29	18 1/2	69
VC038	36	32	18 1/2	78
VC039	40	35	18 1/2	86
VC040	44	39	18 1/2	94

LADDER MITTS™

- Made of flexible urethane pads
- Fits easily on top of wood, fiberglass and aluminum extension ladders to prevent damage to wood, aluminum, glass and vinyl siding
- No drill holes or modifications to ladder necessary
- Orange colour will not rub off on any surface

Model No. VC334

FEATHERLITE INDUSTRIAL LADDERS



STEP STOOL/LADDERS (3400 SERIES)

- CSA Approved Grade 1,
ANSI Type 1A, 300-lb. Load Rating
- Super tough copolymer top for strength and durability
 - Both front and rear legs are braced
 - Solid aluminum rivets in front prevent steps from loosening
 - Slip-resistant vinyl feet

VC239



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Base Width"	Spread"	Wt. lbs.
VC239	2	15 1/2	17 1/2	5
VC240	3	17	24	6

4' ALUMINUM LIGHT-DUTY PLATFORM STANDS (1300 SERIES)

- CSA Approved Grade 3,
ANSI Type 3, 200-lb. Load Rating
- 1" tubular construction makes this ladder lightweight and compact for storage
 - Handrail with comfort foam grip
 - Fold-down utility tray for paint, tools, etc.
 - Non-marring, slip-resistant feet
 - Overall height: closed: 55"; open: 51"
 - Overall platform height: 22 1/2"
 - Approximate weight: 8 lbs.

Model No. TJZ869



FEATHERLITE INDUSTRIAL LADDERS

LADDERS & STANDS

HEAVY-DUTY WORKHORSES

- All-welded, ready to use
- Overbuilt to be the last sawhorse you'll ever need
- Powder coated finish safety yellow
- Capacity: 2000 lbs. each



KLETON



VC158

Model No.	Height"	Width"	Depth"	Wt. lbs.
VC157	24	36	20	43
VC158	36	48	20	60

ALUMINUM ARTICULATING LADDERS

Model MF538: CSA Approved Grade 1, ANSI Type 1, 250-lb. Load Rating

Model MF539: CSA Approved Grade 1, ANSI Type 1A, 300-lb. Load Rating

- Compact and multifunctional
- Sturdy "C" channel rail construction
- Serrated rungs prevent slipping for safe sure climbing
- Positive, visual hinge locking indication in any position
- Folds easily for storage and transport
- MF538 has flared ends for excellent stability
- MF539 has stabilizer feet on each end that provide superior stability



MF538



MF539

MULTIPLE APPLICATIONS



Model No.	Straight Ladder Length'	Stepladder Height'	Scaffold Height'	Wt. lbs.
MF538	12	6	3	23
MF539	16	8	4	46

INDUSTRIAL-DUTY ALUMINUM SAWHORSES/STEPS

- Engineered to allow for convenient mixing of sizes in plank applications
- Durable extruded aluminum steps and side rails, serrated for strength and safety
- Trestle design allows safe access from either side
- J-shaped spreaders for easy set-up and storage
- Heavy-duty rubber safety shoes



VC010


FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Base Width"	Base Depth"	Wt. lbs.
VC010	2	23	32	24 1/2	10
VC011	3	35	33	32	14
VC012	4	47 1/2	34 1/2	34 1/2	19

MULTI-PURPOSE JAWS™ TELESCOPIC LADDERS

CSA Approved Grade 1, ANSI Type 1AA, 375-lb. Load Rating

- Compact and multifunctional, replaces all conventional ladders
- Easily folds for storage or transport
- Flared ends with slip-resistant feet provide superior stability in any position
- Polymer rung locks are virtually indestructible
- Welded outer rungs
- Extra deep side rails make the Jaws™ stiffer and stronger
- Mechanical interlocking tooth hinges for superior strength and five locking positions
- Extruded 6061-T6 marine alloy for strength and corrosion resistance
- JLT Series has extra-strong "Box-beam" rails for maximum strength and durability



MEETS OR EXCEEDS

ANSI

14.2 STANDARD WHERE APPLICABLE

FEATHERLITE
INDUSTRIAL LADDERS


MA742

Model No.	Folded Height	Extension Range'	Stepladder Range'	Scaffold Height'	Wt. lbs.
MA740	4' 9"	9 to 15	4 1/2 to 7 1/2	1 to 4	36
MA741	5' 9"	11 to 19	5 1/2 to 9 1/2	1 to 5	41
MA742	6' 9"	13 to 23	6 1/2 to 11 1/2	1 to 6	50

TELESCOPIC LADDERS

CSA Approved Grade 1

- Capacity: 250 lbs.
- Made of aluminum
- Compact and easy to move, use and store
- Extends and locks in 12" increments
- Anti-slip rungs
- Red/green tab indicators let you know when the rungs are locked into place and the ladder is safe to climb
- Top rung has non-slip end caps that help keep ladder firmly in place




Model No.	Overall Height'	Reach'	Closed Dim.			Colour	Wt. lbs.
			W" x D" x H"				
VC441	12	16	19 x 3 3/4 x 32 1/2		Yellow	25	
VC252	15	19	19 3/4 x 5 3/4 x 36		Blue	37	

ROLLING LADDERS

ROLLING LADDER STANDS

- Ideal wherever there is a need to reach bulky materials
- Roll easily into position and lock firmly to the floor for maximum safety
- 2 to 6-step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- 8 to 16-step ladders shipped knocked down, easily assembled
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- **CSA certified to the ANSI A14.7 standard**

Note:
Ladders are not to be used as work platforms.




Model No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
WITHOUT HANDRAILS						
MA612	2	19	19	22 x 16	24 x 26	32
MA613	3	28	28	22 x 16	24 x 30	42
MH279	4	37	37	22 x 16	24 x 37	52
MA615	5	46	46	22 x 16	24 x 41	61
WITH HANDRAILS						
MA614*	4	37	78	22 x 16	30 x 36	78
MA616*	5	46	87	22 x 16	30 x 46	89
MA617*	6	55	95	22 x 16	30 x 51	100
MA622**	8	72	113	30 x 16	38 x 60	180
MA623**	10	89	130	30 x 16	38 x 72	230
MA624**	12	109	149	30 x 16	38 x 80	250
MA625**	14	128	167	30 x 16	38 x 93	275
MA626**	16	144	185	30 x 16	38 x 104	305

* Only front casters are spring loaded. ** Locking step.

MECHANICS/MAINTENANCE ROLLING LADDER STANDS

- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow mobility allows easy movement over rough surfaces
- Oversize 22" W x 24" D top step for easier worker movement
- Removable 24" W x 10" D tool tray fits on front or side railing (included)
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

Tool Tray Included MH242




Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MH212	3	28	58	24 x 44	85
MH213	4	38	68	24 x 50	98
MH214	5	47	77	24 x 56	112
MH215	6	57	87	24 x 68	125

TILT-N-ROLL LADDER STANDS

- Balanced design allows ladder to tilt into the rolling position
- Ladder moves easily two 4" casters
- 1-piece all-welded steel construction
- Legs have reinforced rubber tips that hold ladder secure during use
- Oversize 24" W x 24" D top step allows worker more freedom/movement and comfort
- 30" high rails with 24" wide expanded metal steps
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

Optional Tool Tray MH242



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MD603	3	27	57	25 x 44	70
MD604	4	38	68	25 x 50	81
MD605	5	47	77	25 x 56	93
MD606	6	56	86	25 x 62	105
MH242	Optional tool tray				9

ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

Model No.	No. of Steps	Step W" x D"	Top Step W" x D" x H"	Base W" x D"	Wt. lbs.
VC131	2	18 x 8	18 x 16 x 19	20 x 26	28
VC132	3	18 x 8	18 x 16 x 28	20 x 30	38
VC133	4	18 x 8	18 x 16 x 37	20 x 37	48
VC134	5	18 x 8	18 x 16 x 46	20 x 41	57



ROLLING LADDERS

PORTABLE FOLDING LADDERS

- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58° slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Maximum capacity: 350 lbs.
- Built to ANSI 14.7 standards



Model No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x D" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

STAINLESS STEEL LOCKSTEP ROLLING LADDERS


- All components except casters and springs are fabricated from high quality stainless steel
- First step locking mechanism
- 14" deep top steps and 33" high hand rail for safety
- Steps are 24" wide for stability
- Capacity: 450 lbs.
- Manufactured with industrial grade welds
- Built to OSHA and ANSI standards
- Not for use in clean room environments



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MK911	5	50	83	24 x 46	104
MK912	6	60	93	24 x 52	126
MK913	7	70	103	24 x 55	147
MK914	8	80	113	24 x 64	165
MK915	9	90	123	24 x 70	180

WEIGHT ACTUATED LOCKSTEP ROLLING LADDERS

- Apply 70 lbs. of pressure to any step and the ladder automatically drops the front feet to secure itself to the ground
- Standard 14" deep top step, also available in other sizes
- 24" perforated slip-resistant steel steps, also available in other tread types
- Manufactured with 1" round steel tubing
- Capacity: 450 lbs.
- Grey powder coat finish
- Built to OSHA and ANSI standards
- Shipped knocked down



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
VC391	5	50	83	32 x 43	110
VC392	6	60	93	32 x 49	122
VC393	7	70	103	32 x 55	143
VC394	8	80	113	32 x 61	160
VC395	9	90	123	32 x 68	175
VC396	10	100	133	32 x 74	193
VC397	11	110	143	32 x 80	205
VC398	12	120	153	32 x 87	220

All models can be retrofitted at the manufacturer's site to be fitted with an all directional design

STOP-STEP LADDERS

- Stops still when you step on it
- Gives 18" to 54" of firm footing
- 1" square high tensile aluminum struts, frames and braces
- Heavy gauge extruded aluminum 16" x 8" cross steps with 9" raise
- Long lasting 1 5/8" retractable casters allow rubber base cups to grip floor
- Download rating: 300 lbs.
- Colour: Beige
- OSHA compliant
- 10 year limited warranty
- Shipped knocked down

MD624



MD627



Model No.	No. of Steps	Top Step Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
STOP-STEP				
MD623	2	18	21 x 19 3/4 x 22 3/4	16
MD624	3	27	21 x 26 3/4 x 31 3/4	22
MD625	4	36	22 3/4 x 33 1/2 x 40 3/4	34
STOP-STEP W/DOUBLE HANDRAIL				
MD626	3	27	21 x 26 3/4 x 56 1/2	32
MD627	4	36	23 3/4 x 33 1/2 x 65 1/2	39

ALL DIRECTIONAL LADDERS

- Maximum manoeuvrability, rolls in all directions
- Provides safer access to top shelves when picking stock
- Easy to use foot controlled locking mechanism maintains climbing stability
- 14" deep top perforated step tread
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies to OSHA and ANSI standards
- Shipped knocked down

VC404



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
VC403	7	70	103	32 x 55	154
VC404	8	80	113	32 x 61	171
VC405	9	90	123	32 x 68	186
VC406	10	100	133	32 x 74	204
VC407	11	110	143	32 x 80	216
VC408	12	120	153	32 x 87	231

ALUMINUM ROLLING LADDERS

- Corrosion resistant, easy to clean and non-magnetic
- Slip-resistant steps
- Four spring-loaded swivel casters retract under the operators weight, rubber-tipped feet drop down
- All welded and comes with unpainted aluminum mill finish
- Structural framework is 1" OD high strength aluminum tubing
- Capacity: 300 lbs.

Note: Manufactured with industrial grade welds. Not for use in clean rooms.

MA708



Model No.	20" W Base 18" W Steps	Wt. lbs.	Model No.	30" W Base 24" W Steps	Wt. lbs.	No. of Steps	Top Step Height"	Overall Height"	Base Depth"
WITHOUT HANDRAILS									
MA702	15		MF599	22		2	19	-	19
MA703	20		MF600	28		3	28 1/2	-	25
MA705	29		MF601	35		4	38	-	31
WITH 30" HANDRAILS									
MA704	27		MF602	34		3	28 1/2	58 1/2	25
MA706	34		MF603	41		4	38	68	31
-	-		MA707	49		5	47 1/2	77 1/2	37
-	-		MA708	60		6	57	87	43
-	-		MA709	67		7	66 1/2	96 1/2	49

WORK PLATFORMS

HIGH WORK MAINTENANCE PLATFORMS

- All-welded, ready to use
- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 600 lbs.
- Durable Kleton blue enamel finish
- No assembly required



Note:
Kleton maintenance platforms meet or exceed ASME B56.1 safety standard when a safety harness and lanyard are worn.



Model No.	Description	Wt. lbs.
MD444	High Work Platform - 36" W x 36" D x 75" H Platform	230
MH800	High Work Platform - 48" W x 48" D x 75" H Platform	300
MD338	Optional 6" Phenolic Caster Kit, 2 Rigid, 2 Swivel	22
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25
OPTIONAL TOOL TRAYS		
MI787	36" L x 4" W x 3" D, Fits on MD444	-
MI788	48" L x 4" W x 3" D, Fits on MH800	-

* Mounts on MD444 and MH800.

MAXI ROUND SCAFFOLDING

- Multi-level working area
- 16-gauge steel frame painted using a polyester powder coating
- Anti-slip painted 14-gauge steel platform adjust every 4", comes with three platforms
- Dimensions: 6' 3" L x 2' 5" W x 6' 4" H
- Capacity: 700 lbs.
- Weight: 140 lbs.

Model No. MB086




ACCESSORIES

Model No.	Description
MB087	3' Vertical Extension
MB088	6' Vertical Extension
MB089	Set of Four 5" Casters
VC200	Anti-Slip Platform
VC201	Set of Four Outriggers w/Casters

SCAFFOLDING

Meets OSHA and CAN/CSAS269.2-M87. End frames have coupling and spring pins for stacking. The frame's outside tubing is 1 1/16" diameter, 13-gauge and the inside tubing is 1" diameter, 16-gauge. Blue powder coating for improved durability. Galvanized cross braces are made of 1", 16-gauge tubular steel. Includes two end frames and two cross braces.



COMPONENTS

Model No.	Dimensions (L" x W" x H")	MF697 End Frame 60" L x 36" H Scaffolding	MF698 End Frame 30" L x 60" H Scaffolding	MF699 End Frame 60" L x 60" H Scaffolding	MF700 Cross Braces 1" Dia. x 84" W x 24" H Galvanized 16 ga	MF701 Cross Braces 1" Dia. x 84" W x 48" H Galvanized 16 ga	MF702 Cross Braces 1" Dia. x 120" W x 24" H Galvanized 16 ga	MF703 Cross Braces 1" Dia. x 120" W x 48" H Galvanized 16 ga	Wt. lbs.
MF691	84 x 60 x 36	2	-	-	2	-	-	-	82
MF692	84 x 30 x 60	-	2	-	-	2	-	-	80
MF693	84 x 60 x 60	-	-	2	-	2	-	-	104
MF694	120 x 60 x 36	2	-	-	-	-	2	-	90
MF695	120 x 30 x 60	-	2	-	-	-	-	2	88
MF696	120 x 60 x 60	-	-	2	-	-	-	2	112

DELTA™ HARNESSES

- Patented triangular No-Tangle™ design
- *Repel™* webbing is water repellent
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Features tongue-buckle leg connections
- Universal size
- Certified to CSA standard Z259.10-06, Class A

Model No. SEB406 Mfg. No. 1102000C



EZ-STOP™ II SHOCK ABSORBING LANYARDS

- Pack-style shock absorber uses a controlled tearing action to limit fall arrest forces
- 1" polyester web construction
- Features patented double-locking snap hooks for both harness and anchorage
- Durable nylon shock-absorber cover
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4

Model No. SEB428 Mfg. No. 1220416C



EMERGENCY STOP SWITCHES

- Safety kill switch for person on work platform
- Will cut power to forklift in case of an emergency
- Consists of control box for platform, plug-in box (to be installed on forklift), and wire that extends 6' to 20'
- Switch is easy to install
- Recommended for maintenance platform MD444 and MH800

Model No. MD328



MAXI SQUARE ALUMINUM SCAFFOLDING

- Lightness and sturdiness
- Can be used in stairways
- Anodized aluminum tube 1 1/2" sq. frame
- Anti-slip anodized aluminum platform adjusts every 2", comes with one platform
- Dimensions: 6' 2" L x 2' 5" W x 6' 3" H
- Capacity: 700 lbs.
- Weight: 90 lbs.

Model No. VC032



ACCESSORIES

Model No.	Description
VC203	Set of Four Outriggers w/Casters
VC202	5" Swivel Caster with Locking System
VC204	Guardrail System