

SAFETY CABINETS

FLAMMABLE STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage of Class I, II and III liquids
- FM Approved



SAQ325



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Exterior Dimensions W" x D" x H"	Wt. lbs.
SEE911	Single	12	1	23 x 18 x 35	99
SEE912	Single	16	1	23 x 18 x 44	116
SEE913	Double	22	1	35 x 22 x 35	151
SEE914	Double	24	3	42 x 12 x 44	173
SAQ325	Double	30	1	42 x 18 x 44	174
SAQ326	Double	45	2	43 x 18 x 65	252
SAS521	Double	60	2	34 x 34 x 65	430

EXTRA SHELF

Model No.	Description	For Use With:	Dimensions W" x D" x H"	Wt. lbs.
SEE922	Extra Shelf	SEE911, SEE912	19 1/2 x 14	5
SEE923	Extra Shelf	SEE913	31 1/2 x 18	9
SEE924	Extra Shelf	SEE914	39 1/2 x 8	6
SAQ328	Extra Shelf	SAQ325, SAQ326	39 3/8 x 14	9
SAS574	Extra Shelf	SAS521	30 3/8 x 30	12

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-Loc™ handle comes with two keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill
- Adjustable leveler legs and galvanised SpillSlope™ shelves
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- Meet NFPA and OSHA requirements
- FM approved



SAQ023

SAQ509



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	231
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	237
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	310
SAQ023	894520	2 Doors, Self-Closing	45	2	43 x 18 x 65	313
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	387
SAQ025	896020	2 Doors, Self-Closing	60	2	34 x 34 x 65	392
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480
SAQ027*	899020	2 Doors, Self-Closing	90	2	43 x 34 x 65	480

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

PAINT & INK SAFETY STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage of Class I, II and III liquids
- FM Approved



SAQ327



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ327	2 Door, Manual	60	5	43 x 18 x 65	267

Model No.	Description	Dimensions W" x D"	Wt. lbs.
SAQ328	Extra Shelf	39 3/8 x 14	9

SURE-GRIP® EX PAINT & INK STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite's safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

SAQ084



SAQ081



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim W" x D" x H"	Wt. lbs.
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4 x 18 x 44	154
SAQ081	893011	2 Doors, Manual	40	3	43 x 18 x 44	239
SAQ084	894511	2 Doors, Manual	60	5	43 x 18 x 65	345
SAQ087*	896011	2 Doors, Manual	96	5	34 x 34 x 65	424

EXTRA SHELVES

SAP839	29937	Extra Shelf for 40-Gallon Cabinets
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

SURE-GRIP® EX SAFETY CABINETS

These cabinets offer U-Lo™ handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Yellow powder-coat paint finish. Meet NFPA and OSHA regulations.

WALL MOUNT

- Avoids taking up extra floor space
- Mount easily with furnished brackets
- Holds up to 20 gallons
- FM approved



Piggyback

COUNTERTOP & COMPAC

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman
- Compac cabinets are FM approved

Compac



Countertop



Slimline

SLIMLINE

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- FM approved

STACKABLE "PIGGYBACK"

- Designed to mount on top of Justrite's standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- FM approved



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ034	890400	1 Door, Manual, Countertop	4	1	17 x 17 x 22	62
SAQ036	891200	1 Door, Manual, Compac	12	1	23 1/4 x 18 x 35	129
SAQ038	891500	1 Door, Manual, Compac	15	1	23 1/4 x 18 x 44	154
SAQ040	893400	2 Doors, Manual, Wall Mount	20	5	43 x 12 x 44	221
SAQ030*	891300	2 Doors, Manual, Piggyback	12	-	43 x 18 x 18	129
SAQ031*	891700	2 Doors, Manual, Piggyback	17	1	43 x 18 x 24	157
SAQ032	892200	1 Door, Manual, Slimline	22	3	23 x 18 x 65	200

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15-Gallon Compac Cabinets	5

*Piggyback cabinets are not to be used with sliding door cabinets.

DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite's standard safety cabinets. Colour: Yellow.

- Two manual doors
- Safely store one or two 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels
- Rollers at bottom of cabinet facilitate drum movement
- Ramp for drum cabinets (sold separately) aids in loading drums with a hand truck

SAQ046



Model No.	Mfg. No.	Drum US Cap.	Ext. Dim. W" x D" x H"	Listings & Approvals	Wt. lbs.
SAQ046	896260	1-55 Gallons	34 x 34 x 65	FM	425
SAQ048	899160	2-55 Gallons	59 x 34 x 65	-	781

FLAMMABLE STORAGE CABINETS

ULC APPROVED – 2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Full length piano-hinged doors with three-point lock on door
- Two 2" flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanised shelves on 1/2" centres
- Zinc-plated leveler legs

SA087



Model No.	Door Type	Cap. Gal.	Adjustable Shelves	Ext. Dimensions W" x D" x H"	Wt. lbs.
SA087	2 Doors, Manual	30	1	44 x 19 x 45	350
SA088	2 Doors, Manual	45	2	44 x 19 x 66	430

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof

- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.



COMPRESSED GAS (9" DIAMETER CYLINDERS)

Model No.	W"	Dimensions x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	44	x 30 x 74	10	210
SAF848*	88	x 30 x 74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	W"	Dimensions x D" x H"	Cylinder Capacity	Wt. lbs.
SEB837*	30	x 17 x 37	2	70
SEB838*	17	x 17 x 69	2	85
SAF836	44	x 30 x 37	6	135
SAF847	44	x 30 x 74	12	270

*All welded, fully assembled



SAF837



SEB837



SAF847



SEB838

SAFETY CONTAINERS

TYPE I SAFETY CANS

- Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional poly funnel offers targeted pouring
- FM approved, UL/ULC listed
- 10-year limited warranty



JUSTRITE®

SEA212

SEA213 with Funnel

With Funnel Model No.	Mfg. No	Without funnel Model No.	Mfg. No	Colour	Capacity US Gal.	Ext. Dim. Dia" x H"
SEA240	7110110	SEA199	7110100	Red	1	9 1/2 x 11
SEA241	7110210	SEA200	7110200	Yellow	1	9 1/2 x 11
SEA204	7120110	SEA203	7120100	Red	2	9 1/2 x 14
SEA244	7120210	SEA205	7120200	Yellow	2	9 1/2 x 14
SEA208	7125110	SEA207	7125100	Red	2.5	11 3/4 x 11 1/2
SEA247	7125210	SEA209	7125200	Yellow	2.5	11 3/4 x 11 1/2
SEA213	7150110	SEA212	7150100	Red	5	11 3/4 x 16 7/8
SEA250	7150210	SEA214	7150200	Yellow	5	11 3/4 x 16 7/8

Other colours available, call us today!

REPLACEMENT FUNNELS

Model No.	Mfg. No.	Description
SAJ675	11202Y	1/2" Easy Funnel Spout in Polypropylene

PLUNGER CANS

- Dispense flammable liquids and solvents safely onto cloths or swabs without waste or exposure
- Plunger fills upper pan for soaking
- Surplus liquid drains safely back into can
- Brass pump parts resist corrosion
- Steel and polyethylene cans available
- FM approved



JUSTRITE®

SC309

Model No.	Mfg. No.	Description	Cap.	Dimensions	
				Outer Dia."	H"
SA129	10008	Steel Plunger Can	1 Pint	4 7/8	x 6
SA130	10108	Steel Plunger Can	1 Quart	7 1/4	x 6 1/2
SC309	10308	Steel Plunger Can	1 US Gallon	7 1/4	x 11
SC310	14018	Polyethylene Plunger Can	1 Quart	5 1/2	x 9

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans

JUSTRITE®



SEC080

Model No.	Mfg. No.	Description	Faucet
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass
SEC081	7150150	Steel Shelf Can	3/4" NPT Rigid Brass
SEC082	7150146	Steel Tilt Can w/Stand	Control Flow Lab, 3/4" Brass
SEC083	7150156	Steel Tilt Can w/Stand	3/4" NPT Rigid Brass
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass
SEC085	14535	Polyethylene Tilt Can W/Stand	Control Flow Lab, 3/4" Brass

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze™ trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty



JUSTRITE®

SEA233

Model No.	Mfg. No.	Colour	Capacity US Gal	Hose Width	Ext. Dim. Dia" x H"
SEA217	7210120	Red	1	5/8	9 1/2 x 11
SEA221	7220120	Red	2	5/8	9 1/2 x 13 1/2
SEA224	7225120	Red	2.5	5/8	11 1/2 x 12
SEA225	7225130	Red	2.5	1	11 1/2 x 12
SEA232	7250120	Red	5	5/8	11 1/2 x 18
SEA233	7250130	Red	5	1	11 1/2 x 18

Other colour/capacity/hose width combinations available, call us today!

TYPE I & TYPE II STEEL SAFETY CANS

- Features a spring-loaded lid with an internal safety flame arrester
- Made of 24-gauge terne plate steel
- Type I cans feature a single pour spout and a spring-loaded handle
- Type II cans feature separate fill and pour spouts
- FM approved complies with OSHA standards.



Type I SA1149

Type II SA1155

herbertwilliams
FIRE EQUIPMENT LTD.

Type I Model No.	Dim. Dia." x H"	Wt. lbs.	Type II Model No.	Dim. Dia." x H"	Wt. lbs.	Capacity Gal.	Litres
SA145	8 1/2 x 12 1/8	5	SA151	8 1/2 x 12	6	1 US	3.8
SA146	8 1/8 x 13 1/8	6	SA152	8 1/8 x 13 1/2	7	1 Imp.	4.6
SA147	8 1/2 x 16 1/8	6	SA153	8 1/2 x 16 1/8	10	2 US	7.6
SA148	11 1/2 x 15 1/8	8	SA154	11 1/2 x 16	10	3 US	11.4
SA149	11 1/2 x 19 1/2	9	SA155	11 1/2 x 20	12	5 US	18.9
SA150	11 1/2 x 21 1/2	10	SA156	11 1/2 x 21 1/2	12	5 Imp.	22.9

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used.
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 - 21 US gallon foot-operated units are FM and UL approved
- 2 US gallon hand-operated, countertop model is FM approved



SR362

JUSTRITE®

Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Cap US Gal.	Ext. Dimensions Dia." x H"	Wt. lbs.
SR361	09200Y	SR356	09200	2	9 5/8 x 9 1/8	6
SR362	09101	SR357	09100	6	11 7/8 x 15 7/8	10
SR363	09301	SR358	09300	10	13 15/16 x 18 1/4	12
SR364	09501	SR359	09500	14	16 1/16 x 20 1/4	15
SR365	09701	SR360	09700	21	18 3/8 x 23 7/16	22



SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil or universal spill kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits can handle acids, caustics (bases), common fluids such as coolants, ethanol and pesticides, as well as solvents. Kits available for small spills such as in labs, to large spills in plants or on open water.

OIL ONLY - SORBENT CAP.: 7 GALLONS

- 1 5-Gallon Polyethylene Pail
- 1 Sorbent Sock (3" x 10')
- 20 Sorbent Pads (15" x 18")
- 1 Pair Nitrile Gloves
- 2 Disposal Bags (26" x 36")

Model No. SAK221



REPLACEMENT KIT
Model No. SG958

UNIVERSAL - SORBENT CAP.: 9 GALLONS

- 1 5-Gallon Polyethylene Pail
- 5 Sorbent Socks (3" x 4')
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 2 Disposal Bags (26" x 36")

Model No. SAK219



REPLACEMENT KIT
Model No. SG957

UNIVERSAL - SORBENT CAP.: 13 GALLONS

- 1 14-Gallon Polyethylene Pail
- 5 Sorbent Socks (3" x 4')
- 5 Sorbent Pillows (8" x 18")
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 3 Disposal Bags (26" x 36")

Model No. SAK225



REPLACEMENT KIT
Model No. SG959

OIL ONLY - SORBENT CAP.: 27 GALLONS

- 1 30-Gallon Polyethylene Drum
- 4 Sorbent Socks (3" x 10')
- 50 Sorbent Pads (15" x 18")
- 1 Drain Cover (36" x 36" x 1/16")
- 1 Repair Putty
- 2 Pairs Nitrile Gloves
- 5 Disposal Bags (26" x 36")

Model No. SAK229



REPLACEMENT KIT
Model No. SG962

UNIVERSAL - SORBENT CAP.: 34 GALLONS

- 1 30-Gallon Polyethylene Drum
- 4 Sorbent Socks (3" x 10')
- 75 Sorbent Pads (15" x 18")
- 1 Drain Cover (36" x 36" x 1/16")
- 1 Caution Tape (3" x 500')
- 2 Pairs Nitrile Gloves
- 2 Pairs Safety Goggles
- 2 Tyvek® Coveralls
- 5 Disposal Bags (26" x 36")

Model No. SAK227



REPLACEMENT KIT
Model No. SG961

UNIVERSAL - SORBENT CAP.: 90 GALLONS

- 1 95-Gallon Polyethylene Overpack Drum
- 5 Sorbent Socks (3" x 4')
- 5 Sorbent Pillows (8" x 18")
- 4 Sorbent Booms (5" x 10')
- 50 Sorbent Pads (15" x 18")
- 1 Sorbent Roll (15" x 150')
- 1 Drain Cover (36" x 36" x 1/16")
- 1 Caution Tape (3" x 500')
- 2 Pairs Nitrile Gloves
- 2 Pairs Safety Goggles
- 2 Tyvek® Coveralls
- 10 Disposal Bags (26" x 36")

Model No. SAK239



W/CASTERS
Model No. SAK241

REPLACEMENT KIT
Model No. SG964

UNIVERSAL - SORBENT CAP.: 73 GALLONS

- 1 95-Gallon Polyethylene Overpack Drum
- 10 Sorbent Socks (3" x 10')
- 8 Sorbent Pillows (8" x 18")
- 100 Sorbent Pads (15" x 18")
- 1 Drain Cover (36" x 36" x 1/16")
- 1 Caution Tape (3" x 500')
- 2 Pairs Nitrile Gloves
- 2 Pairs Safety Goggles
- 2 Tyvek® Coveralls
- 10 Disposal Bags (26" x 36")

Model No. SAK247



W/CASTERS
Model No. SAK249

REPLACEMENT KIT
Model No. SG963

TRUCK SPILL KITS - SORBENT CAP.: 10 GALLONS

- 10 Sorbent Pads (15" x 18")
- 3 Sorbent Socks (3" x 4')
- 2 Sorbent Pillows (8" x 18")
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 1 Disposal Bag (26" x 36")



Model No.	Description
OIL ONLY	
SAK255	Poly Zip Lock Bag
SAG192	Replacement Kit
UNIVERSAL	
SAK261	Poly Zip Lock Bag
SAG193	Replacement Kit
TRUCK SPILL KIT OPTIONS	
SH104	Neoprene Drain Cover
SH105	Repair Putty

MOBILE SPILL KITS - SORBENT CAP.: 45 GALLONS

- 1 Mobile Spill Cart (30" x 29" x 42")
- 100 Sorbent Pads (15" x 18")
- 4 Sorbent Socks (3" x 10')
- 4 Sorbent Pillows (18" x 18")
- 1 Drain Cover (36" x 36" x 1/16")
- 1 Bag of SpeediKleen
- 2 Pairs Nitrile Gloves
- 2 Pairs Safety Goggles
- 3 Disposal Bags (26" x 36")



Model No.	Description
OIL ONLY	
SAL278	Spill Kit
SAL279*	Replacement Kit
UNIVERSAL	
SAL281	Spill Kit
SAL282*	Replacement Kit

*Mobile spill cart sold separately

SPILL CONTROL

ECONO MELT BLOWN SORBENTS – OIL ONLY

- Pure melt blown polypropylene fibre pads and rolls are the most cost effective absorption technology today
- Fast wicking fibres absorb 25 times their weight in hydrocarbon and will repel water
- Booms and socks provide containment and absorption while repelling aquatic liquids
- Pillows are ideal for catch basins and sumps
- **Sold per package**



PADS

Model No.	Description	Dimensions L" x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SAP116	Heavyweight	18 x 15	27	100
SAP117	Heavyweight	18 x 15	7	25
SAP118	Mediumweight	18 x 15	22	100
SAP119	Lightweight	18 x 15	15	100
SAP120	Heavyweight	34 x 30	50	50

ROLLS

Model No.	Description	Dimensions L' x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SAJ781	Heavyweight	150 x 15	25	1
SAK174	Heavyweight	150 x 30	50	1
SAK175	Mediumweight	150 x 15	20	1
SAJ780	Mediumweight	150 x 30	40	1

BOOMS

Model No.	Dimensions L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SB785	10 x 5	30	4
SAG317	10 x 8	48	4

SOCKS

Model No.	Dimensions L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAH439	4 x 3	12	12
SB786	4 x 3	25	25
SAG316	10 x 3	25	10

PILLOWS

Model No.	Dimensions L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAH440	18 x 8	14	10
SAH441	18 x 18	29	10

ECONO MELT BLOWN SORBENTS – UNIVERSAL & CHEMICAL

- Suitable for acids, caustic, oils, coolant, solvents and solutions
- Perforated rolls
- **Sold per package**

PADS

Model No.	Description	Dimensions L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAP129	Heavyweight	18 x 15	27	100
SAP130	Heavyweight	18 x 15	7	25
SAP131	Mediumweight	18 x 15	22	100
SAP132	Lightweight	18 x 15	15	100
SAP133	Lightweight	18 x 15	30	200

ROLLS

Model No.	Description	Dimensions L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAJ784	Mediumweight	150 x 15	20	1
SAK185	Mediumweight	150 x 30	40	1
SAJ783	Heavyweight	150 x 15	25	1
SAK186	Heavyweight	150 x 30	50	1

UNIVERSAL HAZMAT PADS & ROLLS

- Absorb all liquids from water-based fluids to aggressive acids
- Absolute necessity for any HazMat spill or spill contingency planning
- **Sold per package**

PADS

Model No.	Description	Dimensions L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAP134	Heavyweight	18 x 15	27	100

ROLLS

Model No.	Description	Dimensions L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAK188	Heavyweight	150 x 15	25	1
SAK187	Heavyweight	150 x 30	50	1

BOOMS



SOCKS

Model No.	Dimensions L' x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SB790	10 x 5	30	4
SAG323	10 x 8	48	4

PILLOWS

Model No.	Dimensions L' x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SH091	4 x 3	25	25
SAH450	4 x 3	12	12
SAG322	10 x 3	25	10

ROLLS



SOCKS



PILLOWS



GENERAL PURPOSE SOCKS

- Used for non-aggressive chemicals and oils
- **Sold per package**

SOCKS

Model No.	Dimensions L' x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SAH451	4 x 3	27	30
SAI924	10 x 3	32	10

RAG RUG

- Confines leaks, drips and oversprays
- Manufactured from 100% recycled textile fibre
- Absorbs all non-aggressive liquids
- Suitable for work areas where overspray and drips occur
- High durability makes rug ideal for heavy foot traffic areas
- Absorbs up to 10 times its weight in water, grease and oil

Model No.	Dimensions L' x W"	Absorption Cap /Pkg. Gallon	Qty /Pkg.
SAH513	150 x 36	84	1



COLDFORM™ NATURAL BONDED SORBENTS

AN ENVIRONMENTALLY FRIENDLY ALTERNATIVE TO MELT BLOWN

- Offers excellent value, delivers greater price stability and absorbs 20% to 70% more than melt blown products
- Uses less energy to produce and are 50% to 95% oil-free therefore reduces dependency on oil
- Highly versatile product, made from 95% renewable and recycled materials
- Offers outstanding absorbency and durability
- **Sold per package**



Model No.	Description	Absorption Capacity	Dimensions			Absorption Cap/Pkg. Gallon	Qty /Pkg.
			L	x	W		
NATURAL WHITE – OIL ONLY							
SAQ232	Pads	Heavyweight	18"	x	16"	27	100
SAQ233	Pads	Mediumweight	18"	x	16"	22	100
SAQ234	Rolls	Heavyweight	150'	x	28"	48	1
SAQ235	Split Rolls	Heavyweight	150'	x	16"	24	1
SAQ236	Rolls	Mediumweight	150'	x	28"	36	1
SAQ237	Split Rolls	Mediumweight	150'	x	16"	18	1
GREY – UNIVERSAL							
SAQ238	Pads	Heavyweight	18"	x	16"	27	100
SAQ239	Pads	Mediumweight	18"	x	16"	22	100
SAQ240	Pads	Lightweight	18"	x	16"	27	200
SAQ241	Rolls	Heavyweight	150'	x	28"	48	1
SAQ242	Split Rolls	Heavyweight	150'	x	16"	24	1
SAQ243	Rolls	Mediumweight	150'	x	28"	36	1
SAQ244	Split Rolls	Mediumweight	150'	x	16"	18	1

COLDFORM™ SORBENT KITS

4-GALLON ECONOMY COTTON SPILL KITS

Contents:

- 10 Cotton Pads
- 1 Sock
- 1 Pair Gloves
- 1 Disposal Bag



SAS053

Model No.	Description
SAS053	Zip-Lock Bag, Oil Only
SAS054	Zip-Lock Bag, Universal
SAS329	Nylon Bag, Oil Only
SAS330	Nylon Bag, Universal

15-GALLON SPILL KITS

Contents:

- 50 Cotton Pads
- 4 Socks
- 2 Pillows
- 1 Pair Gloves
- 1 Pair Safety Goggles
- 1 Disposal Bag



SAS340

Model No.	Description
SAS340	Oil Only Kit
SAS339	Universal Kit

ROOF LEAK DIVERTERS

- Large, vinyl-coated fabric catches roof leaks and channels them to standard hose hook-up (hose not included)
- Hose can then be directed to proper drainage point
- Lightweight flame retardant material
- Heavy-duty D-rings securely attached in each corner make installation quick and easy



Model No.	Dimensions'
SAP061	2 1/2 x 2 1/2
SAP062	3 x 8
SAG334	5 x 5
SAP063	5 x 10
SAG335	7 x 7
SAG336	10 x 10

NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses



Model No.	Dimensions			
	L"	x	W"	x Thick"
SH104	36	x	36	x 1/16
SAP060	48	x	48	x 1/16

LOOSE PARTICULATE ABSORBENTS

- Absorbs aqueous liquids, chemicals, hydraulic fluids, fuels, oils and other hydrocarbons
- Absorbs approximately 100% of its own weight
- Suitable for aggressive environments, in plants, refineries repair shops, machine shops and garages
- Bag size: 20 lbs.

Model No. SAK673



TELESCOPIC SHOVELS

- Compact storage
- Durable plastic
- Extends to 37"
- Large shovelling capacity
- Ideal for picking up sorbent material

Model No. SAG332



SPILL CONTROL

POLY-OVERPACK® 20 & 30 DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



POLY-OVERPACK® 20

- Accepts bottles, cans, and 5-gallon pails
- 20 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 19" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H

POLY-OVERPACK® 30

- Unit can contain up to 16 US gallon drums
- 30 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 30" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H

Model No.	Mfg. No.	Description	Wt. lbs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13



POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Maximum handling capacity: 440 lbs.
- **Exterior dimensions:** 28 1/4" top dia. x 23" bottom dia. x 37 1/2" H
- **Interior dimensions:** 23 1/2" top dia. x 21 3/4" bottom dia. x 33 1/2" H



Spill products not included

Model No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	47



POLY-OVERPACK® 95 SALVAGE DRUM

LIGHTWEIGHT POLYETHYLENE OVERPACK® CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS AND CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist-on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 55 US gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Molded area allows for easy gripping and pick-up by material handling equipment
- 95 US gallon sump capacity
- **Exterior dimensions:** 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H
- **Interior dimensions:** 27" top dia. x 24 3/4" bottom dia. x 37" H



Model No.	Mfg. No.	Description	Wt. lbs.
SB756	1237-YE	Poly-Overpack® 95	48



WHEELED OVERPACK® 95 SALVAGE DRUM

- First mobile one-piece polyethylene Overpack® on wheels that can handle 55 US gallon drums
- Ideal for spill kits
- Built-in handles
- Fits through doorways
- Choose 6" polyolefin wheels for indoor, or 6" rubber wheels (pneumatic) for outdoor use
- UN rated salvage drum
- 95 US gallon sump capacity
- **Exterior dimensions:** 31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H
- **Interior dimensions:** 27" top dia. x 25" bottom dia. x 38 1/2" H



Model No.	Mfg. No.	Description	Wt. lbs.
SAH549	1299-YE	Polyolefin Wheels	56
SAH550	1299-YE-A	Pneumatic Wheels	56



SPILL SCOOTER™

- Polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- Dimensions: 34 1/2" Dia. x 9" H
- 500-lbs. load bearing capacity
- 10 US gallon capacity



Drum not included



Model No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	26
SC554	5206-BK	T-Handle	3

DRIP CATCHER DOLLY WITH ABSORBENT SOCK

- Handles standard 55 US gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- Capacity: 1000 lbs.
- Weight: 26 lbs.

Model No. DA600

Drum not included



POLY-SPILLPALLET™ 2000

- 100% polyethylene
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Overall dimensions: 53 1/2" L x 29" W x 17" H
- Meets EPA 40 CFR 264.175

Drums Not Included




Model No.	Mfg. No.	Description	Wt. lbs.
SC548	5253-YE	Poly-Spillpallet™	55
SC547	5253-YE-D	Poly-Spillpallet™ w/Drain	55

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Poly-Ramp™ allows for easy loading of pallet

Drums Not Included



Model No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L"	W"	H"	
SB762	5102-YE	Poly-SpillPallet™	98	x 25 1/4	x 12	84
SB763	5102-YE-D	Poly-SpillPallet™ w/Drain	98	x 25 1/4	x 12	84
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65

POLY-SLIM-LINE™ 6000

- 100% polyethylene with removable grates
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line™ 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

SE410 Pallet not included



SR442

Model No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L"	W"	H"	
SE408	5400-YE	Poly-Slim-Line™	54	x 54	x 12	91
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	54	x 54	x 12	91
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2	x 41	x 20	87
SB773	6003-YE	Poly-Shelf™	17	x 22	x 17 1/2	10
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65
SR442	6005-BK	Universal™ Well Liner	12 3/4	x 15 1/2	x 2 1/2	1

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Transports 55 US gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible for forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 80 US gallon sump capacity
- 600-lbs. load bearing capacity

Drum Not Included



Model No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104



*All terrain dolly with heavy-duty pneumatic rubber wheels

THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums
- 100 plus gallon containment sump
- Deep dispensing well easily holds 5-gallon pails
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

POLY-SHELF™


- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™

Model No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions			Wt. lbs.
				L"	W"	H"	
SB771	6000-YE	Poly-Racker™	3000	49	x 52 1/2	x 22 1/2	120
SB772	6002-YE	Poly-Stacker™	2400	49	x 41	x 13	56
SR466	6006-YE	Single Poly-Racker™	1600	31	x 53	x 32	95
SR467	6007-YE	Single Poly-Stacker™	800	31	x 40 1/2	x 20	50
SB773*	6003-YE	Poly-Shelf™	60	17	x 22	x 17 1/2	10

*Use only with Poly-Racker™ or Poly-Stacker™



Drums Not Included



SPILL CONTROL

ECOPOLYBLEND™ SPILL CONTROL PALLETS

- Eco-friendly pallets are made of up to 100% recycled polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- Fully compliant and quality engineered with a robust design, they withstand the toughest environments and are nearly impervious to chemical attack
- Featuring seamless construction, oversized sumps and sturdy removable self-locating grates, these pallets provide optimum, solid protection from leaks and spills
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Optional ramp for 4-drum square pallets offers convenience when loading and unloading heavy drums, and square or space saving linear styles in multiple sizes offer storage versatility
- Pallets meet or exceed EPA, SPCC, NFPA 1 and the International Fire Code

Drums not included



SBA855 shown with Ramp SBA859



SBA844



Yellow Model No.	Black Model No.	Description	Exterior Dimensions			Sump Cap.	Load Bearing Cap.	Wt. lbs.
			W"	x	D"	US Gallons		
WITHOUT DRAIN								
SBA997	SBA844	2-Drum, In-Line	49	x	25	66	2500	44
SBA853	SBA846	3-Drum, In-Line	73	x	25	75	3750	58
SBA857	SBA850	4-Drum, In-Line	97	x	25	75	5000	77
SBA855	SBA848	4-Drum, Square	49	x	49	72	5000	68
WITH DRAIN								
SBA852	SBA845	2-Drum, In-Line	49	x	25	66	2500	44
SBA854	SBA847	3-Drum, In-Line	73	x	25	75	3750	58
SBA858	SBA851	4-Drum, In-Line	97	x	25	75	5000	77
SBA856	SBA849	4-Drum, Square	49	x	49	72	5000	73
ACCESSORIES								
SBA859		Ramp for 4-Drum Square	49	x	33	-	1000	40
SBA860		2-Drum Replacement Grate	24	x	48	-	-	16

ECOPOLYBLEND™ LOW PROFILE ACCUMULATION CENTRES

- High value secondary containment centres are eco-friendly, made of up to 100% recycled durable polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- These handy platforms offer leak protection from drums, pails, batteries, or any other container of hazardous or non-hazardous liquids
- Sturdy, removable grates make sump cleaning easy while low profile offers convenience when loading/unloading
- Versatile modular design allows you to customize your workspace around existing structures, linear style or over entire floor
- Optional joining clips and Sump-to-Sump™ drain kit provide a continuous sump for on-site compliance when needed
- Accessory ramp can be located anywhere on any 2-drum or larger centre

Drums not included



Yellow Model No.	Black Model No.	Description	Exterior Dimensions			Sump Cap.	Load Bearing Cap.	Wt. lbs.
			W"	x	D"	US Gallons		
SBA866	SBA861	1-Drum Unit	25	x	25	12	1250	17
SBA867	SBA862	2-Drum Unit	49	x	25	22	2400	40
SBA868	SBA863	4-Drum Unit	49	x	49	43	6000	69
SBA869	SBA864	6-Drum Unit	73	x	49	64	7000	93
SBA870	SBA865	8-Drum Unit	97	x	49	85	8000	185
ACCESSORIES								
SBA871	-	Ramp	48	x	33	-	1000	41
SAH582	-	Joining Clips	4	x	2	-	-	2
SAH583	-	Sump-to-Sump™ Drain Kit	-	-	-	-	-	1.2

FACE & HEAD PROTECTION

MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- **Certified to CSA standard Z94.1-05 type 2 class E**



NORTH



by Honeywell

Model No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

ACCESSORIES

SA0538	A89S3	4-Point Quick Fit Suspension
SA022	A89RS3	4-Point Ratchet Suspension

V-GARD® PROTECTIVE CAPS

- Comfortable, lightweight protection
- Polyethylene shell and suspension system
- Slotted sides and advanced styling in standard (6 1/2 - 8) size
- **Meets or exceeds ANSI Z89.1-2003 Type I Class E and CSA Z94.1-2005 type 1 class E**



SAF970

MSA

Model No.	Mfg. No.	Suspension	Colour
SAF958	463942	Staz-On®	White
SAF959	463943	Staz-On®	Blue
SAF960	463944	Staz-On®	Yellow
SAF961	463945	Staz-On®	Orange
SAF970	475358	Fas-Trac®	White
SAF971	475359	Fas-Trac®	Blue
SAF972	475360	Fas-Trac®	Yellow
SAF973	475361	Fas-Trac®	Orange

THE PEAK A79 CSA TYPE 1

- High-density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**



NORTH

The Peak



by Honeywell



SA654

Model No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue

Other colours available upon request.

BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Compliant with CSA Z94.3 standards



SAK421

UVEX

by Honeywell

Model No.	Mfg. No.	Description
FACESHIELDS		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-Fog Hardcoat Faceshield
REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat

EYE PROTECTION

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAN426	Clear



Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Molded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEF024	Clear



Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAK850	Clear
SAK851	Smoke



Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lens on **SEB183** is ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAP877	Clear
SEB183	Clear Anti-Fog
SAS362	Smoke
SAS363	Amber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange



Z300

- Impact-proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on **SAN429** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Description
SAN428	Direct Vent
SAN429	Indirect Vent
SAN430	Indirect Vent Anti-Fog



Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAW920	Clear



Z700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX442	Clear



Z900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX444	Clear



Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC952	Clear



Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC953	Clear



Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint
SEC954	Clear

Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint
SEC955	Clear

Z1600

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint
SEE817	Clear

GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9-base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wraparound almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V₀ ballistic (standard MIL-STD-662) test regiment
- Certified to CSA standard Z94.3



Black Model No.	Mfg. No.	Vapor Blue Model No.	Mfg. No.	Lens Tint
SN209	S3200	SN219	S3240	Clear Ultra-Dura®
SN210	S3200X	SN220	S3240X	Clear Uvextreme® AF
SN213	S3202	SN223	S3242	Amber Ultra-Dura®

GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two shot temple for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Lens Tint
ULTRA-DURA® HARDCOAT		
SAK138	S3300	Clear
UVEXTREME® AF		
SAK093	S3300X	Clear

ASTRO OTG® 3001

- Designed to fit over prescription glasses
- Economical alternative to expensive safety prescription spectacles
- Lightweight unilens offers panoramic vision
- Adjustable lens inclination and temple length
- Molded side shields
- Black frame
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Lens Tint
ULTRA-DURA® HARDCOAT		
SE704	S2500	Clear
UVEXTREME® AF		
SE700	S2500C	Clear

MILLENNIA™

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Includes adjustable break-away FlexiCord™ for added security and convenience
- Black frame
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Lens Tint
SG990	11150350CSA	Clear

HEARING PROTECTION

QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the *Quiet* bands down.

QB2[®] HYG supra-aural protection has a NRR 25 dB rating
One free pair of replacement pods included with each *Quiet* band.



by Honeywell

Model No.	Mfg. No.	Description
SN616	QB2HYG	Supra-Aural, 25 dB
REPLACEMENT PODS		
SN618	QB200HYG	1 pair per pkg.



MAX-LITE[®] LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 30 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.



PLUGSTATION[®] EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per *PlugStation[®]* with *SparkPlugs[®]* or *Pura-Fit[®]* foam ear plugs
- *Camo Plugs[®]* only available in 500 pair dispenser
- Mounting bracket with hardware included with every *PlugStation[®]*
- All rated at NRR 33 dB



SAK439



Model No.	Mfg. No.	Description	Qty /Dispenser
SE924	6644	<i>SparkPlugs[®]</i>	250 prs.
SE925	6645	<i>SparkPlugs[®]</i>	500 prs.
SE847	6844	<i>Pura-Fit[®]</i>	250 prs.
SF624	6845	<i>Pura-Fit[®]</i>	500 prs.
SAK439	6648	<i>Camo Plugs[®]</i>	500 prs.

LEIGHTNING[®]

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK148	1010923	L2, Over-Head Headband	27
SAK149	1010924	L3, Over-Head Headband	30



LASER-LITE[®] MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 32 dB, CSA A(L)

SM562



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.


MAX[®] FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 33 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.



DECIDAMP²™

- Formed from non-toxic and non-irritating PVC
- Colour: White
- Rating: NRR 29 dB



SA666



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SA666	280005	Uncorded	200 prs.

CLARITY™

- Patented *Sound Management Technology™* (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK157	1011142	C1, Over-Head Headband	20
SAK159	1011146	C3, Over-Head Headband	27



NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps • 50 masks per box
- **Sold per box**

Model No. SAS499



PARTICULATE RESPIRATORS

- NIOSH approved N95
- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex-free
- SAS498 comes with exhalation valve for reduced humidity build up
- **Sold per box**

Model No.	Qty/Box
SAS497	20
SAS498	12



7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material
- Easy to clean, extremely durable and resists distortion
- Contoured sealing flange and improved cradle suspension

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large

Cartridges not included



NORTH
by Honeywell

GAS & VAPOUR CARTRIDGES

- **Sold two per package**

Model No.	Mfg. No.	Description
SM900	755C	Defender™ Multi-Purpose Cartridges are Approved for Protection Against Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine and Formaldehyde
ZD796	N75001	Organic Vapour Cartridge

SM900

ZD796

6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATORS



- The lightest half mask respirator available
- Soft, thermoplastic facepiece is extremely comfortable
- Easy-to-adjust headstraps add to worker comfort
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Recloseable storage bag included
- NIOSH/MSHA approved

Model No.	Mfg. No.	Size
SE886	6100	Small
SE887	6200	Medium
SE888	6300	Large



SE892

SE894

GAS & VAPOUR CARTRIDGES

- **Sold two per package**

Model No.	Mfg. No.	Description	Approval for
SE892	6001	Organic Vapours	Organic Vapours
SE894	6003	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide (escape only)

2300 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Exhale valve reduces hot air build-up and keeps workers cooler
- Dura-Mesh® shell resists collapsing
- Naturally contoured facepiece with foam nose cushion relieves pressure points
- Softspun® lining gives added comfort and durability
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Alternate Shape



2700 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster so workers stay cooler
- Contoured nose bridge with soft foam nose cushion allows all-day comfort
- Dura-Mesh® shell resists collapsing
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small



2800 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- For most welding applications
- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster so workers stay cooler
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Softspun® lining increases comfort and durability
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small



8511 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Cool Flow™ exhalation valve
- M-nose clip
- Lightweight construction
- 10 respirators per box
- **Sold per box**



8210 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Excellent worker protection
- Advanced electret media
- Lightweight construction
- Adjustable nose clip
- 20 respirators per box
- **Sold per box**



FALL PROTECTION

EZ STOP™ II SHOCK ABSORBING LANYARDS

- Pack-style shock absorber uses a controlled tearing action to limit fall arrest forces
- 1" polyester web construction
- Features patented double-locking snap hooks for both harness and anchorage
- Durable nylon shock-absorber cover
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections
SEB430	1220006C	One	Snap Hook	Snap Hook
SEB428	1220416C	Two	Snap Hook	Aluminum Rebar Hooks
SEB429	1221008C	Two, Elastic	Snap Hook	Aluminum Rebar Hooks

TALON™ WEB SELF-RETRACTING LIFELINES

- 8' (2.4 m) nylon web self-retracting lifeline
- Extremely lightweight design, under 3 lbs. (1.3 kg)
- Direct harness attachment option
- Built-in anchorage connector
- Greater freedom of movement without compromising safety
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No. SEB337
Mfg. No. 3101001C



REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
SEB349	AD110BC	10	Standard Hook	Swivel Carabiner
SEB350	AD120BC	20	Rebar Hook	Swivel Carabiner

FIRST™ SHOCK ABSORBING LANYARDS

- 1 3/4" polyester web
- Zinc-plated stamped steel hardware
- Clear cover enables easy inspection of stitching
- Minimum tensile strength is greater than 5000 lbs.
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections
SEB376	AE57610C	One	Snap Hook	Snap Hook

EXOFIT™ NEX HARNESSES

- Soft, lightweight, water repellent webbing
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Side D-rings for positioning
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Molded lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Shoulder caps provide protection and comfort when carrying heavy materials
- Integrated trauma straps help minimize suspension trauma post fall
- Certified to CSA standard Z259.10-06, Class A, P



Model No.	Mfg. No.	Size
SEB592	1113121C	Small
SEB593	1113124C	Medium
SEB594	1113127C	Large
SEB596	1113130C	X-Large



DELTA™ HARNESSES

- Patented triangular no-tangle design
- Repel™ webbing is water repellent
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Certified to CSA standard Z259.10-06, Class A



Model No.	Mfg. No.	Leg Connections
SEB391	1110600C	Quick-Connect
SEB406	1102000C	Tongue Buckle
SEB403	1103321C	Pass-Thru




PRO™ HARNESSES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard when not in use, to prevent accidental entanglements
- Built-in impact indicators allow for easy inspection
- Certified to CSA standard Z259.10-06, Class A



Model No.	Mfg. No.	Leg Connections	Additional Features
SEB363	1191201C	Pass-Thru	-
SEB366	1191237C	Tongue Buckle	-
SEB369	1191253C	Quick-Connect	Back, Shoulder, & Leg Padding
SEB360*	1191209C	Tongue Buckle	Belt, Hip & Shoulder Padding



* CSA standard Z259.10-06, Class A, P

FIRST™ HARNESSES

- Fundamental fall protection with exceptional value
- One adjustable dorsal D-Ring
- Supple back plaque
- 1 3/4" wide polyester web for durability
- Zinc-plated stamped steel hardware
- Pass-thru leg and chest closures
- Universal size
- Certified to CSA standard Z259.10-06, Class A



Model No.	Mfg. No.	Description
SEB371	AB17510C	3-Point Adjustment
SEB372	AB17530C	5-Point Adjustment

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120

White Model No.	Black Model No.	Size
SAO161	SAX694	6
SAO162	SAX695	7
SAO163	SAX696	8
SAO164	SAX697	9
SAO165	SAX698	10
SAO166	SAX699	11



ZENITH®
Safety Products

EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Soft and stretchable for comfortable wear
- Exceptional fingertip sensitivity
- Beaded cuff for added strength
- USP grade corn starch for powdered gloves
- 9 1/2" in length
- Thickness: 4 mils
- AQL 1.5
- Ambidextrous design
- Accepted for use in Canadian food process facilities
- Not for medical use
- **Box of 100 Gloves**
- Case Qty: 10 boxes



ZENITH®
Safety Products

Model No.	Size
POWDERED	
SAP328	X-Small
SAP329	Small
SAP330	Medium
SAP331	Large
SAP332	X-Large

Model No.	Size
POWDER-FREE	
SAP333	X-Small
SAP334	Small
SAP335	Medium
SAP336	Large
SAP337	X-Large

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 12

Model No.	Size
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

ZENITH®
Safety Products



EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free glove provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- Thickness: 4 mils
- 9 1/2" in length
- AQL 1.5
- Accepted for use in Canadian food processing facilities
- Not for medical use
- **Box of 100 Gloves**
- Case Qty: 10 boxes



ZENITH®
Safety Products

Model No.	Size
POWDERED	
SAP338	X-Small
SAP339	Small
SAP340	Medium
SAP341	Large
SAP342	X-Large

Model No.	Size
POWDER-FREE	
SAP343	X-Small
SAP344	Small
SAP345	Medium
SAP346	Large
SAP347	X-Large

POLY/COTTON STRING KNIT GLOVES

- String knit design provides excellent breathability
- Reversible pattern extends wear life
- Superior comfort
- Reduced hand fatigue
- Launders exceptionally well
- Knit wrist eliminates dirt and debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 600

ZENITH®
Safety Products



Model No.					
SEE932	SEE933	SEE934	SEE935	SEE936	SEE937
X-Small	Small	Medium	Large	X-Large	2X-Large

COTTON CANVAS GLOVES

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300

Model No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large



ZENITH®
Safety Products

EXAMINATION GRADE NITRILE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Ambidextrous design
- Thickness: 4 mils
- 9 1/2" in length
- AQL 1.5
- Accepted for use in Canadian food processing facilities
- Not for medical use
- **Box of 100 Gloves**
- Case Qty: 10 boxes

ZENITH®
Safety Products

Model No.	Size
POWDERED	
SEA916	X-Small
SAP320	Small
SAP321	Medium
SAP322	Large
SAP323	X-Large
SEA917	2X-Large

Model No.	Size
POWDER-FREE	
SEA918	X-Small
SAP324	Small
SAP325	Medium
SAP326	Large
SAP327	X-Large
SEA919	2X-Large



HAND PROTECTION

NATURAL POLY/COTTON DOTTED GLOVES

- Single side PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Accepted for use in Canadian food processing facilities
- Case Qty: 240



Model No.		SEE938	SEE939	SEE940	SEE941	SEE942
X-Small	Small	Medium	Large	X-Large		

PVC SMOOTH FINISH GLOVES

- PVC coating on jersey liner
- Resists most oils, acids, greases and solvents
- Ideal for general chemical handling
- Case Qty: 120



Model No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist

PVC DOUBLE DIPPED GREEN GLOVES

- PVC coating on jersey liner
- Double dipped for superior abrasion resistance
- Resists most oils, acids, greases and solvents
- Rough finish



Model No.	Description	Qty /Case
SAN457	12" Gauntlet	120
SEE801	14" Gauntlet	60
SEE802	18" Gauntlet	60
SEE803	Knit Wrist	120

WINTER LINED PVC GLOVES

- Fluorescent orange PVC glove provides excellent protection against oils and other liquids
- Foam fleece lining for added warmth in harsh winter conditions



Model No.	Description	Qty /Case
SAN383	12" Gauntlet	120
S0104	Knit Wrist	120
SAP922	Safety Cuff	60



ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12



Model No.		SEB047	SEB048	SEB049	SEB050
Medium	Large	X-Large	2X-Large		



HEAVYWEIGHT NITRILE-COATED SAFETY CUFF GLOVES

- High-density 100% cotton jersey lining
- Superior abrasion cut and puncture-resistant
- Safety cuff provides added protection
- Full coating for maximum protection
- Case Qty: 120



Model No.	
SAN445	SAN446
Size 10	Size 11

SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- Accepted for use in Canadian food processing facilities
- Case Qty: 144



Model No.	Description	Size
SAW941	Embossed	6
SAW942	13" Flock-Lined	7
SAW943	15 mils	8

Model No.	Description	Size
SAW944	Embossed	9
SAW945	13" Flock-Lined	10
SAW946	15 mils	11

HYFLEX® 11-600/11-601 GLOVES

- Light-duty polyurethane-coated, knit nylon liner
- Silicone-free
- Snug fit for maximum dexterity and tactile sensitivity
- Palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- Accepted for use in Canadian food processing facilities
- Case Qty: 144



Model No.	Description	Size
11-600		
SAW968	White	6
SAW969	Polyurethane	7
SAW970	Palm Coated,	8
SAW971	White	9
SAW972	Nylon Liner	10
SAW973		11

Model No.	Description	Size
11-601		
SAW974	Grey	6
SAW975	Polyurethane	7
SAW976	Palm Coated,	8
SAW977	Black	9
SAW978	Nylon Liner	10

HYFLEX® 11-800/11-801 GLOVES

- Light-duty foam nitrile-coated
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities
- Case Qty: 144



Model No.	Description	Size
11-800		
SAW921		6
SAW922	Grey Foam	7
SAW923	Nitrile Palm	8
SAW924	Coated, White	9
SAW925	Nylon Liner	10
SAW926		11

Model No.	Description	Size
11-801		
SAW962	Grey	6
SAW963	Polyurethane	7
SAW964	Palm Coated,	8
SAW965	Black	9
SAW966	Nylon Liner	10
SAW967		11

HYFLEX® 11-500 GLOVES

- Black foam nitrile palm coating
- Cut resistant stretch *Kevlar*® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance
- Case Qty: 144

Model No.	Size	Model No.	Size
SAW931	6	SAW934	9
SAW932	7	SAW935	10
SAW933	8	SAW936	11



Ansell

HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- *Dyneema*®, *Spandex*® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Case Qty: 144

Model No.	Size	Model No.	Size
SAW989	6	SAW992	9
SAW990	7	SAW993	10
SAW991	8	SAW994	11



Ansell

HYD-TUF® 52-547 GLOVES

- Medium to heavy-duty nitrile-coated
- Outperform standard cotton and leather gloves
- Driver's style, with cloth back and soft jersey lining
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Nitrile knuckle strap provides added protection across the back of the hand
- Safety cuff
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Model No.	Size
SAW956	9
SAW957	10



Ansell

NATURAL RUBBER LATEX PALM COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120

Model No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11



NITRILE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip
- Durable nitrile-coated palm
- Knit wrist
- Case Qty: 120



SAO157



SAP931

Model No.	Size
GREY ON BLACK	
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

Model No.	Size
BLACK ON WHITE	
SAO157	7
SAO158	8
SAO159	9
SAO160	10
SAP355	11

BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Nitrile foam offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove
- Case Qty: 120



Model No.	Size
SBA611	6
SBA612	7
SBA613	8

Model No.	Size
SBA614	9
SBA615	10
SBA616	11

LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- 13-gauge seamless knitted nylon shell
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120



SAM630



SAX785

Model No.	Size
GREY ON WHITE	
SAM629	6
SAM630	7
SAM631	8
SAM632	9
SAM633	10
SAM634	11

Model No.	Size
BLACK ON GREY	
SBA837	6
SAX783	7
SAX784	8
SAX785	9
SAX786	10
SAQ179	11

LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge *Kevlar*® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120

Model No.	Size
SAP927	8
SAP928	9
SAP929	10
SAP930	11



HAND PROTECTION

SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Safety cuff provides good protection
- Full leather-tipped fingers and knuckle strap provide increased protection



SAP224

Model No.	Description	Size	Qty/Case
SAN638	Standard Quality	Large	120
SM575	Better Quality	Large	120
SAP228	Better Quality	X-Large	60
SM576	Better Quality, 4" Gauntlet Cuff	Large	60
SAP224	Superior Quality	Large	120

SUPERIOR QUALITY SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap provide increased protection
- Launderable PE cuff on SAP226



SD603

Model No.	Description	Size	Qty /Case
SAS503	Rubberized Cuff	Ladies	120
SG281	Rubberized Cuff	Medium	120
SD602	Rubberized Cuff	Large	120
SD603	Rubberized Cuff	X-Large	120
SAP229	Rubberized Cuff	2X-Large	120
SAP298	Rubberized 4" Gauntlet Cuff	Large	60
SAP227	Rubberized Cuff, Premium Quality	Large	120
SAP226	PE Cuff	Large	120

SUPERIOR QUALITY HIGH-VISIBILITY SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120



Model No.	Size
SED160	Large

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton-lined palm
- Rubberised cuff provides superior protection
- Full leather-tipped fingers and knuckle strap provide increased protection



SM578

Model No.	Description	Size	Qty /Case
SM578	Outside Double Palm & Index Finger	Large	120
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60
SE349	Inside Double Palm & Index Finger	Large	120

GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton-lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120



Model No.	Size
SAN270	Large



GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton-lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 120



YC386

Model No.	Description	Size
YC386	Standard Quality, Safety Cuff	Large
SAJ497	Better Quality, Safety Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	Large

STANDARD QUALITY GRAIN COWHIDE FITTERS GLOVES

- Smooth grain cowhide leather construction
- Excellent comfort and durability
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap provide increased protection
- SA0051 has an unlined palm for improved dexterity and sensitivity
- SA0052 has a cotton-lined palm keeping hands dry
- Case Qty: 120



SA0052

Model No.	Description	Size
SA0051	Unlined Palm	Large
SA0052	Cotton-Lined Palm	Large

PIGSKIN FITTERS GLOVES

- Durable pigskin leather construction
- Absorbent cotton-lined palm
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather-tipped fingers and knuckle strap provide increased protection
- Safety cuff
- Case Qty: 120



SAP222

SAO156

Model No.	Description	Size
SAO156	Split Pigskin	Large
SAP353	Split Pigskin	X-Large
SM580	Standard Quality Grain Pigskin	Large
SAP222*	Premium Quality Grain Pigskin	Large

* Rubberized cuff

HAND PROTECTION

SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist eliminates dirt and debris from entering the glove



Model No.	Description	Size	Qty /Case
SM572	Standard Quality, White Back, Patch Palm	Large	144
SN266	Better Quality, White Back	Ladies	120
SAP274	Better Quality, White Back	Medium	300
SA616	Better Quality, White Back	Large	144
SAP294	Better Quality, White Back	X-Large	300
SM573	Better Quality, White Back, Full Index Finger	Large	300
SAP297	Better Quality, Stripped Back	Large	300
SAP296	Superior Quality, White Back	Large	120

GRAIN COWHIDE DRIVERS & ROPERS GLOVES

- Smooth top grain cowhide all-leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- "Drivers" style comes with elastic wrist
- "Ropers" style comes with adjustable strap with snap
- Case Qty: 120



DRIVERS

Model No.	Size
UNLINED	
SM584	Small
SM585	Medium
SM586	Large
SM587	X-Large
FLEECE-LINED	
SM616	Small
SM617	Medium
SM618	Large
SM619	X-Large
SAP250	2X-Large

ROPERS

Model No.	Size
UNLINED	
SM588	Small
SM589	Medium
SM590	Large
SM591	X-Large
FLEECE-LINED	
SAP215	Small
SAP216	Medium
SAP217	Large
SAP218	X-Large

WINTER LINED GRAIN PIGSKIN FITTERS GLOVES

- Smooth grain pigskin leather construction
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 72



Model No.	Description	Size	Lining Warmth
SAP295	Fleece-Lined	Large	Moderate
SAP300	Acrylic Boa-Lined	Large	Extreme
SM615	Thinsulate™-Lined	Large	Extreme
SAP251	Thinsulate™-Lined	X-Large	Extreme

WINTER LINED GRAIN COWHIDE FITTERS GLOVES

- Smooth top grain cowhide leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather-tipped fingers and knuckle strap provide increased protection



Model No.	Description	Size	Lining Warmth	Qty /Case
SR521	Fleece-Lined Patch Palm	Large	Moderate	120
SAM023	Fleece-Lined Patch Palm	X-Large	Moderate	120
SM610	Fleece-Lined	Ladies	Moderate	120
SD605	Fleece-Lined	Large	Moderate	120
SAP245	Fleece-Lined	X-Large	Moderate	120
SM611	Foam Fleece-Lined	Large	Moderate/Extreme	72
SA0053	Acrylic Boa-Lined	Large	Extreme	72
SAS501	Thinsulate™-Lined	Ladies	Extreme	120
SM613	Thinsulate™-Lined	Large	Extreme	60
SAP246	Thinsulate™-Lined	X-Large	Extreme	72

WINTER LINED SPLIT COWHIDE FITTERS GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provide increased protection



Model No.	Description	Size	Lining Weight (g)	Lining Warmth	Qty /Case
SD613	Fleece-Lined	Large	-	Moderate	120
SAP299	Fleece-Lined	X-Large	-	Moderate	120
SAP240	Foam Fleece-Lined	Medium	-	Moderate/Extreme	72
SAP241	Foam Fleece-Lined	Large	-	Moderate/Extreme	72
SAP242	Foam Fleece-Lined	X-Large	-	Moderate/Extreme	72
SD614	Acrylic Boa-Lined	Large	-	Extreme	72
SAP247	Acrylic Boa-Lined	X-Large	-	Extreme	72
SAS500	Thinsulate™-Lined	Ladies	100	Extreme	72
SAN637	Thinsulate™-Lined	Medium	100	Extreme	60
SAL544	Thinsulate™-Lined	Large	40	Extreme	72
SM609	Thinsulate™-Lined	Large	100	Extreme	72
SAP248	Thinsulate™-Lined	X-Large	100	Extreme	72
SAP249	Thinsulate™-Lined	2X-Large	100	Extreme	72

SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Patch palm design delivers added savings
- Safety cuff provides good protection
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 120



Model No.	Description	Size
SA622	Standard Quality, Striped Cuff	Large
SAN636	Better Quality, Denim Cuff	Large
SAN382	Better Quality, Striped Cuff	Large
SAP231	Better Quality, Striped Cuff	X-Large
SAP225	Superior Quality, Striped Cuff	Large

RAINWEAR

RZ PONCHOS

- 0.10-mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all



Model No.	Colour
SAZ708	Yellow



RZ100 RAIN SUITS

- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically-welded seams

Model No.	Size
SAZ683	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SAZ687	2X-Large
SEH083	3X-Large
SEH084	4X-Large



RZ200 LONG COATS

- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically-welded seams

Model No.	Size
SAZ699	Small
SAZ700	Medium
SAZ701	Large
SAZ702	X-Large
SAZ703	2X-Large
SAZ704	3X-Large
SAZ705	4X-Large



RZ300 RAIN SUITS

- 0.20-mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams

Model No.	Size
SAZ709	Small
SAZ710	Medium
SAZ711	Large
SAZ712	X-Large
SAZ713	2X-Large
SAZ714	3X-Large
SAZ715	4X-Large



RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35-mm thick high-visibility yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements

Model No.	Size
SEC310	Small
SEC311	Medium
SEC312	Large
SEC313	X-Large
SEC314	2X-Large
SEC315	3X-Large
SEC316	4X-Large



RZ500 FLAME RESISTANT RAIN SUITS

- 0.30-mm material thickness
- Yellow tear-resistant PVC/nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance

Model No.	Size
SED806	Small
SEH100	Medium
SEH101	Large
SED809	X-Large
SED810	2X-Large
SED811	3X-Large
SED812	4X-Large



LIMITED USE PROTECTIVE CLOTHING

SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd² (60 grams)
- Case Qty: 25

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



Model No.	Description	Size
COVERALLS		
SEC829		Medium
SEC830	Zipper front	Large
SEC831	w/storm flap	X-Large
SEC832	and collar	2X-Large
SEC833		3X-Large
SEC834		4X-Large
SEC835		Medium
SEC836	Zipper front w/storm	Large
SEC837	flap,elastic wrists	X-Large
SEC838	and ankles	2X-Large
SEC839		3X-Large
SEC840		4X-Large

Model No.	Description	Size
HOODED COVERALLS- WHITE		
SEC841		Medium
SEC842	Zipper front w/storm flap,	Large
SEC843	attached hood,	X-Large
SEC844	elastic wrists and ankles	2X-Large
SEC845		3X-Large
SEC846		4X-Large
HOODED COVERALLS - NAVY		
SEC847		Medium
SEC848	Zipper front w/storm flap,	Large
SEC849	attached hood,	X-Large
SEC850	elastic wrists and ankles	2X-Large
SEC851		3X-Large
SEC852		4X-Large

POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Case Qty: 50

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.



STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric

Model No.	Size
STANDARD COVERALLS	
SEC392	Medium
SEC393	Large
SEC394	X-Large
SEC395	2X-Large
SEC396	3X-Large
SEC397	4X-Large
SEC398	5X-Large

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m² fabric

Model No.	Size
PREMIUM COVERALLS	
SEC399	Medium
SEC400	Large
SEC401	X-Large
SEC402	2X-Large
SEC403	3X-Large
SEC404	4X-Large
SEC405	5X-Large

MICROPOROUS COVERALLS

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd² (63 grams)
- Case Qty: 25

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting



Model No.	Description	Size
COVERALLS		
SEC807		Small
SEC808	Zipper front	Medium
SEC809	w/storm flap,	Large
SEC810	elastic wrists	X-Large
SEC811	and ankles	2X-Large
SEC812		3X-Large
SEC813		4X-Large

Model No.	Description	Size
HOODED COVERALLS		
SEC814		Small
SEC815	Zipper front	Medium
SEC816	w/storm flap,	Large
SEC817	attached hood,	X-Large
SEC818	elastic wrists	2X-Large
SEC819	and ankles	3X-Large
SEC820		4X-Large

EMERGENCY EYEWASH STATIONS

CEDERROTH® EYEWASH

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis

SAY472
& SAY473



Model No.	Mfg. No.	Description
SAY472	04100	235 ml
SAY473	04101	Holster for SAY472
SAY474	04102	500 ml
SAY475	04103	Wall Bracket for SAY474
SAY476	04104	Strap for Wall Bracket

PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid reservoir
- Automatically displays "Warning Service Immediately" once activated
- Requires two 3.8 gallon Eyesaline® fluid cartridges (sold separately)
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009




Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.
SD552	32-001000-0000	Eyewash Station (English Instructions)	40
SAJ678	32-001000-0022	Eyewash Station (French Instructions)	40
SD553	32-001050-0000	Fluid Cartridges (2/pkg)	70

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Activated by an actuator pin on adapter when pin is in closed position, faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009



Model No. SAK621
Mfg. No. S19-200B

Bradley

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank
- Vandal-resistant unit: foreign objects cannot be introduced into tank
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

SAK609



SAK611

ON-SITE® WASTE CARTS

- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain

Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
SAK609	S19-921	Gravity-Fed Eyewash	23
SAK611	S19-399	Waste Cart	28

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA approved materials
- Gravity fed
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap
- Light design and mounting bracket (included)
- Includes one bottle of bacteriostatic additive
- Certified by CSA to meet ANSI standard Z358.1-2009



Haws

Model No.	Mfg. No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 8 oz., 4/Case

PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and Fend-all water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009



SA427

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.
SA427	32-000200-0020	Eyewash (English instructions)	36
SAJ676	32-000200-0022	Eyewash (French instructions)	36
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz.	13
SAJ677	32-001100-0022	Water Preservative, 8 oz. bottles, 4/Case	-
SA426	32-000102-0000	Replacement pull-strap	1
SA412	32-000517-0000	Dust Cover (Fits Porta-Stream® I, II)	1

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- AXION MSR™ eyewash head is antimicrobially treated
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Certified by CSA to meet ANSI standard Z358.1-2009



SEB239

AXION
by HAWS

Model No.	Mfg. No.	Description
EYE/FACE WASH		
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Dust Cover

EMERGENCY SHOWERS & FIRST AID

COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATION

- AXION MSR™ eyewash head is antimicrobially treated
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- 11" diameter green ABS plastic bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet ANSI standard Z358.1-2009



axion™
by HAWS

Model No.	Mfg. No.	Description
SEB257	8320-8325	Combination Shower
SEB264	9102	Dust cover

HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead and bowl
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Optional see-through plastic dust cover (shown) makes inspection simple
- Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- ULC certified to ANSI standard Z358.1-2009



SEB807

Bradley  **Halo**
EYE/FACEWASH

Model No.	Mfg. No.	Dust Cover Included
EYEWASH		
SEB801	S193140A1AAA00	No
SEB803	S193140A1AAB00	Yes
EYE/FACE WASH		
SEB806	S193140A1ABAA00	No
SEB807	S193140A1ABBA00	Yes

OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed in the chart.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility



SAFE + CROSS
FIRST AID LTD.

Model No.	Refill No.	Container Type	Kit Type
FEDERAL - http://laws.justice.gc.ca/eng/SOR-86-304			
SAY106	SAY108	10-unit plastic	Type A, 2-5 workers
SAY109	SAY111	24-unit plastic	Type B, 6-19 workers
SAY113	SAY114	# 2 metal	Type C, 20-199 workers
BRITISH COLUMBIA - www.worksafebc.com			
SAY117	SAY119	36-unit plastic	Basic
SAY121	SAY123	# 2 plastic	Level 1
SAY125	SAY127	# 2 plastic	Level 2
ALBERTA - www.gov.ab.ca			
SAY132	SAY134	16-unit plastic with gasket	No. 1
SAY135	SAY137	36-unit plastic with gasket	No. 2
SASKATCHEWAN - www.labour.gov.sk.ca			
SAY141	SAY143	24-unit plastic	1-9 workers
SAY144	SAY146	36-unit plastic	10-40 workers
MANITOBA - www.gov.mb.ca/labour			
SAY150	SAY152	24-unit plastic	25 workers

Model No.	Refill No.	Container Type	Kit Type
ONTARIO - www.labour.gov.on.ca/english/hs			
SAY153	SAY155	10-unit plastic	Sec. 8, 1-5 workers
SAY156	SAY158	36-unit plastic	Sec. 9, 6-15 workers
SAY159	SAY161	# 2 plastic	Sec. 10, 16-199 workers
QUEBEC - www.csst.qc.ca			
SAY174	SAY176	36-unit plastic	Sec. 4 (Standard)
SAY171	SAY173	10-unit plastic	Sec. 5 (Vehicle)
NEW BRUNSWICK - www.whscc.nb.ca			
SAY177	-	10-unit plastic	Personal
SAY179	SAY181	36-unit plastic	Standard
NOVA SCOTIA - www.gov.ns.ca			
SAY185	SAY187	16-unit plastic	No. 2, 2-19 workers
SAY188	SAY190	24-unit plastic	No. 3, 20-49 workers
PRINCE EDWARD ISLAND - www.wcb.pe.ca			
SAY197	SAY199	16-unit plastic	No. 2, 2-19 workers
SAY200	SAY202	24-unit plastic	No. 3, 20+ workers

Model No.	Refill No.	Container Type	Kit Type
NEWFOUNDLAND & LABRADOR - www.gov.nf.ca			
SAY207	SAY209	16-unit plastic	No. 2, 2-14 workers
SAY210	SAY212	24-unit plastic	No. 3, 15-199 workers
NORTHWEST TERRITORIES & NUNAVUT - www.gov.nt.ca			
SAY213	SAY215	24-unit plastic	No. 1
YUKON - www.wcb.yk.ca			
SAY224	SAY226	16-unit plastic	No. 1

COMPANIES WITH OVER 100 EMPLOYEES REQUIRE A FIRST AID ROOM

IDENTIFICATION & LOCKOUTS

STEEL HAND STAMPS

- For hand held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Bevelled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Letter sets contain 27 pieces, "A" through "Z" and "&" (ampersand)
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable




aurora tools

Model No.	Stamp Dimension"	Type
TLZ389	1/8	Number
TLZ392	1/8	Letter
TLZ390	3/16	Number
TLZ393	3/16	Letter
TLZ391	1/4	Number
TLZ394	1/4	Letter

STEEL HAND STAMPS

For hand-held, hammer-struck applications. Allows permanent marking of metal parts, tools, assemblies and components. Crowned striking end, textured shanks. Packed in durable plastic storage containers. Letter sets contain 27 pieces - A through Z, and &. Number sets contain 9 pieces - 0 through 9 (the 6 and 9 are interchangeable).

PREMIER TEMPERED STAMPS: Large shanks are tempered throughout for continuous hard hammering. Marked with character designation and size on thumb side.



Model No.	Dimensions"	Type	Dimensions Sq" x L"	Wt. lbs.
SF086	3/32	Letters	5/16 x 2 3/4	2.38
SF087	3/32	Numbers	5/16 x 2 3/4	0.88
SA938	1/8	Letters	3/8 x 2 3/4	3.30
SA941	1/8	Numbers	3/8 x 2 3/4	1.30
SA939	3/16	Letters	7/16 x 2 3/4	3.50
SA942	3/16	Numbers	7/16 x 2 3/4	1.40
SA940	1/4	Letters	1/2 x 3	6.00
SA943	1/4	Numbers	1/2 x 3	2.30
SF088	1/2	Letters	3/4 x 3 3/4	3.25
SF089	1/2	Numbers	3/4 x 3 3/4	6.25

ALSO AVAILABLE:

STANDARD STEEL STAMPS: High quality for general purpose uses at a low cost. Recommended for medium to light duty marking. Marked with character size on thumb side.

HEAVY-DUTY STAMPS: Tempered shanks for extra durability. Marked with character designation and size on thumb side.

ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- SAL521 labels can be written on to identify the responsible person and then erased for the next job

Master Lock



SAL520

Padlock not included



SAL521

Model No.	Mfg. No.	For Electrical Plugs Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)

BLANK BRASS TAGS

Identify equipment, materials and pipes by stamping description directly onto tag. 18-gauge brass tags. Packages of 100.

Sold per package

Model No.	Shape	Tag Dim."	Hole Dim."	Wt. lbs.
SA963	Round	1 1/2	3/16	2.2
SA961	Square	1 1/4	3/16	1.9
SA962	Octagon	1 1/4	3/16	1.9

Other sizes, styles available upon request. Please inquire.



SPLIT KEY RINGS

Designed for holding and preventing the loss of metal checks and tags.

Sold per package

Model No.	Description	Qty/Pkg
SA957	1" Ring	100
SA958	1 1/2" Ring	50



Rings

SA960

Model No.	Description	Qty/Pkg
SA959	2" Ring	50
SA960	Spring Sleeve	100

LEAD SECURITY SEALS & SEALING PRESS

Provides security in a wide variety of situations. Slip twisted wire through the hole in lead seal disc and crush with sealing press. Can't be opened or tampered with, without detection. 7/16" diameter lead seals with 10" two-ply annealed steel wires. Lead sealing press comes with two blank dies.

Model No. SA947 Sealing Press

Model No. SA948 Seals 100/pkg.



LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- Up to five workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Available in nine different colours

Master Lock



Model No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP998	427GRN	Green

Model No.	Mfg. No.	Colour
SAP999	427ORJ	Orange
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/Pkg.

IDENTIFICATION & LOCKOUTS



ROTATING GATE VALVE LOCKOUTS

- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Each size rotates into itself
- Each size nests within the next larger size
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

SAL531



SAL528



SAL529

Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530

SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorised access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"



RED W/O LOCKING TABS

Model No.	Mfg. No.	Diameter"
SA875	420	1
SA876	421	1 1/2

YELLOW (ECONOMY) W/LOCKING TABS

Model No.	Mfg. No.	Diameter"
SAN507	422	1
SAN508	424	1 1/2

ADJUSTABLE CABLE LOCKOUTS


- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	S806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/12' Cable

COMBINATION LOCKS

- World's best-selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 1 7/8" wide double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Different combinations



Model No.	Mfg. No.	Shackle Dimensions		
		A"	B"	C"
SR914	1500	9/32	3/4	13/16
SAL506	1500LH	9/32	2	13/16

LOCKOUT STATIONS

VIRTUALLY INDESTRUCTIBLE,
THE STRONGEST STATIONS AVAILABLE!

- Integrated, 1-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Zenex™ locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Lockout stations are bilingual with English/ French labels and lockout tags
- Compliant with OSHA "One employee, One lock, One key" directive

4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ Padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual Do Not Operate lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"



SAO601

Model No.	Mfg. No.	Description
SA0598	1482BFRC	Base only
SA0601	1482BP3FRC	Station with Laminated Padlock
SA0602	1482BP410FRC	Station with Zenex™ Padlock
SA0603	1482BP1106FRC	Station with Aluminum Padlock

ALUMINUM SAFETY LOCKOUT PADLOCKS

- Ideal for corrosive and tough environments
- Hardened shackles for superior resistance to cutting
- Steel shackle 1 9/16" wide solid body, 1/4" diameter x 1 1/16" long shackle
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Tens of thousands of key changes available
- Baked-on powder-coated finish stays bright
- Available in six colours, keyed different
- Laser engraving service available for an additional charge




Model No.	Mfg. No.	Colour
SN709	6835RED	Red
SN710	6835BLU	Blue
SN711	6835GRN	Green

Model No.	Mfg. No.	Colour
SN712	6835YLW	Yellow
SN713	6835ORJ	Orange
SN714	6835BLK	Black

PADLOCKS

- Each keyed different lock has a unique key for higher security
- Padlocks are made from rustproofed laminated steel
- SA886 and SA888 are economic protection best suited for tamper resistant applications
- SA890 and SA892 provide medium general security, use on tool boxes, man hole covers
- SA894 to SA900 are high security locks that provide a higher tamper resistant lock body and shackle.
- Use on tool cribs, storage cabinets and gates
- All models include two keys



SA890



Model No.	Mfg. No.	Security Level	Locking Mechanism	Body Width"	Shackle Dimensions			Wt lbs.
					A"	B"	C"	
SA886	22	Medium	Warded	1 1/2	1/4	5/8	9/16	0.3
SA888	500	Medium	Warded	1 3/4	9/32	13/16	13/16	0.5
SA890	7	Medium	4-Pin Tumbler	1 1/8	3/16	9/16	1/2	0.2
SA892	7LJ	Medium	4-Pin Tumbler	1 1/8	3/16	2 1/2	1/2	0.2
SA894	3	High	4-Pin Tumbler	1 9/16	9/32	3/4	5/8	0.5
SA896	3LH	High	4-Pin Tumbler	1 9/16	9/32	2	5/8	0.5
SA898	1	High	4-Pin Tumbler	1 3/4	5/16	5/16	3/4	0.6
SA900	1LJ	High	4-Pin Tumbler	1 3/4	5/16	2 1/2	3/4	0.6

MIRRORS

DOMESTIC MIRRORS

Maximize safety in a glance. Safety mirrors in quarter, half or full dome reduce the chances of accidents due to blind corners in the plant or warehouse. Constructed of heavy-duty acrylic for durability. All mirrors have a black protective edge.

IDEAL LOCATIONS:

- 360° 4-way intersections
- 180° T-intersections
- 90° Corner intersections

RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors

Mirror Dia.**	FULL DOME 360°				HALF DOME 180°				QUARTER DOME 90°	
	Open Top Model No.	Wt. lbs.	Closed Top Model No.	Wt. lbs.	Open Top Model No.	Wt. lbs.	Closed Top Model No.	Wt. lbs.	Model No.	Wt. lbs.
18	SA732**	7	SAQ963	8.4	SA731	3	SAQ967	5.5	SA733	1.35
24	SA735**	6.5	SAQ964	8.7	SA734	4	SAQ968	8	SA736	1.9
33	SA738**	15	SAQ965	19.8	SA737	9	SAQ969	18	SA739	7
48	SA741**	33	SAQ966	41	SA740	17	SAQ970	35	SA742	17.5

* Dimensions listed are that of a full dome

** Comes with hanging hardware

Use furniture polish to clean mirrors. Glass cleaner will damage surface.




Full Dome 360°



Half Dome 180°



Quarter Dome 90°




CONVEX MIRRORS

Prevent accidents and increase surveillance with a lightweight acrylic convex mirror. Adjustable mounting hardware included with each mirror. 100° viewing angle and mounted ball and swivel. Telescoping arm adjusts from 15" to 21". For indoor or outdoor use.

RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors

Mirror Dia. "	INDOOR		OUTDOOR	
	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12	SA725	2	SA720	4
18	SA726	3	SA721	5
26	SA727	6	SA722	9
30	SA728	7	SA723	11
36	SA729	9	SA724	15



ROUNDTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex
- Exterior models are enclosed



RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors

Dimensions"	INDOOR		OUTDOOR	
	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12 x 18	SAQ971	3.5	SAQ975	4.7
18 x 26	SAQ972	4.75	SAQ976	8
20 x 30	SAQ973	6.7	SAQ977	12.5
24 x 36	SAQ974	9.3	SAQ978	18.25

FLAT MIRRORS

Ideal for locations where accurate depth perception is essential. Mirrors are made of acrylic with galvanized steel backs. Framed mirrors have an aluminum edge. Telescoping arm adjusts from 15" to 21". Ball and swivel, telescoping arm and bracket are included with each mirror.



RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors

Model No.	Unframed	Framed	Dimensions"
SA745	SA750	12 x 18	
SA746	SA751	18 x 24	
SA747	SA752	24 x 30	
SA748	SA753	30 x 36	

SECURITY INSPECTION MIRRORS

DELUXE

- Lightweight
- 8" convex mirror for wider angle viewing
- 52" handle with padded hand grips
- Shoulder strap and sidehandle to reduce fatigue
- Bracket and flashlight are included

Model No. SAQ806



RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors

ECONOMY

- Lightweight
- 8" convex mirror for wider angle viewing
- 22" handle for single-hand use

Model No. SAQ807



DROP-IN CEILING PANEL DOMES

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Model No. SAR052
Mfg. No. 2000FDCO24

RALSTON MIRRORS
Manufacturers of SunWay® Safety & Security Acrylic Mirrors



Use furniture polish to clean mirrors. Glass cleaner will damage surface.

SAFETY TAPES & LINE-UP® STRIPES

AISLE MARKING & HAZARD WARNING TAPE

Colour-coded for instant recognition of specific areas. Tapes give continuous lines that are both eye catching and long lasting and can be applied quickly by hand or with a tape applicator. 6-mil general purpose pressure sensitive vinyl tape is easy to apply and has excellent adhesion for a fast, firm hold. Excellent for marking floors, equipment, pipes and many other uses. Available in 2" and 3" by 108' rolls. Reflective engineer grade available in 2" by 30' rolls.



RECOMMENDED GUIDELINES

Dark Blue: General Information
Orange: Warning/Hazardous Biohazard
Green: Safety and First Aid Equipment

Red: Fire Protection/Danger/Stop
White: Traffic and Housekeeping
Yellow: Caution
Black: Boundaries
Stripes: Hazard/Warning

AISLE MARKING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
SOLID			
SAL689	2	Blue	0.8
SAL688	2	Orange	0.8
SAL684	2	Green	0.8
SAL685	2	Red	0.8
SAL686	2	White	0.8
SAL683	2	Yellow	0.8
SAL687	2	Black	0.8
SAL696	3	Blue	1.2
SAL695	3	Orange	1.2
SAL691	3	Green	1.2
SAL692	3	Red	1.2
SAL693	3	White	1.2
SAL690	3	Yellow	1.2
SAL694	3	Black	1.2

HAZARD WARNING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
STRIPES (NON-LAMINATED)			
SAL701	2	Black/White	0.8
SAL697	2	Black/Yellow	0.8
SAL699	2	Red/White	0.8
SAL702	3	Black/White	1.2
SAL698	3	Black/Yellow	1.2
SAL700	3	Red/White	1.2
REFLECTIVE ENGINEER GRADE STRIPES			
SN611	2	Black/Yellow	0.8
SN612	2	Red/White	0.8

ANTI-SKID TAPE

Provides a sure footing on stairs, ladders, fork trucks and any area where slipping can occur. Tough and durable adhesive-backed tape can easily be installed in seconds to any clean, dry, oil-free surface including metal, wood and concrete. Used indoors or outdoors, rolls are 60' in length. Recommended for hospitals, schools, labs, etc.

Model No.	Width"	Model No.	Width"
BLACK		CLEAR	
NC910	1	NC912	1
NC383	2	NC913	2
NC385	4	NC914	4
NC386	6	NC915	6
NC381	12		



QUICK-MARK™ MARKING PAINTS

Inverted marking paints are VOC-compliant, lead-free and highly pigmented. Available in water and solvent based, 20-oz. cans (17 oz. net weight). Can be used with hand held wands.



Model No.	Solvent Base	Colour	Model No.	Water Base	Colour
NC320	Fl. Red/Orange	Orange	NC331	White	White
NC321	Fl. Orange	Orange	NC332	Utility Yellow	Yellow
NC322	Fl. Safety Red	Red	NC333	Fl. Orange	Orange
NC323	Fl. Green	Green	NC334	Fl. Red	Red
NC324	White	White	NC335	Fl. Safety Pink	Pink
NC325	High Vis. Yellow	Yellow	NC336	Fl. Blue	Blue
NC326	Caution Blue	Blue	NC337	Fl. Safety Green	Green
NC327	Warning Orange	Orange	NC338	Fl. Red/Orange	Orange
NC328	Safety Red	Red			
NC329	Safety Green	Green			

Actual paint colours may vary

COLOURED ANTI-SKID TAPE

Brightly printed anti-slip grip tape warns workers of hazards and improves traction, reducing the risk of slipping, tripping or falling. 60-foot rolls. Red and white or black and yellow striped pattern or solid yellow, increases safety along the leading edge of stairs and walkways.

Not recommended for areas with high mechanical traffic.



Model No.	Width"
RED & WHITE	
SI747	2
BLACK & YELLOW	
SI749	2
YELLOW	
SK377	2



LINE-UP® STRIPING MACHINES & PAINTS

- Engineered and designed for easy operation and durability
- 18-gauge all-steel construction
- 12-can storage
- Stripes widths of 2" to 4"



PAVEMENT STRIPING MACHINES

- 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal
- Excellent for use in parking lots, warehouses, plants, factories, etc.

NE340



Model No. NE340

ATHLETIC FIELD STRIPING MACHINES

- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces
- Ideal for grass, dirt, gravel or any uneven surface

Model No. NE341

Model No.	Description	Colour
WATER BASED - ATHLETIC FIELD		
NE333	White	White
NE334	Yellow	Yellow
NI795	Turf Green	Green
SOLVENT BASED - PAVEMENT		
NE335	Highway White	White
NE336	Highway Yellow	Yellow
NE337	Handicap Blue	Blue
NE338	Firelane Red	Red
NE339	Cover-up Black	Black

Actual paint colours may vary



MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" wide stripe of paint

NC309



Model No.	Description
NC309	Spotter Hand Held Wand 12"
NC310	Hand Held Wand 34"

NC310

CROWD & TRAFFIC CONTROL

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- High density interlocking base offers maximum stability
- Meets Ministry of Transport regulations for Quebec, Ontario and Alberta

Model No.	Description	Wt. lbs.
TRAFFIC CONES		
SEB768	12"	2
SEB769	18"	3.3
SEB771	28"	7
TRAFFIC CONES W/COLLAR		
SEB770	18" w/6" Collar (QC, ON, AB)	3.3
SEB772	28" w/6" and 4" Collars (QC, ON, AB)	7
SEB826	28" w/4" Collar (ON, AB)	7

SEB772



PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability



SEC153




Model No.	Description	Wt. lbs.
SEB773	Delineator Post Only	1.5
SEB774	Rubber Base	12
SEC153	Post and Base Kit	14

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.

SEE395



Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish

BARRICADE TAPE

- A fast and effective way to restrict entry to hazardous areas
- Made of 2-mil standard grade polyethylene
- Ideal for both indoor and temporary outdoor usage
- Rolls are 3" x 1000'



Model No.	Description	Colour
ENGLISH		
SAJ606	Caution	Black on Yellow
SAJ607	Caution Do Not Enter	Black on Yellow
FRENCH		
SAJ608	Attention	Black on Yellow
SAJ609	Danger	Black on Red

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35" • Tape length: 7' • Recommended post spacing: 6'6"



Locking Mechanism prevents accidental release!




STANDARD FREE-STANDING BARRIERS



Model No.	Description	Tape Colour	Tape Length'
SAS226	Stainless Steel Post with Cassette	Red	7
SAS227	Black Post with Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-

SAFETY FREE-STANDING BARRIERS



Model No.	Description	Tape Colour	Tape Length'
SAS228	Yellow Post with Cassette	Yellow	7
SAS229	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7
SEE818	Yellow Post with Cassette	Yellow (Attention Ne Pas Entrer)	7
SAS232	Yellow Receiver Post	-	-

REFLEXTOR™ II SPEED BUMPS

- Effective speed reduction in parking lots, school zones, public and private areas
- Flexible, adapts to any road surface
- Manufactured from 100% recycled rubber
- Embedded glass bead reflective tape
- Resistant to UV, moisture, oil and extreme temperature variation
- Will not warp, crack, chip or rot
- Two 1" channels allow for cabling or piping and facilitate drainage

Model No.	Description	Dimensions				Spikes Required	Wt. lbs.
		L"	x	W"	x H"		
SAJ226	Black/Yellow	48	x	11	x 2 1/4	3	35
SAJ175	Black/Yellow	72	x	11	x 2 1/4	5	52
SAJ227	14" Rebar Spike	-	-	-	-	-	-



TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

CSA COMPLIANT 5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

CSA COMPLIANT TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" silver reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fit
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Colour	Size
SEB698	Orange	Medium
SEB699	Orange	Large
SEB700	Orange	X-Large
SEB701	Orange	2X-Large
SEB702	Lime-Yellow	Medium
SEB703	Lime-Yellow	Large
SEB704	Lime-Yellow	X-Large
SEB705	Lime-Yellow	2X-Large

CSA COMPLIANT SURVEYOR TRAFFIC SAFETY VESTS


- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two velcro sealed pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Size
SEF101	Medium
SEF102	Large
SEF103	X-Large
SEF104	2X-Large

TRAFFIC HARNESSSES

- 2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- Available in various lengths



Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19

ERGONOMIC FLOOR ABOVE A FLOOR MATTING

ERGODECK® NO. 562 & 566

A FLOOR ABOVE A FLOOR

- Professional grade 18" x 18" super-sized tiles quickly assemble to create an ergonomic floor above a floor
- Extremely substantial, this modular anti-fatigue flooring will perform in very heavy use applications
- Securely connects for a seamless installation
- Tiles are 7/8" thick with flex-points on the underside to provide support and enhance comfort
- Optional 6" yellow side safety ramps and corners have countersunk holes for permanent installation
- Available in two versions:

Original ErgoDeck®, designed to withstand heavy use including cart traffic (up to 64 PSI), available in a solid (No. 562) design, colour: Black

ErgoDeck® Soft is a more flexible formulation designed for worker comfort and productivity, available in a solid (No. 566) design, colour: Grey

3-YEAR WARRANTY

FREQUENTLY ASKED QUESTIONS:

What if one of my tiles gets damaged?

Simply remove it and replace with a new tile.

How do you connect a ramp to the side of the tile that has interlocks?

Simply cut off the interlocks on the ramp.


What do I need to install ErgoDeck®?

A rubber mallet. Each box of tiles contains installation instructions.

Model No.	Description	Dim. W" x L"	Qty /Case
ERGODECK® SOLID NO. 562			
SAL224	Single Tile	18 x 18	10
ERGODECK® SOFT SOLID GRID NO. 566			
SAQ313	Case of Tiles	18 x 18	10

RAMP & CORNER ACCESSORIES


Model No.	Description	Dim. W" x L" x D"	Qty /Case
SAL219	Ramp, Yellow, Sold per Unit	6 x 18 x -	10
SAL217	Outside Corner, Yellow, Sold per Unit	6 x 15 x 15	4
SAQ314	Ramp, Black, Sold per Case	6 x 18 x -	10
SAQ315	Outside Corner, Black, Sold per Case	6 x 15 x 15	4




F.I.T™ NO. 540 & 541

FUNCTIONAL INTERLOCKING TILES

- Versatile, functional and comfortable 12" x 12" modular tile easily connects to create an ergonomic floor above a floor
- Angular interlocking system provides a strong connection and large installations can even be rolled up for storage or repositioning
- Ergonomic design and PVC formula dramatically reduce fatigue
- One ramp fits both male and female edges
- No-fuss installation, can be customized every 3" and still interlock
- Open surface** design No. 540 is perfect for wet areas
- Solid surface** design No. 541 is great for dry areas
- Thickness: 5/8"
- Green rating: > 80% post consumer PVC



1-YEAR WARRANTY



Solid – for use in dry areas

Open – for use in wet areas - surface slants toward holes to facilitate drainage



Model No.	Description	Dim. W" x L"	Colour	Qty /Case
CASE OF TILES				
SBA982	Open No. 540	12 x 12	Black	20
SBA983	Solid No. 541	12 x 12	Black	20
CASE OF RAMPS & CORNERS				
SBA986	Ramp No. 540	3 x 12	Black	20
SBA987	Ramp No. 540	3 x 12	Yellow	20
SBA988	Ramp w/Corner No. 540	3 x 15	Black	4
SBA989	Ramp w/Corner No. 540	3 x 15	Yellow	4

ERGONOMIC & DRY AREA ANTI-FATIGUE MATTING

24/SEVEN® COMFORTABLE, MODULAR, SIMPLE TO USE

- 24/Seven® modular anti-fatigue mats work 24/7 to keep employees comfortable
- Perfect for single workstations, the 3' x 3' mats also interlock on all four sides to cover large areas
- Their substantial design (5/8" thick) is great for facilities with multiple shifts
- Optional yellow and black borders provide safe access

WHAT IS YOUR APPLICATION? CHOOSE FROM 2 FORMULATIONS

General-purpose rubber – Natural rubber formulation designed for general application, such as areas with water or debris

NBR 100% nitrile – Designed for areas with petrochemicals such as hydrocarbons, naphthenes, paraffins and petroleum distillates




SOLID MATTING

Model No.	Description	Dim.		
		W'	x	L'
NH589	General-Purpose No. 570	3	x	3
SAQ101	Nitrile No. 570	3	x	3

RAMPS

Model No.	Description	Dim.		
		W"	x	L"
BLACK				
NH591	General-Purpose Female	3	x	39
NH594	General-Purpose Male	3	x	39
SAQ129	Nitrile Female	3	x	39
SAQ126	Nitrile Male	3	x	39
YELLOW				
NH593	General-Purpose Female	3	x	39
NH596	General-Purpose Male	3	x	39
SAQ130	Nitrile Female	3	x	39
SAQ127	Nitrile Male	3	x	39



1-YEAR WARRANTY

REASONS TO CHOOSE 24/SEVEN®

- Modular design
- Quick installation and replacement
- Comfort
- Two formulations
- Can be customized on site

24/SEVEN® MATTING NO. 572

- Keep workers productive, safe and comfortable all day, every day
- Substantial and very versatile, these 3' x 3' mats interlock on all sides to cover vast work areas, long assembly lines or stand alone as single workstation mats
- Extremely functional, 24/Seven® "wet area" mats are available in three compounds
- Open – with large holes to allow fluids and debris to flow through freely

1-YEAR WARRANTY

What's your formula?

General purpose: Natural rubber, use in areas with water and debris, 34% post industrial recycled material

CFR: Mineral oil based cutting fluid resistant compound ideal for use around many non-petroleum-based fluids

Nitrile: Use in areas with petrochemicals such as hydrocarbons, naphthene, paraffin and petroleum distillates

WITH DRAINAGE

3" x 39" Male (M) Ramp snaps into the underside of the mat



5/8"

OPEN MATTING

Model No.	Description	Dim.		
		W'	x	L'
NH587	General-Purpose No. 572	3	x	3
SAL228	CFR No. 572	3	x	3
SAQ102	Nitrile No. 572	3	x	3

DIAMOND-PLATE SELECT NO. 495

- Uniquely comfortable, resulting in productive, focused employees
- An excellent anti-fatigue mat designed to increase comfort and relieve stress; it's popular in dry industrial, lab and commercial applications
- The specially formulated, PVC Flex-Link™ sponge base is compounded for enhanced functionality
- Green rating > 50% post consumer material
- Available in two thicknesses:
 - Standard:**
 - Overall thickness: 9/16"
 - Sponge thickness: 3/8"
 - Ultra thick:**
 - Overall thickness: 15/16"
 - Sponge thickness: 3/4"
 - (designed for extra softness)
- Colours: Black with yellow borders



1-YEAR WARRANTY

Model No.	Dim.			Wt lbs.
	W'	x	L'	
9/16"				
SAL349	2	x	3	8
SAL358	3	x	5	18
SAL361	3	x	75	244
15/16"				
SAL201	2	x	3	9
SAL207	3	x	5	21
SAL209	3	x	75	338

Available in cuts up to 75' in length


DRY AREA ANTI-FATIGUE MATTING

DIAMOND-PLATE NO. 414 & 415

- These mats have a *Nitricell*® sponge base, a unique and resilient nitrile rubber composite that provides unparalleled comfort, resilience and long-term performance
- The PVC diamond-plate surface resists abrasion and most chemical spills
- Safety bevelled edges

UltraSoft Diamond-Plate No. 414: Ultimate Performance has a double-thick *Nitricell*® sponge base for a little extra comfort

Diamond-Plate SpongeCote No. 415: Best Performance is a standard 9/16" thick and has been a best seller for over 20 years!



NO. 414

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
15/16" BLACK/YELLOW				
SAJ810	2	x	3	9
NG924	3	x	5	21
15/16" BLACK				
SAJ809	2	x	3	9
NG917	3	x	5	21

CUTS UP TO 75' IN LENGTH

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
15/16" BLACK/YELLOW				
NG928	2	x	lin. ft.	3/lin.ft.
NG929	3	x	lin. ft.	4.5/lin.ft.
NG930	4	x	lin. ft.	6/lin.ft..
15/16" BLACK				
NG921	2	x	lin. ft.	3/lin.ft.
NG922	3	x	lin. ft.	4.5/lin.ft.
NG923	4	x	lin. ft.	6/lin.ft.

NO. 415

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
9/16" BLACK/YELLOW				
NB416	2	x	3	8
NB430	3	x	5	18
9/16" BLACK				
NB420	2	x	3	8
NB431	3	x	5	18

CUTS UP TO 75' IN LENGTH

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
9/16" BLACK/YELLOW				
NG410	2	x	lin. ft.	2.6/lin.ft.
NG411	3	x	lin. ft.	3.9/lin.ft.
9/16" BLACK				
NG412	2	x	lin. ft.	2.6/lin.ft.
NG413	3	x	lin. ft.	3.9/lin.ft.

4-YEAR WARRANTY


SMART DIAMOND-PLATE NO. 497

- An economical and green solution for preventing worker fatigue
- Diamond-plate surface with a 100% recycled urethane composite sponge base
- Green rating > 80% recycled
- Comfortable and functional in dry industrial applications
- Black and black with yellow borders



1-YEAR WARRANTY

An economical and **GREEN** solution for preventing worker fatigue.



Model No.	Dim.			Model No.	Dim.		
	W'	x	L'		W'	x	L'
1" BLACK				5/8" BLACK			
SBA878	2	x	3	SBA894	2	x	3
SBA879	3	x	5	SBA895	3	x	5
SBA883	2	x	lin.ft.*	SBA899	2	x	lin.ft.*
SBA884	3	x	lin.ft.*	SBA900	3	x	lin.ft.*
SBA885	4	x	lin.ft.*	SBA901	4	x	lin.ft.*
1" BLACK W/YELLOW				5/8" BLACK W/YELLOW			
SBA886	2	x	3	SBA902	2	x	3
SBA887	3	x	5	SBA903	3	x	5
SBA891	2	x	lin.ft.*	SBA907	2	x	lin.ft.*
SBA892	3	x	lin.ft.*	SBA908	3	x	lin.ft.*
SBA893	4	x	lin.ft.*	SBA909	4	x	lin.ft.*

* Cuts up to 75' in length available

SMART TILE-TOP NO. 496


- A SMART solution to standing worker fatigue, this mat is economically priced and "green"
- Priced like a sponge mat, yet wears five times longer
- The resilient sponge base - Rebound - is a 100% recycled urethane composite
- Comfortable and functional in dry industrial, lab or commercial applications
- Available in two thicknesses:
Standard - 1/2" thick
UltraSoft - 7/8" thick designed for even greater comfort
- Green rating > 80% recycled



Black	Model No.			Charcoal	Dim.		
	Grey	Blue			W'	x	L'
1/2" THICK							
SBA910	SBA926	SBA942	SBA958	2	x	3	
SBA911	SBA927	SBA943	SBA959	3	x	5	
7/8" THICK							
SBA918	SBA934	SBA950	SBA966	2	x	3	
SBA919	SBA935	SBA951	SBA967	3	x	5	

Cuts up to 60' in length available

A smart solution to standing worker fatigue, this mat is economically priced and **GREEN**.



1-YEAR WARRANTY

DRY AREA ANTI-FATIGUE MATTING

REJUVENATOR® CONNECT NO. 502

100% URETHANE ANTI-FATIGUE MATS PROVIDE LONG TERM VALUE!


- A great combination of comfort, performance and exceptional resilience, this mat is literally crush resistant
- The dense, 1/8" thick urethane skin protects the closed cell urethane sponge interior
- Tear and abrasion resistant, these mats are exceptional in dry, heavy use areas
- 3' x 3' mats connect on all sides with optional 2" wide bevels to increase safety, 5/8" thick



Designed to energize workers!

SAR340

10 YEAR
RESILIENCE WARRANTY



Model No.	Description	Dim.	
		W	L
SAR340	Mat	3'	3'
SAR341	Edge, Female, Black	2"	39"
SAR342	Edge, Male, Black	2"	39"


ENDURABLE NO. 459

Longer-wearing two-in-one construction



Longer wearing, two-in-one construction!

- This PVC sponge has a remarkably durable and abrasion resistant surface
- Created during the manufacturing process, its heat bonded to a comfortable sponge base
- As a dual density anti-fatigue mat, lasts much longer than similar products, but is very economical
- All edges are safety bevelled
- Colour: Black



1-YEAR WARRANTY

Model No.	Dim.		Wt. lbs.
	W'	L'	
NG593	2 x 3	4.5	
NG596	2 x 60	90	
NG594	3 x 5	11.25	
NG595	3 x 12	27	
NG597	3 x 60	135	
NG598	4 x 60	217	
CUTS UP TO 60' IN LENGTH			
NG599	2 x lin.ft.	0.75/lin.ft.	
NG600	3 x lin.ft.	0.75/lin.ft.	
NG601	4 x lin.ft.	0.75/lin.ft.	

Other lengths available, call for a quote

ULTRA-TRED ARMORCOTE NO. 440

A urethane-coated, PVC sponge anti-fatigue mat



Urethane coating increases durability, resistance to chemicals & clean-up ease!

- Urethane coating gives this anti-fatigue mat extra durability
- PVC sponge with a urethane wear-layer for longer performance
- The double-thick urethane coating offers more abrasion and chemical resistance than comparable sponge products
- A tremendously versatile, yet affordable mat, Ultra Tred is ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick with eye-catching yellow safety borders
- Colour: Black with yellow borders



1-YEAR WARRANTY

Model No.	Dim.		Wt. lbs.
	W'	L'	
NB533	2 x 3	5	
NB537	3 x 5	11	
NB534	3 x 12	27	
SAJ811	2 x 60	83	
NB538	3 x 60	135	
NB540	4 x 60	160	
CUTS UP TO 60' IN LENGTH			
JA080	2 x lin.ft.	1.5/lin.ft.	
JA081	3 x lin.ft.	2.25/lin.ft.	
JA082	4 x lin.ft.	3/lin.ft.	

DRY & WET AREA ANTI-FATIGUE MATTING

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

TOP QUALITY PVC SPONGE MATTING!



Comfort & practicality
all rolled into one mat!

- For use in all dry work areas
- Blown-PVC sponge designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in two thicknesses:
Tuf Sponge is 3/8" thick
Deluxe Tuf Sponge is a softer formulation and a full 5/8" thick
- Both are available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOURS:

Tuf Sponge: Black and grey
Deluxe Tuf Sponge: Black

1-YEAR
WARRANTY

TUF SPONGE NO. 451

Model No.		Dim.			Wt. lbs.
Black	Grey	W'	x	L'	
NB550	NB551	2	x	3	5
NB565	NB566	3	x	5	12
NB568	NB569	3	x	60	126

CUTS UP TO 60' IN LENGTH

Model No.	Dim.	Wt. lbs./lin.ft.
JA083	2 x lin.ft.	2.8/lin.ft.
NG415	3 x lin.ft.	4.3/lin.ft.
NG416	4 x lin.ft.	5.7/lin.ft.
JA085	6 x lin.ft.	8.5/lin.ft.

DELUXE TUF SPONGE NO. 442

Model No.	Dim.	Wt. lbs.
SAL174	2 x 3	6
SAL180	3 x 5	17

CUTS UP TO 60' IN LENGTH

Model No.	Dim.	Wt. lbs./lin.ft.
SAL172	2 x lin.ft.	1.5/lin.ft.
SAL178	3 x lin.ft.	2.25/lin.ft.
SAL184	4 x lin.ft.	3/lin.ft.



WORKRITE NO. 474

- Perfect for wet commercial or industrial areas
- General purpose, natural rubber compound for use around water and non-caustic agents
- Lightweight design eases the strain of cleaning, yet keeps employees comfortable
- Functional drainage design
- Molded bevelled edges for easy access
- 1/2" thick
- Colour: Black

1-YEAR
WARRANTY

Economical anti-fatigue mat
provides both safety & comfort!



Model No.	W'	Dim. x	L'	Wt. lbs.
NB607	3	x	5	25
NG013	3	x	10	50
NG014	3	x	20	100


WELDSAPE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient *Nitricell*® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 9/16" thick
- Green rating > 33% post industrial material
- Colour: Black

Anti-fatigue mat
specifically designed
for welding!



3-YEAR
WARRANTY



Model No.	Dim. W' x L'	Wt. lbs.
NG181	2 x 3	9
NG182	3 x 5	23

CUTS UP TO 75' IN LENGTH

Model No.	Dim.	Wt. lbs./lin.ft.
SAL188	2 x lin.ft.	3/lin.ft.
NG184	3 x lin.ft.	4.5/lin.ft.
SAL189	4 x lin.ft.	6/lin.ft.

Available in other lengths, call for a quote



ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP

- A very popular static control solution in manufacturing facilities
- Dramatically reduces the percentage of defective product and employee complaints
- Quickly drains static electricity from workers and effectively protects sensitive equipment and products from damage
- Effectively prevents the incidence of sparks caused by static discharge
- Designed to dramatically reduce fatigue, the *Nitricell* sponge base is a nitrile rubber composite designed for comfort and long-term performance
- Available in a diamond-plate surface (RTG = 5×10^3 to 1×10^7 ohms)
- 9/16" thick
- This mat must be grounded and employees must either wear heel grounders or conductive shoes



Protects workers from fatigue & electronic equipment from damage!

3-YEAR WARRANTY



Model No.	Dim.			Description	Wt. lbs.
	W'	x	L'		
SAL243	2	x	3	Smooth Surface	8.1
NB692	3	x	5	Diamond Plate Surface	23
SAR335	3	x	5	Smooth Surface	16.1
CUTS UP TO 75' IN LENGTH					
NB693	3	x	lin.ft.	Diamond Plate Surface	5
SAJ574				15' L Ground Wire (Sold Separately)	1

REQUIRED ACCESSORY FOR ESD MATTING

15' GROUND CORD NO. 793.15

- Use this cord to connect all ESD tabletop and floor mats to a building ground
- The solderless terminal can be connected to an electrical outlet by using the screw in the outlet cover
- The molded-in snap fastener has an integral one megohm resistor and conforms to 10 mm snaps



Model No. SAJ574



HEEL GROUNDERS NO. 793HG

- The heel grounder allows static electricity to pass from the worker to the ESD matting or flooring
- One size fits all and the velcro loop allows for easy attachment
- Allow the fabric strip to touch the workers skin for best performance
- One megohm resistor
- 0.060" thick



Model No. SAL252




NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

- High-performance non-conductive matting conforms to ANSI/ASTM D-178-01 Type II, Class 2
- Designed to protect personnel in areas with dangerous high-voltage equipment, these mats can insulate against as much as 30000 volts of electricity
- Available in two surface designs:
Diamond-plate is easily cleaned
Corrugated for extra traction
- 1/4" thick



Passes U.S. Department of Labour Mine Safety and Health Administration—Title 30, Code of Regulations 18.65 Flammability Rating for products taken into mines.

Type II— Refers to the material compound—a virgin PVC resistant to chemical and other spills, ozone and UV.



1-YEAR WARRANTY

NO. 702

Model No.	Dim.			Description
	W'	x	L'	
CORRUGATED				
SAL242	2	x	75	
NB657	3	x	75	
CUTS UP TO 75' IN LENGTH				
SAL241	2	x	lin.ft.	
NB658	3	x	lin.ft.	
NB660	4	x	lin.ft.	

NO. 701

Model No.	Dim.			Description
	W'	x	L'	
DIAMOND-PLATE				
SAL236	2	x	75	
SAL238	3	x	75	
CUTS UP TO 75' IN LENGTH				
SAL235	2	x	lin.ft.	
SAL237	3	x	lin.ft.	
SAL239	4	x	lin.ft.	

CLEAN ROOM MATS NO. 095

- Traps impurities in areas that require dirt and dust control
- Perfect for outside controlled manufacturing areas, clean rooms, or labs, also keeps dirt from tracking into office areas
- The tacky surface efficiently pulls dirt and dust off shoe soles before it can contaminate a clean or sterile room
- Effective and easy to use, each mat has 30 or 60 layers of tough film once the top layer is contaminated, simply pull it off and discard
- Use on tile, low-profile carpet or concrete surfaces
- Colours: Blue or white
- Sold per case of 4



30 Layers		60 Layers		Dimensions		
White	Blue	White		W"	x	L"
SEB153	SEB152	SEB162		18	x	36
SEB155	SEB154	SEB163		18	x	45
SEB157	SEB156	SEB164		24	x	45

RUNNER & ENTRANCE MATTING

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Will not curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black

The all-purpose runner that makes floors safer to walk on!



1-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W'	x	L'	
NB374	3	x	105	230
NB376	4	x	105	300
NB375	3	x	lin.ft.	2/lin.ft.
NB377	4	x	lin.ft.	3/lin.ft.

HEAVY DUTY MULTI-GUARD NO. 220

- Thousands of scraping fingers powerfully remove dirt from sight
- Mat holds pounds of dirt between cleanings
- Bevelled edges add no-trip safety
- 2500 rubber scrapers per square foot
- Shake or hose to clean
- 1/2" overall thickness
- Colour: Black

Uses: Heavily trafficked outdoor entrances

1-YEAR WARRANTY



Exceptional dirt trapping qualities solve the problem of damaging grime & moisture tracking!



Model No.	Dim.			Wt. lbs.
	W"	x	L"	
NB206	24	x	32	8
NB207	28	x	46	15
NB208	32	x	39	15
NG588	36	x	60	31
NB209	36	x	72	35

UPFRONT SCRAPER MATS NO. 224

5/16" THICK OUTDOOR SCRAPER MAT

- Popular and classic design effectively scrapes dirt, snow and rain off shoes, containing it outside
- Pliable and durable rubber compound is highly resistant to harsh outside elements
- Low profile accommodates tight doorways
- Easy to clean, simply hose it down or shake it off and it is ready to go
- Colour: Black

JA187

JA911

1-YEAR WARRANTY



Model No.	Description	Dim.			Wt. lbs.
		W'	x	L'	
JA187	Solid	3	x	5	19
JA911	w/Slots	3	x	5	17

MUD CHUCKER NO. 229

15/16" THICK MOBILE SHOE SCRAPER MAT



- Use where shoes or boots are exposed to dirt, grass clippings, snow, salt, or sand
- Pliable fingers scrape the bottom and sides of shoes or boots
- Bolt down in permanent applications, or use as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- To clean, simply shake or spray off with a hose
- 1" thick at front edge, 2 3/8" on the sides
- Colour: Black



1-YEAR WARRANTY

Model No.	Dim.			Wt. lbs.
	W"	x	L"	
SAL652	12 3/8	x	15 1/4	4.5