

CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

Note: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.



CLASS A fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



CLASS B fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strikes in warehouses and manufacturing plants.



CLASS C for live electrical equipment. Often occurs in computers, monitors, wiring and appliances.

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed



SC951
Wall Hooks



Order No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

*Meets requirements for forklifts

ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits
SC951	C160738	Wall Hook	5 lbs.	SA442	UP2	Vehicle Bracket	2.5 lbs.
SC952	C160752	Wall Hook	10 lbs.	SC955	UB5	Vehicle Bracket	5 lbs.
SC953	C160791	Wall Hook	20 lbs.				

ALUMINUM CYLINDER CARBON DIOXIDE (CO₂) FIRE EXTINGUISHERS

- Well suited for corrosive environments
- Industrial-strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- Comes with wall hook
- ULC listed



Order No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	H"	Dia."	Wt. lbs.
SAJ098	SF-5CO2	5	5BC	6-12	10	17 1/4	5 3/4	13 1/4
SAJ099	SF-10CO2	10	10BC	6-12	10	19 3/4	6 3/4	27
SAJ100	SF-15CO2	15	10BC	6-12	15	26 3/4	6 3/4	37
SAL344	SF-20CO2	20	10BC	6-12	20	26 3/4	8	48 1/8

ACCESSORIES

Order No.	Mfg. No.	Description	Fits
SAM953	SF5WH	Wall Hook	5 lbs.
SAM954	SF1015WH	Wall Hook	10-15 lbs.
SAM955	SF20WH	Wall Hook	20 lbs.
SAP900	HDVB-2	Vehicle Bracket	5 lbs.
SAM957	HDVB-3	Vehicle Bracket	10 lbs.
SED313	HDVB-4	Vehicle Bracket	15 lbs.

K CLASS WET CHEMICAL EXTINGUISHERS

- Brass valve construction
- Specially designed and tested for address fires in restaurants and commercial fryers
- Very effective on cooking oil and grease fires
- Ideal for restaurants, kitchens, cafeterias, food courts, and other locations with high temperature cooking materials
- Nozzle designed to prevent splashing
- Designed to be used in conjunction with a kitchen suppression system
- Comes with wall hook
- Weight: 25 lbs.




Order No.	Mfg. No.	Cap. Liters	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."
SED438	SF-6LK	6	1-A:K	10-12	60	100	21 1/2	7

Fire Protection

STANDARD-DUTY VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS



- Black polyester powder-coated with stainless steel strap
- ULC listed



Order No.	Mfg. No.	Fits
SA442	UP2	2.5 lbs.
SC955	UB5	5 lbs.

MEDIUM-DUTY VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS



- Black polyester powder-coated with two stainless steel straps
- Ideal for forklifts, industrial equipment and warehouse retail
- ULC listed



Order No.	Mfg. No.	Fits
SED311	UB5-MD	5 lbs.
SED312	UP10	10 lbs.

HEAVY-DUTY VEHICLE & MARINE BRACKETS



- Ideal for construction equipment, industrial and commercial trucks
- Corrosion-resistant
- Uni-body steel construction
- Rounded corners for added safety



Order No.	Mfg. No.	Fits ABC	Fits CO ₂
SAP900	HDVB-1	5 lbs.	-
SAM956	HDVB-2	10 lbs.	5 lbs.
SAM957	HDVB-3	20 lbs.	10 lbs.
SED313	HDVB-3	30 lbs.	15 lbs.

FIRE EXTINGUISHER COVERS

- Reinforced vinyl covers fasten over wall-mounted extinguishers
- Protect valves, fittings and gauges from dust and corrosive fumes
- Velcro® closure on back provides quick and easy removal with a quick jerk of pull handle
- Fluorescent red colour provides high visibility
- Available with or without window to check pressure gauge
- Available in English, French or bilingual



herbertwilliams
FIRE EQUIPMENT LTD.

Order No.	Mfg. No.	Description	Dim. W" x H"	Fits
SD019	E-FEC10	English w/window	12 x 20	10 lbs.
SD020	E-FEC10NW	English w/o window	12 x 20	10 lbs.
SD021	E-FEC20	English w/window	16 x 25	20 & 30 lbs.
SD022	E-FEC20NW	English w/o window	16 x 25	20 & 30 lbs.
SE271	F-FEC10	French w/window	12 x 20	10 lbs.
SE272	F-FEC10NW	French w/o window	12 x 20	10 lbs.
SE273	F-FEC20	French w/window	16 x 25	20 & 30 lbs.
SE274	F-FEC20NW	French w/o window	16 x 25	20 & 30 lbs.
SD023	B-FEC10	Bilingual w/window	12 x 20	10 lbs.
SD024	B-FEC10NW	Bilingual w/o window	12 x 20	10 lbs.
SD025	B-FEC20	Bilingual w/window	16 x 25	20 & 30 lbs.
SD026	B-FEC20NW	Bilingual w/o window	16 x 25	20 & 30 lbs.

HEAVY-DUTY OUTDOOR EXTINGUISHER CABINETS

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door jam
- Full metal door with keyed paddle latch
- Baked red acrylic enamel over phosphate treated steel
- Accommodates up to a 30-lb. dry chemical ABC extinguisher



herbertwilliams
FIRE EQUIPMENT LTD.

Order No.	Mfg. No.	Inside Dimensions		
		W"	x D"	x H"
SAN296	OEC	14	x 10	x 28

SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Extinguishers are readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- Baked white enamel finish with acrylic plastic viewing panel
- Break glass hammer and chain with "break glass" sticker

herbertwilliams
FIRE EQUIPMENT LTD.

Order No.	Mfg. No.	Dimensions				Accommodates
		W"	x	D"	x H"	
SAS062*	C-100	8 1/2	x	6	x 20 1/2	5-lb Dry Chemical
SD028	C-999	10 9/16	x	6 9/16	x 24 5/16	10-lb Dry Chemical
SD027	C-104	14 1/8	x	9 1/16	x 30 1/8	20-lb Dry Chemical or 10-lb CO ₂

*Break glass hammer and chain not included.



SAFETY SIGNS

ACCUFORM SIGNS

Fire Extinguisher

Fire Hose



Fire Extinguisher Order No.	Mfg. No.	Fire Hose Order No.	Mfg. No.	Size cm	Material
SD215	MPCS534VS	SD227	MPCS535VS	15	Adhesive Vinyl
SAW806	MPCS534VP	SAW808	MPCS535VP	15	Plastic
SEA464	MPCS534VA	SEA466	MPCS535VA	15	Aluminum
SD217	MPCS584VS	SD229	MPCS585VS	30	Adhesive Vinyl
SAW807	MPCS584VP	SAW809	MPCS585VP	30	Plastic
SEA465	MPCS584VA	SEA467	MPCS585VA	30	Aluminum

CARBON MONOXIDE ALARMS

- Quick and easy hardwire connection to AC power
- Interconnectable to up to 12 multiple station alarms
- Low power consumption: 0.085 A standby, 0.087 A in alarm
- Operating voltage: 120 V AC, 60 Hz
- Back-up 9 V battery comes pre-installed
- Red LED indicates which power supply is active
- Single test/silencer button
- Alarm horn: 85 dB at 10'



Order No. SEI607
Mfg. No. CO5120BNA



MULTI-GAS ALARMS

- 3-way protection against carbon monoxide, propane, and natural gas
- Plug-in unit with back-up battery (included)
- EZ access battery door located on the front of the unit to make maintenance easier
- Accurate display easily identifies hazards
- Remote controlled silence/test feature – just point and click with any TV remote to quiet unwanted alarms or test alarm functions
- Low battery warning with silence feature to quiet low battery warnings for up to 8 hours
- End of life timer provides audible notice when it is time to replace alarm

Order No. SEH170
Mfg. No. GCO1CNA



First Alert

COMBINATION CARBON MONOXIDE & SMOKE ALARMS

- 120 V hardwire
- Dual protection – CO/Smoke
- Alarm-Pause[®] silence feature
- Ionization technology
- Alarm source indicator
- Distinct audible and visual alarm indicators
- Instant test/reset feature
- Interconnectable up to 18 units
- Tamper-resistant "Lock-it" key mounting hardware included
- Dimensions: 5" dia. x 1.7" deep
- 5-year limited warranty
- ULC listed



Order No. SAL259
Mfg. No. COS2010

SMOKE DETECTOR TESTER™

- Puts both ionization and photoelectric smoke detectors through their paces to ensure their circuitry, alarm and power are all functioning
- Patented formulation simulates the entire range of fire conditions
- 2.5-oz. aerosol spray can contains 200+ sprays per can
- Leaves no residue, non-toxic, and 100% ozone safe
- NFPA 72 compliant testing when used as directed
- UL and ULC listed

Order No. SAI386
Mfg. No. 25S



HOME SAFEGUARD INDUSTRIES, INC.

NATURAL GAS DETECTORS

Plugs into any standard AC outlet, 120 V AC

- Measures the concentration of natural gas
- Install by simply plugging into any standard 120 V AC wall outlet (requires no batteries)
- Loud 85 dB alarm is set to alarm before gas levels reach 25% of lower explosive level
- Instant test feature and self-diagnosing circuitry
- 6' drop cord and mounting plate included
- 5-year comprehensive warranty
- UL listed
- Not for industrial use



Order No.	Mfg. No.	Description	Dimensions		
			W" x D" x H"		
SD536	NG200	Plug-In	6.5 x 5 x 3.5		

FIRST RESPONSE™ GENERAL PURPOSE SMOKE ALARMS

- Battery powered, 9 V battery (included)
- Suitable for all rooms
- Dual-ionization technology
- Easy Touch™ Alarm-Pause[®] feature
- Alarm and power test feature
- Operating LED
- Up to 30 days low battery warning
- Easy installation, mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed



Order No.	Mfg. No.	Description	Dimensions	
			Dia." x D"	
SEA773	SFAFA318A	Battery Powered Smoke Alarm	4.4 x 1.5	
XB876	EN22	Replacement Battery, 9V, 12/Pkg		

HARDWIRE SMOKE ALARMS W/BATTERY BACK-UP

- 120 V AC hardwire with a 9 V battery back-up feature (battery included)
- Alarm-Pause[®] silencer feature
- Ionization technology
- Interconnectable up to 18 units (combined with CO alarms)
- Alarm source indicator
- Alarm and power test feature and LED's
- Low battery warning
- Tamper resistant "Lock-it" key mounting hardware included
- 10 year limited warranty (battery excluded)
- ULC listed



Order No.	Mfg. No.	Description	Dimensions	
			Dia." x D"	
SAQ316	670LBX	120 V Hardwire Smoke Alarm	5.25 x 1.75	
XB876	EN22	Replacement Battery, 9V, 12/Pkg.	-	

Fire Protection

KEY BOXES



Safety Technology International, Inc.

- Durable ABS red plastic
- Unique snap in design
- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 4 1/4" W x 1 1/4" D



Order No.	Mfg. No.	Description
SAG771	KB	Key Box
SAG772	RKBG	Replacement Glass

EXIT STOPPER® DOOR ALARMS

- Highly effective alarm alerts you to any unauthorized exits/entries through emergency exit doors and rear doors
- Highly visible "stop sign" design acts as a deterrent
- Housing is molded of UV stabilized tough polycarbonate
- Compact patented design 5" in diameter and 1.875" deep
- Emits an ear piercing 95 or 105 dB warning alarm when activated which can be preset to sound for 30 seconds, 3 minutes, indefinitely or annunciator mode (10 beeps)
- Key-operated override silences the alarm and allows authorized exits
- May be programmed for 15 second delay or immediate trip
- Alarming delay allows unit to arm following an authorized exit
- Includes warning label (often placed on protected door)
- Fitted with a long life 9-VDC alkaline battery
- 3 year guarantee against breakage of polycarbonate housing in normal use, 1 year on electronics



Safety Technology International, Inc.

Order No.	Mfg. No.	Language
SE461	STI6400	English
SEJ347	STI-6400/FRE	French

UNIVERSAL STOPPER® FIRE ALARM COVERS SEJ348

- Unique and patented device helps stop false alarms, without restricting legitimate alarms
- On model with optional horn, when cover is lifted it sounds a piercing 105 dB warning, drawing attention to the area or pranksters
- Horn will sound until cover is snapped back onto the frame (or for the life of the battery)
- High strength piano hinge
- Clear, tamperproof, tough polycarbonate shield and frame fit over pull station or call point
- UV-stabilized covers are for indoor or outdoor use
- Ideal for schools, hospitals, nursing homes, public transport, stores, hotels or any public area with an exposed fire pull station
- Flush or surface mount, with or without internal horn
- Sized to fit most pull stations



Safety Technology International, Inc.

Order No.	Mfg. No.	Mounting Type	Language
SEJ348	STI-13010FR	Flush	English
SEJ349	STI-13020FR	Flush, w/horn	English
SEJ350	STI-13210FR	Surface	English
SEJ351	STI-13220FR	Surface w/horn	English
SEJ352	STI-13310FR	Enclosed flush back box	English
SEJ353	STI-13010FR/FRE	Flush	French
SEJ354	STI-13020FR/FRE	Flush, w/horn	French
SEJ355	STI-13210FR/FRE	Surface	French
SEJ356	STI-13220FR/FRE	Surface w/horn	French
SEJ357	STI-13310FR/FRE	Enclosed flush back box	French

EMERGENCY ESCAPE LADDERS

- Quickly and easily attaches to any window
- No tools or assembly required
- Tangle-free design
- Constructed of durable and flame resistant aluminum
- Anti-slip rungs
- Tested to 1000 lbs.
- Available in two story, (13') or three story (25') ladder
- 5-year limited warranty



Order No.	Mfg. No.	Length'
SAF946	HW2D	13
SAF947	HW3D	25

EMERGENCY KEY BOXES

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch resistant red paint
- Rust proof
- Replaceable glass, 3" W x 4.8" H
- Pre-slotted mounting holes
- Secure, multi-functional cam lock with two keys
- 6.92" W x 2.04" D x 6.8" H
- Includes steel smash rod and chain
- Complete with key hook, two screws and plugs



Order No.	Mfg. No.	Description
SAG773	5151	Key Box
SAG774	5151-G	Replacement Glass

WOOL BLANKETS W/POUCH

- 100% wool, fire resistant blanket and pouch
- Compact, fluorescent red pouch has touch-and-hold nylon fastener to release blanket instantly
- Built-in handle and mounting hanger
- Available with bilingual signage
- Blanket size: 83" x 59"
- Kit size: 16" W x 5" D x 11"H

Order No. SE090
Mfg. No. EB/99W



by Honeywell



CLASS™ FIRE RETARDANT

- Professional grade fire retardant
- Reduces dangerous flame spread on a range of materials including draperies, furniture, mattresses, wooden structures, cardboard and external clothing
- All flame treated items must be able to absorb moisture and have a minimum content of 30% natural fibre
- Easy to apply
- Non toxic • Low odour
- ASTM - EB-81A earned a flame spread of 25 "A" rating



Order No.	Mfg. No.	Description
AA904	61314-SPRAYBOTTLE	350 g Spray Bottle



**OIL
LIQUIDS
CHEMICALS**

SPILLS

CONFINE

CONTROL

RESOLVE

CLEAN

ZENITH[®]
Safety Products

ZENITH ABSORBENTS . . . WORK AS HARD AS YOU DO!

Spill Control Management

FINE FIBRE SORBENT PADS & ROLLS - INDUSTRIAL GRADE

- Premium industrial grade fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers maximum absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - OIL ONLY				
SEI956	Heavy	15" x 17"	40	100
SEI957	Medium	15" x 17"	35	100
SEI958	Light	15" x 17"	40	200
ROLLS - OIL ONLY				
SEI959	Heavy	150' x 30"	70	1
SEI960	Heavy	150' x 15"	35	1
SEI961	Medium	150' x 30"	50	1
SEI962	Medium	150' x 15"	25	1

UNIVERSAL

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - UNIVERSAL				
SEI963	Heavy	15" x 17"	40	100
SEI964	Medium	15" x 17"	35	100
SEI965	Light	15" x 17"	40	200
ROLLS - UNIVERSAL				
SEI966	Heavy	150' x 30"	70	1
SEI967	Heavy	150' x 15"	35	1
SEI968	Medium	150' x 30"	50	1
SEI969	Medium	150' x 15"	25	1


HAZMAT

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - HAZMAT				
SEI970	Heavy	15" x 17"	40	100
SEI971	Medium	15" x 17"	35	100
SEI972	Light	15" x 17"	40	200
ROLLS - HAZMAT				
SEI973	Heavy	150' x 30"	70	1
SEI974	Heavy	150' x 15"	35	1
SEI975	Medium	150' x 30"	50	1
SEI976	Medium	150' x 15"	25	1

Heaviest grade of fine fibre finish in the industry!




SEI956



SEI959

SEI963



SEI966

SEI963



SEI973

FINE FIBRE SORBENT PADS & ROLLS

- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - OIL ONLY				
SEH974	Heavy	15" x 17"	30	100
SEH975	Medium	15" x 17"	25	100
SEI977	Light	15" x 17"	30	200

ROLLS - OIL ONLY

SEH976	Heavy	150' x 30"	50	1
SEH977	Heavy	150' x 15"	25	1
SEH978	Medium	150' x 30"	40	1
SEH979	Medium	150' x 15"	20	1

UNIVERSAL

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - UNIVERSAL				
SEJ936	Heavy	15" x 17"	30	100
SEH981	Medium	15" x 17"	25	100
SEI978	Light	15" x 17"	30	200

ROLLS - UNIVERSAL

SEH982	Heavy	150' x 30"	50	1
SEH983	Heavy	150' x 15"	25	1
SEH984	Medium	150' x 30"	40	1
SEH985	Medium	150' x 15"	20	1

HAZMAT

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - HAZMAT				
SEH986	Heavy	15" x 17"	30	100
SEI979	Medium	15" x 17"	25	100
SEH987	Light	15" x 17"	30	200

ROLLS - HAZMAT


SEH988	Heavy	150' x 30"	50	1
SEI980	Heavy	150' x 15"	50	1
SEI981	Medium	150' x 30"	40	1
SEI982	Medium	150' x 15"	20	1




SEH975



SEH976



SEH980



SEH982



SEH986



SEI988



Spill Control Management

LAMINATED (SMS) SORBENT PADS & ROLLS

- Three layer spun bonded/melt blown/spun bonded finish (SMS)
- Extra strength polypropylene outer layer
- Laminated sorbents are lint free and permit a fast and easy clean up
- Premium durability; ideal for high traffic surfaces
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight



OIL ONLY

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - OIL ONLY				
SEH990	Heavy	15" x 17"	30	100
SEI983	Medium	15" x 17"	25	100
SEI984	Light	15" x 17"	30	200
ROLLS - OIL ONLY				
SEH991	Heavy	150' x 30"	50	1
SEH992	Heavy	150' x 15"	25	1
SEI986	Medium	150' x 30"	40	1
SEI987	Medium	150' x 15"	20	1

SEH990




SEH991

UNIVERSAL

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - UNIVERSAL				
SEH996	Heavy	15" x 17"	30	100
SEI988	Medium	15" x 17"	25	100
SEI989	Light	15" x 17"	30	200
ROLLS - UNIVERSAL				
SEH994	Heavy	150' x 30"	50	1
SEH995	Heavy	150' x 15"	25	1
SEI990	Medium	150' x 30"	40	1
SEI991	Medium	150' x 15"	20	1

SEH996



SEH994

HAZMAT

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - HAZMAT				
SEI992	Heavy	15" x 17"	30	100
SEI993	Medium	15" x 17"	25	100
SEI994	Light	15" x 17"	30	200
ROLLS - HAZMAT				
SEI995	Heavy	150' x 30"	50	1
SEI996	Heavy	150' x 15"	25	1
SEI997	Medium	150' x 30"	40	1
SEI998	Medium	150' x 15"	20	1

SEH992



SEI995

BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - OIL ONLY				
SEJ934	Heavy	15" x 17"	30	100
SEH968	Heavy	15" x 17"	10	25
SEH969	Medium	15" x 17"	25	100
SEI999	Light	15" x 17"	15	100
SEH970	Light	15" x 17"	30	200
ROLLS - OIL ONLY				
SEH972	Heavy	150' x 30"	50	1
SEH971	Heavy	150' x 15"	25	1
SEJ001	Medium	150' x 30"	40	1
SEJ002	Medium	150' x 15"	20	1
SEH973	Light	300' x 30"	55	1

UNIVERSAL

Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - UNIVERSAL				
SEJ935	Heavy	15" x 17"	30	100
SEH959	Heavy	15" x 17"	10	25
SEJ940	Medium	15" x 17"	25	100
SEH961	Light	15" x 17"	15	100
SEH962	Light	15" x 17"	30	200
ROLLS - UNIVERSAL				
SEH966	Heavy	150' x 30"	50	1
SEH965	Heavy	150' x 15"	25	1
SEH964	Medium	150' x 30"	40	1
SEH963	Medium	150' x 15"	20	1

HAZMAT


Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - HAZMAT				
SEI007	Heavy	15" x 17"	30	100
SEJ004	Medium	15" x 17"	25	100
SEJ005	Light	15" x 17"	15	100
SEJ006	Light	15" x 17"	30	200
ROLLS - HAZMAT				
SEI009	Heavy	150' x 30"	50	1
SEI008	Heavy	150' x 15"	25	1
SEJ008	Medium	150' x 30"	40	1
SEJ009	Medium	150' x 15"	20	1

SEH967



SEH972

SEH959



SEH964

SEI007



SEI008

Spill Control Management


BLUE BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Blue pads and rolls are excellent for snow conditions, where distinguishing colour is needed
- Same quality and finish as the white pads and rolls

Also available in fine fibre and laminated



Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
BLUE PADS – OIL ONLY				
SEJ186	Heavy	15" x 17"	30	100
SEJ187	Heavy	15" x 17"	10	25
SEJ188	Medium	15" x 17"	25	100
SEJ189	Light	15" x 17"	15	100
SEJ190	Light	15" x 17"	30	200
BLUE ROLLS – OIL ONLY				
SEJ191	Heavy	150' x 30"	50	1
SEJ192	Heavy	150' x 15"	25	1
SEJ193	Medium	150' x 30"	40	1
SEJ194	Medium	150' x 15"	20	1
SEJ195	Light	300' x 30"	55	1



MELTBLOWN SORBENT PADS & ROLLS

- 100% meltblown polypropylene fibre
- Most cost effective sorbent in the industry
- Permit an easy and quick clean up
- Quick and effective solution for all spills or leaks
- All sorbent pads and rolls have absorption capacities of more than 25x their weight



Order No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH942	Heavy	15" x 17"	30	100
SEH943	Heavy	15" x 17"	10	25
SEH944	Medium	15" x 17"	25	100
SEH946	Medium	30" x 30"	50	50
SEH945	Light	15" x 17"	15	100
SEI620	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH947	Heavy	150' x 30"	50	1
SEH948	Heavy	150' x 15"	25	1
SEH949	Medium	150' x 30"	40	1
SEH950	Medium	150' x 15"	20	1



ANTI STATIC SORBENT PADS

- 100% meltblown polypropylene fibre
- Chemically treated with anti static agent
- Permit an easy and quick clean up
- Ideal for cold conditions or highly flammable environments, will not spark
- All sorbent pads have absorption capacities of more than 25x their weight



Order No.	Weight	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEI577	Heavy	15 x 17	25	100
SEJ014	Heavy	30 x 30	55	25



NATURAL FINE FIBRE SORBENT PADS & ROLLS

- Cold formation fine fibre cotton
- Biodegradable
- Lint free finish that does not leave fibre residue behind
- Permits rapid absorption
- All sorbent pads and rolls have absorption capacities of more than 25x their weight


Also available in laminated, bonded and meltblown.



Order No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.
		L	x	W		
PADS – OIL ONLY						
SEI037	Heavy	16"	x	18"	30	100
SEI038	Medium	16"	x	18"	25	100
ROLLS – OIL ONLY						
SEI039	Heavy	150'	x	28"	50	1
SEI040	Heavy	150'	x	14"	25	1
SEI041	Medium	150'	x	28"	40	1
SEJ292	Medium	150'	x	14"	20	1



Order No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.
		L	x	W		
PADS – UNIVERSAL						
SEI042	Heavy	15"	x	17"	30	100
SEI043	Medium	15"	x	17"	25	100
ROLLS – UNIVERSAL						
SEI044	Heavy	150'	x	28"	50	1
SEI045	Heavy	150'	x	14"	25	1
SEI046	Medium	150'	x	28"	40	1
SEJ293	Medium	150'	x	14"	20	1



MULTI-PURPOSE SORBENTS

- Folded sorbents are a quick and easy solution for cleaning/absorbing spills and drips
- May be used as a pad, roll, pillow or sock
- Perforated to easily select the required length

SEI068



Order No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.
		L'	x	W"		
MULTI-PURPOSE SORBENTS						
SEI068	Universal	50	x	5	10	3
SEI069	Oil Only	50	x	5	10	3
SEI070	Hazmat	50	x	5	10	3

3M™ FOLDED SORBENTS

- The 4-in-1 folded sorbents are the easy-to-use solution for cleaning up spills, drips and fluid leaks
- 5" x 50' roll can be used as a boom, pillow, pad or roll
- Perforations every 16" allow you to select the length you need
- Available for either general purpose maintenance (non-aggressive liquids), petroleum-based products (oil only) or chemical spill cleanups
- Sorbent capacity is 34 L per box




Order No.	Mfg. No.	Description
SC402	M-FL550DD	Maintenance
SC403	P-FL550DD	Petroleum
SC404	C-FL550DD	Chemical Sorbent

CAMOUFLAGE UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/spun bonded finish (SMS)
- Strong tensile strength is ideal for wiping and MRO applications
- Military camouflage design and colour offers maximum spill and dirt concealment
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Order No.	Weight	Dimensions			Absorbency/Pkg. Gallons	Qty /Pkg.
		L	x	W		
PADS - UNIVERSAL						
SEI056	Heavy	15"	x	17"	25	100
ROLLS - UNIVERSAL						
SEI057	Heavy	150'	x	30"	50	1
SEI058	Heavy	150'	x	15"	50	1



Spill Control Management

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, and keeps it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Order No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEI055	Heavy	150 x 36	50	1



INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Order No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEJ019	Heavy	100 x 36	25	1
SEJ020	Heavy	150 x 36	35	1
SEJ021	Heavy	300 x 36	70	1



POLY BACKED INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Poly backing prevents absorbed fluids from penetrating through to the floor
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Order No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEJ022	Heavy	100 x 36	25	1
SEJ023	Heavy	150 x 36	35	1
SEJ024	Heavy	300 x 36	70	1



HIGH TRAFFIC UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/fine fibre finish (SMF)
- Best suited for problem areas with high traffic
- Conceived for added durability and absorbency
- Offers the top layer strength of laminated sorbents, with the bottom layer floor adherence of fine fibre sorbents
- Ideal for use in forklift traffic areas
- All universal rolls are antistatic and made of up to 90% recycled materials
- All sorbent rolls have absorption capacities of more than 25x their weight

Order No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEJ015	Heavy	150 x 30	60	1
SEJ016	Heavy	150 x 15	30	1
SEJ017	Light	150 x 30	40	1
SEJ018	Light	150 x 15	20	1





OIL ONLY BILGE BOOMS

- 100% polypropylene
- Will not sink when fully saturated permitting easy retrieval
- Can be used indoors or outdoors, and will not absorb water
- Prevents odors by absorbing bacteria breeding oily residues



Order No.	Dimensions		Absorbency/Pkg. Gallons	Qty /Pkg.
	L"	x W"		
BILGE BOOM - OIL				
SEI051	18	x 5	31	12
SEJ294	18	x 8	31	12

SORBENT BOOMS

- Made of a durable spunbond sock and net filled with 100% polypropylene particulate
- Oil only booms are used for marine spills, universal booms are used for large land spills
- Durable rope runs between the sock and net allowing all tension to remain on the rope
- Hooks and clips at ends and 18" provide overlap at connection points
- Quick snaps provide easy handling and permit to attach multiple lengths together
- UV resistant for up to 12 months
- Oil only booms are made from 100% polypropylene, and absorb more than 25x their weight
- Universal booms are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



OIL ONLY SWEEP

- Made of durable laminated polypropylene
- 2" nylon webbing for additional strength is added on the length of the sweep
- Ideal for marine spill, fine sheen and surface spill removal
- Sorbent sweep absorbs oil, and repels water
- Looping straps at each end to tie sweep across waterways or on boats for dragging
- Easily attaches to sorbent booms



Order No.	Dimensions		Absorbency/Pkg. Gallons	Qty /Pkg.
	L"	x W"		
SWEEP - OIL ONLY				
SEI049	100	x 19	33	1



Order No.	Dimensions		Absorbency/Pkg. Gallons	Qty /Pkg.
	L"	x W"		
BOOMS - OIL ONLY				
SEH951	120	x 5	35	4
SEH952	120	x 8	70	4
BOOMS - UNIVERSAL				
SEH999	120	x 5	35	4
SEI001	120	x 8	70	4

Spill Control Management

DRUM COVER ABSORBENT PADS

- 100% polypropylene
- Precut to fit 55-gallon drums perfectly with a cut out bung hole
- Retains pump drips and drum leaks at the source and away from surrounding areas
- Keeps drum tops and floors clean and dry



Order No.	Size Diameter"	Absorbency/Pkg. Gallons	Qty /Pkg.
DRUM COVER - OIL ONLY			
SEI050	22	10	25
DRUM COVER - UNIVERSAL			
SEI053	22	10	25

SORBENT PILLOWS

- The perfect sorbent solution to trap drips and leaks
- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



Order No.	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
PILLOWS - OIL ONLY			
SEH956	18 x 8	25	10
SEH957	18 x 18	40	10
PILLOWS - UNIVERSAL			
SEJ028	18 x 8	30	10
SEJ029	18 x 18	45	10
PILLOWS - HAZMAT			
SEI006	18 x 8	30	10
SEI005	18 x 18	45	10

DRIP PANS

- Pans are filled with sorbent pillows which keep liquids contained and prevents splashing
- Convenient, versatile, and easy to use around the work environment
- Best suited for placing under drums or machinery, and any other areas where drips occur
- Perfect solution for continuous leaks



Order No.	Size L" x W" x H"	Absorbency/Pkg. Gallons	Qty /Pkg.
DRIP PAN - OIL ONLY			
SEI052	10 1/2 x 10 1/2 x 3	1	1
DRIP PAN - UNIVERSAL			
SEI054	10 1/2 x 10 1/2 x 3	1	1

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Best suited to surround spills when easy containment and clean up is required
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



Order No.	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
SOCKS - OIL ONLY			
SEH953	48 x 3	25	12
SEJ937	48 x 3	45	25
SEH955	120 x 3	45	10
SOCKS - UNIVERSAL			
SEJ938	48 x 3	20	12
SEI002	48 x 3	40	25
SEI047	48 x 3	50	30
SEJ025	48 x 3	65	40
SEJ026	96 x 3	65	20
SEI048	120 x 3	40	10
SOCKS - HAZMAT			
SEJ941	48 x 3	40	25
SEI011	96 x 3	50	15
SEI004	120 x 3	45	10

97-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEJ260	SEI166
Mobile Spill Kit	SEJ261	SEI493
Replacement Kit*	SEJ823	SG967

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
10	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Spill Control Locker, 42" x 30" x 29"	97 Gal.	CC389
Mobile Spill Control Locker, 42" x 30" x 29"	97 Gal.	SEI518

95-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
4	Sorbent Booms, 5" x 10"	SEH951	SEI149	SEI149
1	Sorbent Roll, 15" x 150'	SEH950	SEH963	SEJ009
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

95-GALLON SHOP SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ266	SEI168	SEJ267
Mobile Spill Kit	SEJ268	SEI495	SEJ269
Replacement Kit*	SEJ827	SEI947	SEJ828

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
10	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

Mobile Version



ZENITH®
Safety Products

Mobile Version



ZENITH®
Safety Products

Mobile Version



ZENITH®
Safety Products

Spill Control Management

95-GALLON INDUSTRIAL SPILL KITS

Description	Oil Only Order No.
Spill Kit	SAK243
Mobile Spill Kit	SAK245
Replacement Kit*	SEI874

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only
50	Sorbent Pads, 15" x 17"	SEI140
5	Sorbent Socks, 3" x 48"	SEI141
5	Sorbent Pillows, 8" x 18"	SEI143
4	Sorbent Booms, 5" x 10"	SEH951
1	Sorbent Roll, 15" x 150'	SEH950
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SED027
1	Repair Putty, 4 oz.	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

Mobile Version



ZENITH
Safety Products

95-GALLON HAZMAT SPILL KITS

Description	HazMat Order No.
Spill Kit	SAL321
Replacement Kit*	SEJ829

*Replacement kit does not include original package container

CONTENTS:

QTY	Description	HazMat
100	Sorbent Pads, 15" x 17"	SEJ773
10	Sorbent Socks, 3" x 120"	SEI151
8	Sorbent Pillows, 8" x 18"	SEI153
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756



ZENITH
Safety Products

95-GALLON ECONOMY SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SAK251	SEJ272
Mobile Spill Kit	SAK253	SEJ273
Replacement Kit*	SEJ830	SEJ831

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Booms, 5" x 10"	SEH951	SEI149
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SED027	SED027
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

Mobile Version



ZENITH
Safety Products

63-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Mobile Spill Kit Replacement Kit*	SEI198 SEI943	SEI197 SEI944

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 120"	SEI142	SEI157
4	Sorbent Pillows, 18" x 18"	SEI144	SEJ777
1	Drain Cover, 36" x 36"	SH104	SH104
1	Optisorb, 25-lb. Bag	SEI076	SEI076
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pair Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Yellow Mobile Container, 23" x 29" x 42"	47 Gal.	SEI276

Mobile Version



55-GALLON ECO-FRIENDLY SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit Replacement Kit*	SEI182 SEI945	SEI181 SEI946	SEJ270 SEJ832

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Natural Fibre Pads, 16" x 18"	SEI154	SEI155	SEI155
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26"x36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	55 Gallons	DC137



55-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit Replacement Kit*	SEI196 SEI576	SEI195 SEJ833	SEJ271 SEJ834

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Black Polyethylene Drum	55 Gallons	DC138



Spill Control Management

31-GALLON TOOL BOX SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEI261	SEI260
Replacement Kit*	SEJ835	SEJ836

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
25	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Oil Gator, 30-lb. Bag	SEI158	SEI158
1	Drain Cover, 36" x 36"	SH104	SH104
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Water Resistant Storage Container, 33" x 19" x 13"	31 Gal.	SEI277



30-GALLON TOOL KADDIE SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Mobile Spill Kit	SEI200	SEI199
Replacement Kit*	SEI953	SEI952

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
40	Sorbent Pads, 15" x 17"	SEI140	SEJ772
5	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
50	Industrial Wipes	SEI278	SEI278
4	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Mobile Tool Kaddie	30 Gal.	SEI275



30-GALLON SHOP SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEI163	SEJ274
Replacement Kit	SEJ837	SEJ838

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
1	Drain Cover, 36" x 36"	SH104	SH104
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
5	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	30 Gallons	SEI490



30-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
75	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
5	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	30 Gal.	SEI490



20-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container, 23" x 18" x 19"	20 Gal.	SAG189



17-GALLON WESTERN CANADA SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI194	SEI193	SEJ280
Replacement Kit*	SEJ844	SEJ845	SEJ846

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Optisorb, 2-lb. Bag	SEI270	SEI270	SEI270
1	Peat Moss, 2-lb. Bag	SEI271	SEI271	SEI271
1	Plug n' Dyke, 10 oz.	SEI071	SEI071	SEI071
1	Scoop, Non-Sparking	SEI280	SEI280	SEI280
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Containment Pool, 20-gal.	SAQ189	SAQ189	SAQ189
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Red Nylon Bag	N/A	SEI557



Spill Control Management

16-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ278	SEI162	SEJ279
Replacement Kit*	SEJ847	SEJ848	SEJ849

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Pail	16 Gal.	SEI489



10-GALLON TRUCK SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit - Zip-Lock Bag	SEI186	SEI185	SEJ281
Spill Kit - Nylon Bag	SEI188	SEI187	SEJ282
Spill Kit - Blue Drum	SEI190	SEI189	SEJ283
Replacement Kit*	SEJ669	SEJ770	SEJ850

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557
Blue Drum	10 Gal.	SEI488



10-GALLON HAZMAT SPILL KITS

Description	HazMat Order No.
Spill Kit	SEI615
Replacement Kit*	SEJ855

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	HazMat
5	Sorbent Socks, 3" x 48"	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067
1	Pair Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
White Polyethylene Pail	5 Gal.	CB046
White Polyethylene Pail Cover	N/A	CB045



DUFFLE BAG VEHICLE SPILL KITS



Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
20	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Repair Putty, 4 oz.	SH105	SH105	SH105
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Nylon Bag	N/A	SEI557



10-GALLON SERVICE VEHICLE SPILL KITS



Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI192	SEI191	SEJ285
Replacement Kit*	SEJ852	SEJ853	SEJ854

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
4	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Oil Gator, 5-lb. Bag	SEI159	SEI159	SEI159
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Nylon Bag	N/A	SEI557



ECO-FRIENDLY TRUCK SPILL KITS



Description	Oil Only Order No.	Universal Order No.
Spill Kit - Zip-Lock Bag	SEI174	SEI173
Spill Kit - Nylon Bag	SEI176	SEI175
Spill Kit - Blue Drum	SEI178	SEI177
Replacement Kit*	SEI871	SEI612

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16" x 18"	SEI154	SEI155
3	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557
Blue Drum	10 Gal.	SEI488



Spill Control Management

5-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit - Zip-Lock Bag	SEI170	SEI169
Spill Kit - Nylon Bag	SEI172	SEI171
Replacement Kit*	SEJ856	SEJ857

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16" x 18"	SEI154	SEI155
1	Sorbent Sock, 3" x 48"	SEI141	SEI156
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557



5-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI161	SEI160	SEJ286
Replacement Kit*	SEI613	SEJ858	SEJ859

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
White Polyethylene Pail	5 gallons	CB046
White Polyethylene Pail Cover	N/A	CB045



5-GALLON ECONOMY SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI266	SEI265	SEJ287
Replacement Kit*	SEJ860	SEJ861	SEJ862

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
1	Sorbent Sock, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Nylon Bag	N/A	SEI557



SEE PAGES 170-172 FOR ZENITH[®] CHEMICAL PROTECTION CLOTHING.





20-GALLON ACID SPILL KITS

Order No.	Description
SEI263	Acid Spill Kit
SEJ863	Replacement Kit*

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Order No.
8	Acid neutralizer, 2-lb. shaker	SEI060
15	Sorbent pads, 15" x 17"	SEJ772
2	Sorbent socks, 3" x 48"	SEI156
2	Microporous coveralls, XL	SEC817
2	Pairs nitrile gloves, 2XL (11)	SAS067
2	Pairs safety goggles, one size	SEF219
2	Disposal bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container	20 Gallons	SAG189



20-GALLON CAUSTIC SPILL KITS

Order No.	Description
SEI262	Caustic Spill Kit
SEJ865	Replacement Kit*

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Order No.
8	Caustic Neutralizer, 2-lb. Shaker	SEI064
15	Sorbent Pads, 15" X 17"	SEI140
2	Sorbent Socks, 3" x 48"	SEI141
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container	20 Gallons	SAG189



20-GALLON BATTERY ACID SPILL KITS

Order No.	Description
SEI264	Spill Kit
SEJ864	Replacement Kit*

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Order No.
8	Acid Neutralizer, 2-lb. Shaker	SEI060
20	Sorbent Pads, 15" x 17"	SEJ772
3	Sorbent Socks, 3"x 48"	SEI156
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
3	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container	20 Gallons	SAG189



Spill Control Management

50-ML MERCURY SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
1	Mercury Powder
1	Mercury Vapour Suppressant
2	Sorbent Pads, 15" X 17"
1	Dust Mask
1	Pair Disposable Boots
2	Pairs Nitrile Gloves, 2XL (11)
1	Dust Pan With Brush
1	Respirator
3	Disposal Bags, 26" X 36"

Order No. SEI268



40-ML MERCURY SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
1	Mercury Absorb Jar
2	Mercury Absorb Sponges
1	Mercury Absorb Powder, 500 g
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Disposal Bag, 26" X 36"

Order No. SEJ552



LAB ACID/BASE SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
4	Sorbent Pads, 15" X 17"
1	Acid Neutralizer
1	Base Neutralizer
1	Pair Safety Goggles, One Size
1	Pair Nitrile Gloves, 2XL (11)
1	Disposal Bag, 26" x 36"

Order No. SEI269



UNIVERSAL PRECAUTION BLOODBORNE PATHOGEN SPILL KITS

CONTENTS:

Qty	Description
1	Poly Bag
1	Protective Apron
1	Combo Mask/Safety Shield
1	Red Z [®] Solidifier, 10 g Pouch
1	Scoop
1	SaniZide Plus [®] , Germicidal Wipe, 8" x 8"
1	P.A.W.S. [®] Antimicrobial Hand Wipe, 5" X 8"
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Red Bio Hazard Waste Bag, 24" X 24"
1	Twist Tie
1	Identification Tag and Instructions

Order No. SEJ290



FIRST RESPONDERS SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
4	Sorbent Pads, 15" X 17"
1	Sorbent Sock, 3" X 48"
1	Repair Putty, 4 oz.
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Disposal Bag, 26" X 36"

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEJ288	SEJ289



BLOCK OFF HAZARDOUS AREAS WITH ZENITH[®] CROWD CONTROL BARRIERS. SEE PAGES 274 & 275.



TABLE TOP SPILL BERM®

- 3/4" tall mini berm bends to form any shape
- Non-absorbing urethane design allows easy clean up
- Designed for use in laboratory, research, medical and industrial applications



Order No.	Description	Dimensions			
		L"	x	W"	x H"
SEI059	Table Top	48	x	1	x 3/4

SPILL BERMS®

- Non-absorbing berms stop machine leaks from spreading and are easily cleaned for repeated use
- Flexible, urethane design will bend to follow any curve or angle needed
- Contains leaks, and reduces slip hazards
- Allows quick and easy cleanup or recycling of liquids
- Can be cut to various lengths to meet custom needs
- Interlocking end joints create longer lengths and are self-sealing



Order No.	Description	Dimensions			
		L"	x	W"	x H"
SEI128	Low Profile	120	x	2 1/4	x 1 3/8
SEI129	Ultra	120	x	4	x 2 1/4
SEI130	Ultra Plus	60	x	4	x 4 1/2
SEI131	Connector	-		-	
SEI132	Corner	-		-	

POLY-LABTRAY™

BRINGS SPILL PROTECTION TO THE LABORATORY BENCH!

- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Molded-in corner spout makes waste disposal clean, easy and efficient
- 40-lb static load weight
- 2.5 US gallon sump capacity



Order No.	Mfg. No.	Exterior Dimensions			Wt. lbs.
		L"	x	W" x H"	
SB768	5248-YE	25	x	21 1/2 x 3	6.5

DRAIN PLUGS

- Prevents leaks and spills from entering circular drains from 2" to 4" in diameter
- Tapered design wedges securely into standard drains to form a tight seal
- Eyebolts are removable, allowing easy installation of grating with Drain Plug in place
- Non-absorbing and easily cleaned for repeated use
- Resists oils and most aggressive chemicals



SEI125


Order No.	Size"
SEI124	2
SEI125	3
SEI126	4
SEI127*	2, 3 4 Kit

*Kit comes in a rigid plastic box



POLY-SPILLPAD™ PADS

- Handles spent batteries, 5-gallon pail, 16 US gallon drums and your small jobs
- Sturdy chemically resistant fabric provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump



Order No.	Mfg. No.	Exterior Dimensions			Sump Cap. US Gal.	Load Bearing Cap. lbs.	Wt. lbs.
		L"	x	W" x H"			
SD519	5600-YE	28	x	28 x 2 1/4	2	4000	13
SD520	5610-YE	31 1/2	x	54 x 2 1/4	7.5	8000	21
SD521	5620-YE	55 1/2	x	55 x 2 1/2	12	16000	25



Spill Control Management

STORMWATER GRATEGUARD MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, lightweight and easy to use
- Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



SEI106

Order No.	Dimensions				
	L"	x	W"	x	H"
STORMWATER GRATEGUARDS – SEDIMENT ONLY					
SEI106	18	x	24	x	4
SEI107	24	x	24	x	4
SEI108	28	x	28	x	4
SEI109	30	x	32	x	4
SEI110	24	x	36	x	4
SEI111	24	x	40	x	4
SEI112	24	x	48	x	4
STORMWATER GRATEGUARDS – OIL & SEDIMENT					
SEI113	18	x	24	x	4
SEI114	24	x	24	x	4
SEI115	28	x	28	x	4
SEI116	30	x	32	x	4
SEI117	24	x	36	x	4
SEI118	24	x	40	x	4
SEI119	24	x	48	x	4

STORMWATER DRAINGUARDS

- Prevents oil and other contaminants from entering water systems and drains
- Designed for use in industrial facilities, construction sites, parking lots and retail outlets
- Can remove up to 0.87 gallons of oil, or 40 lbs of sediments
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order No.	Dimensions				Qty /Package	Wt. lbs.
	L"	x	W"	x H"		
SEI122	48	x	36	x 18	1	1
SEI123	48	x	36	x 18	10	1

DRAIN SEAL MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, light weight and easy to use
- Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order No.	Dimensions				
	L"	x	W"	x	H"
DRAIN SEALS – SQUARE					
SEI091	18	x	18	x	3/8
SEI092	24	x	24	x	3/8
SEI093	36	x	36	x	3/8
SEI094	42	x	42	x	3/8
SEI095	48	x	48	x	3/8
SEI096	54	x	54	x	3/8
DRAIN SEALS – RECTANGULAR					
SEI097	36	x	60	x	3/8
SEI098	18	x	60	x	3/8
DRAIN SEALS – CIRCULAR					
SEI099	12 Dia.	x			3/8 H
SEI100	20 Dia.	x			3/8 H
SEI101	30 Dia.	x			3/8 H
SEI102	42 Dia.	x			3/8 H
WALLMOUNT HOLDER					
SEI103	Fits 18" and 24" Drain Seals				
SEI104	Fits 36" Drain Seals				
SEI105	Fits 48" Drain Seals				

NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Order No	Mfg. No.	Dimensions			
		L"	x	W"	x H"
SH104	Drain-Cover	36	x	36	x 1/16
SAP060	Drain-Cover-48	48	x	48	x 1/16



PLUG RUG® MATS

- Quick and instant, non-toxic seal
- Cost effective and easy to use
- Resistant to oils and most chemicals
- Will seal even if the surface is dirty and rough
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order No.	Dimensions L" x W"	Qty /Pkg.
SEI077	8 x 8	4
SEI078	16 x 16	4
SEI079	24 x 16	4

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Flow rate of over 3 gallons per minute
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- Hose can then be directed to proper drainage point
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)



Order No.	Mfg. No.	Dimensions'
SEI133	460303-YE	3 x 3
SEI134	460306-YE	3 x 6
SEI136	460610-YE	6 x 10
SEI657	460505-YE	5 x 5
SEI658	460606-YE	6 x 6
SEI659	461012-YE	10 x 12
SEI660	461212-YE	12 x 12

RUBBERTIE DOWNS



Order No.	Size"	Max. Safe Stretch"
PE368	15	22 1/2

ENSORB® SUPER ABSORBENT

- 15 to 20 times the absorption capacity of clay-based products
- Virtually unlimited uses as a dry absorbent that is safe in all applications
- Picks up all liquids, of any viscosity, off any hard surface
- Turns the spilled liquid into a solid that can be disposed of easily
- Lightweight and simple to use, it dramatically reduces cleanup costs
- Not injurious to soil, cement, asphalt, tile, plants, animals, or humans
- Contains no reactive chemicals, is not toxic or flammable
- Biodegradable, environmentally safe and friendly



Order No.	Mfg. No.	Description	Wt. lbs.
SEC928	ENP D225	1.5 cu.ft. Bag	15

PLUG N'DIKE® SEALANTS

- Easy to use and convenient emergency sealant
- Seals immediately and sticks to unprepared, dirty and crumpled surfaces
- Non-toxic and non-flammable blend of high absorption polymers
- Can be used with hydrocarbons and water-based chemicals
- Antifreeze mix prevents hardening in cold weather applications
- Dry, granular blend can be mixed with water to form a paste



Order No.	Format	Qty /Pkg.
PLUG N'DIKE® PASTE		
SEI071	10-oz. Jar	1
SEI072	1-lb. Jar	1
PLUG N'DIKE® GRANULAR		
SEI080	5-Gallon Pail	1
SEI081	1-Gallon Jug	4

PIPE LEAK DIVERTERS



- Fast and efficient response to leaks eliminating slip hazards
- High chemical resistance
- 7-gallon fluid capacity
- Convenient hose connector with cap
- Hose can then be directed to proper drainage point
- Fits 5/8" and 1/2" standard garden hose, not included
- Lightweight, reusable and easy to store
- Material: PVC
- Dimensions: 18" x 18"
- Includes four bungee cords

Order No. SEI661
Mfg No. 46R18



ENSORB® SOK - SPILL & ODOR KILLER ABSORBENT

- Quickly neutralize odors at the source with Ensorb® Sok
- Effective and environmentally safe
- Safe to use around kids, pets and virtually anywhere
- Easy clean-up and disposal
- Non-bleaching or staining



Order No.	Mfg. No.	Description	Wt. lbs.
SEC929	EG029-0121-06EP	Travel Kit - 6 Pack	6
SEC930	EC029-0160-06EP	Shaker	5
SEC931	EC029-0009-00EP	5-Gallon Pail	12
SEC932	EC029-0025-00EP	15-Gallon Drum	35

Spill Control Management

OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

Order No. SEI076



ABSORBENT FLOOR DRY

- Traditional clay based absorbent
- Very cost effective for every day spills
- Granular mesh size creates a safe non-slip work surface

Order No.

Format

SEI085	30-lb. Bag
SEI084	50-lb. Bag



OIL-DRI® GENERAL-PURPOSE ABSORBENT

- Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids
- Virtually dust free, lowering airborne contamination
- Its high absorbency, low density, enables more scoops per pound
- Packaged in a poly bag making it next to unbreakable and water resistant
- Composed of light grey fuller's earth

Order No.	Mfg. No.	Format
SAR327	15005	33 lbs. (15 kg)
SI965	18002	40 lbs. (18 kg)



OIL-DRI® PREMIUM ABSORBENT

- Superior moisture extraction process increases absorption and minimizes dust
- Non-toxic, virtually dust-free product absorbs aggressive and non-aggressive fluids in minutes and leaves no residue
- Holds liquids in; will not breakdown and turn to mud
- Low density: more scoops per pound saves money
- 25-lb. (11.25-kg) bag

Order No. SAR328
Mfg No. 11001



OIL-DRI® QUICK SORB® ABSORBENT

- Specially designed to absorb up to twice as much fluid per pound as conventional clay
- Smaller granules offer more surface area for greater absorption power
- Strong granules improve traction and will not break down when saturated
- Comes in an easy-to-carry store pail
- 20-lb. (9.1-kg) pail

Order No. SAR329
Mfg No. 05000



QUALISORB™ GOLD ABSORBENT

- Non-corrosive, non-toxic product that offers the best absorbency
- Absorbs almost twice as much as other product in water or oil
- Can be used in all applications, even for toxic waste absorption
- It absorbs spills in no time leaving floor safe and dry
- Used in plants, refineries repair shops, machine shops and garages
- 20-lb. (11.4-kg) pail

Order No. SAJ503
Mfg. No. 628N



SAFE T SORB® PREMIUM OIL ABSORBENT

- 100% fuller's earth
- All-purpose absorbent designed for the quick clean up of water, oil, and grease
- Made from montmorillonite, a naturally occurring mineral with superior absorption ability
- Packaged in a leak-resistant, moisture-proof poly bag
- Works on any concrete surface
- 40-lb. bag

Order No. SR927
Mfg No. 2410096825



CHEETAH SORB

- Loose particulate
- Highly absorbent, dust free and incinerable
- Environmentally friendly and silica free
- Very cost effective oil sorbent
- Green/eco friendly
- 20-lb. bag



Order No. SAL267

VOLCANIC ASH ABSORBENT

- Highest anti-slip and non-skid characteristics of all safety sorbents
- Volcanic ash rock creates a natural surface for work areas
- Ideal for vapor suppression
- 25-lb. bag



Order No. SEI086

PEAT MOSS ABSORBENT

- Organic heat treated peat moss
- Hydrophobic and biodegradable granular
- Contains less than 5% moisture
- Ideal absorbent for fine sheens and concrete stains
- Absorbs up to 15 times its weight in hydrocarbons
- 25-lb. Bag



Order No. SEI074

VERMICULITE ABSORBENT

- All recycled grade 4 vermiculite
- Ideal for solidification, packaging, and incineration
- One bag can absorb up to 4 gallons of water
- Excellent for fuel blending
- 4 cu.ft. bag



Order No. SEI578

OIL GATOR ABSORBENT

- All natural cellulosic fibers
- When activated with the addition of moisture, the active bacteria will rapidly use all the available hydrocarbons as a food source
- Non carcinogenic and non abrasive
- Stops leaking of contaminants into the soil or groundwater
- Ideal for hydrocarbons
- 30-lb. bag



Order No. SEI158

NEUTRALIZERS

- Neutralizes and absorbs aggressive alkaline and caustic spills
- Colour changing indicators to signify when neutralization has occurred
- Available in granular (dry) or liquid forms



SEI060 SEI065 SEI062 SEI067

Order No.	Type	Format	Qty /Pkg.
NEUTRALIZERS - ACID			
SEI060	Dry	2-lb. Shaker	1
SEI061	Dry	5-Gallon Pail	1
SEI062	Dry	4-kg Bottle	1
SEI063	Liquid	5-Gallon Pail	1
NEUTRALIZERS - CAUSTIC (BASE)			
SEI064	Dry	2-lb. Shaker	1
SEI065	Dry	5-Gallon Pail	1
SEI066	Dry	4-kg Bottle	1
SEI067	Liquid	5-Gallon Pail	1

TELESCOPIC SHOVELS

- Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handles
- Non-sparking, designed for emergency responses



Order No.	Scoop Material	Assembled Length"	Collapsed Dim. L" x W" x H"	Weight lbs.
COLLAPSIBLE SHOVEL				
SEI088	Aluminum	29	15 x 10 x 3	1.5
TELESCOPIC SHOVEL				
SEI089	Aluminum	33	15 x 10 x 3	1.75
SEI090	Polyethylene	37	19 x 10 x 3	1

Spill Control Management

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200° field vision



Order No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large

Cartridges sold separately



N SERIES COMBINATION GAS/VAPOUR/P100 FILTER RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision



Cartridges	Description	Approved For	Order No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter	SEI601	75SCP100L	2
	Organic Vapour w/P100 Filter	Organic Vapours, P100 Particulate Filter	SEI602	7581P100L	2
	Acid Gas w/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, P100 Particulate Filter	SEI603	7582P100L	2
	Organic Vapour and Acid Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, P100 Particulate Filter	SEI604	7583P100L	2
	Ammonia/Methylamine w/P100 Filter	Ammonia, Methylamine, P100 Particulate Filter	SEI605	7584P100L	2
	Mercury Vapour/Chlorine with Mercury ESLI w/P100 Filter	Mercury Vapour, Chlorine Gas, P100 Particulate Filter	SEI606	75852P100L	2

BOOT COVERS

12" LATEX HAZMAT

Made of 0.60 mm, high visibility yellow latex rubber, the Hazmat boot cover offers protection from a broad range of materials. Seamless covers provide a snug fit over existing footwear for an added layer of protection. The ribbed and textured sole provides traction on a variety of slippery surfaces. Strong enough to be worn many times, yet economical enough to be disposed of after a single use. 100% waterproof.

15" PVC BOOT/SHOE COVER

Made of a strong 0.20 mm PVC upper, heat-welded to a hard, embossed 0.50 mm PVC sole for superior slip resistance. Completely waterproof, equipped with an elastic top for easy pull-over comfort and a secure snug fit. 100% waterproof.



Order No.	Mfg. No.	Size	Fits Size
-----------	----------	------	-----------

12" LATEX HAZMAT

SD588	97591-L	Large	7 - 9
SD589	97591-XL	X-Large	10 - 12
SAP794	97591-2X	2X-Large	13 - 16

15" PVC BOOT/SHOE COVER

SD636	97590-M	Medium	6 - 8
SD637	97590-L	Large	9 - 11
SD638	97590-XL	X-Large	12 - 14

SD638



HAZMAX® 16" KNEE BOOTS

- Steel toe complies with ASTM F2413-05 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel toe, steel shank and steel mid-sole for complete protection
- One-piece injection molded construction, eliminates seams
- Boots are constructed of high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- For use in situations involving dangerous chemicals, gasses or biological hazards and waste
- Exceeds CSA standards for dielectric footwear
- Certified by SEI to meet the requirements of NFPA 1991, 2005 edition





Order No.	Mfg. No.	Size
SC620	87012-6	6
SC621	87012-7	7
SC622	87012-8	8
SC623	87012-9	9
SC624	87012-10	10
SC625	87012-11	11
SC626	87012-12	12
SC627	87012-13	13
SAP837	87012-14	14
SAP838	87012-15	15



TYCHEM® QC COVERALLS

- Polyethylene-coated Tyvek® fabric
- Flexible, durable and lightweight
- Light liquid splash protection
- Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- Colour: Yellow for high visibility



	Order No.	Mfg. No.	Description	Qty /Case
 <p>HOODED COVERALL Zipper front, elastic wrists, attached boots</p>	SAV090	QC122SYL-MD	Medium	12
	SAV091	QC122SYL-LG	Large	12
	SAV093	QC122SYL-XL	X-Large	12
	SAV087	QC122SYL-2XL	2X-Large	12
<p>HOODED COVERALL Zipper front, elastic wrists and ankles</p> 	SAV113	QC127SYL-MD	Medium	12
	SAV112	QC127SYL-LG	Large	12
	SAV115	QC127SYL-XL	X-Large	12
	SAV109	QC127SYL-2XL	2X-Large	12



SED983

TYCHEM® F COVERALLS

- A proprietary barrier laminated to a Tyvek® substrate
- Strong and lightweight, with broad chemical barrier
- Used for protection from chemical warfare agents
- Widely used by military first responders for weapons of mass destruction situations
- Taped seams, attached hood (respirator fit), front zipper closure, storm flap, elastic wrists and attached socks
- Colour: Grey
- Available in sizes small to 4X-Large



Applications: Because Tychem® F garments are only available with respiratory fit hood, storm flap and taped seams, these garments are intended for domestic preparedness situations where the potential for exposure to chemical warfare agents exists. When the hazard assessment consists of potential for exposure to the FBI's Toxic Industrial Chemicals most likely to be used in a terrorist threat, we suggest consideration of Tychem® CPF 3 or higher protection since permeation data is available on a much broader spectrum of chemicals including chemical warfare agents.

Order No.	Mfg. No.	Size	Qty /Case
SAS200	TF169T-M	Medium	6
SAS201	TF169T-L	Large	6
SAS202	TF169T-XL	X-Large	6
SAS203	TF169T-2XL	2X-Large	6




SAS200

CHEMMAX™ 1 COVERALLS

- Offers quality and durability at an economical price
- Constructed with a unique polyethylene barrier film and a continuous filament polypropylene non-woven
- Bars many harmful contaminants from penetrating to inner clothing
- Bound seams for added protection
- Ideal for manufacturing, environmental clean-up or chemical handling



	Order No.	Mfg. No.	Size	Qty /Case
 <p>HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles</p>	SAR003	C1B428-S	Small	25
	SAR004	C1B428-M	Medium	25
	SAR005	C1B428-L	Large	25
	SAR006	C1B428-XL	X-Large	25
	SAR007	C1B428-2XL	2X-Large	25
	SAR008	C1B428-3XL	3X-Large	25
	SAR009	C1B428-4XL	4X-Large	25



SAR003

Spill Control Management

STEEL DRUMS

- Open head 55 US gallon design complies with stringent UN regulations for packing non-dangerous and dangerous goods in packing groups II and III; salvage drum is good for packaging groups I, II and III in solids only
- Closed head 55 US gallon design meets UN regulations for packing of dangerous and non-dangerous goods in the packaging groups II and III and also complies with ISO 15750 standard and other major international standards for steel drums (ANSI, EN) and feature 2" x 3/4" Tri-Sure® fittings
- Drums are available in lined or unlined, except 85 US gallon salvage drums which have a plain cover and no lining
- Standard black



UN Regulations:

- A) UN1A1Y1.4140
 B) UN1A1Y275S
 C) UN1A1X1.8300

Unlined Order No.	UN Compliance	Lined Order No.	UN Compliance	Head Type	Wt. lbs.
DC145	A	DC146	B	Open	37
DC147	C	DC461*	C	Closed	35

* Unit is white

ACCESSORIES

Order No.	Description
DC450	2" Steel Plug with Buna Gasket
DC460	Lid for Open Head Steel Drum, No Fittings
DC455	Bolt Ring for Open Head Steel Drum

15-GALLON TIGHT HEAD DRUMS

- Tight head drums are designed to hold up to 15 U.S. gallons of various liquids
- Due to high density polyethylene construction, these drums can be stacked with pallets up to four high; top load on bottom drums should not exceed 1000 lbs. each
- Maximum filling temperature of 65°C; drums should be allowed to cool to ambient temperatures before stacking
- Features 2" and 3/4" NPS fittings and manipulating handle
- Weight: 7 lbs.
- Available in three standard colours: Blue, black and natural



- UN Regulations: A) 1H1/Y1.9/150
 B) 1H1/Y1.B/150

Order No.	Colour	UN Compliance
DC132	Blue	A
DC133	Black	A
DC134	Natural	B

RECTANGULAR POLY TIGHT HEAD CONTAINERS

- Suitable for storing and shipping liquid, granular and semi-solid chemicals, detergents, petroleum products, food products, pharmaceuticals and acids
- Recessed handle and anchoring system ensure safe multiple stacking
- Protruding stabilizers prevent tipping
- Ventcaps are included but leakproof screw caps are extra
- Container capacity: 20 litres
- Dimensions: 11 1/2" L x 9 1/2" D x 9 3/4" H



Order No.	Mfg. No.	Description	Opening mm
DC163	158	Yellow Container Only*	63
DA684	240	Natural Container Only*	60
DA685	284	Security Cap	60

*Security cap not included.

POLYETHYLENE DRUMS

UN-approved plastic drums are manufactured using state-of-the-art technologies to meet the stringent demands of chemical compatibility with hazardous and non-hazardous products as well as reliability and safety requirements. Drums are made from a high molecular weight, high-density polyethylene resin which makes them extremely strong and rigid, allowing for easy handling and low shipping cost. Plastic drums save warehouse space because they are stackable and can be stored outside without rusting. In addition, total packaging costs are decreased when they are reused.



Drums are manufactured in accordance with one of the following UN regulations:

- A) 1H1/Y1.9/150 C) 1H2/X65.0/S E) 1H2/Y150/S
 B) 1H2/Y250/S D) 1H2/Y45.5/S

Order No. Blue	Order No. Black	Order No. Natural	Head Type	Cap Gallons*	Fittings	UN Regulation	Wt. lbs.
DC139	DC140	DC141	Closed	30	2" BTR & 2" NPS	A	14
DC142	DC143	DC144	Closed	55	2" BTR & 2" NPS	A	21
DC137	DC138	-	Open**	55	-	B	22
SEI488	-	-	Open**	10	-	D	6
SEI489	-	-	Open**	15 1/2	-	C	8
SEI490	-	-	Open**	30	-	E	14

ACCESSORIES

Order No.	Description
DC149	2" Buttress Coarse Thread
DC150	2" NPS Fine Thread

* U.S. Gallons

** All open head drums come standard with cover and steel lever-locking ring

LOK-RIM® FIBRE DRUMS

- Provides thermal insulation and protects sensitive products
- The full-open top assures quick filling and dispensing, while the fibre covers and steel chimes reinforce top and bottom
- The unique Lok-Rim® closure allows easy opening and closing and has a tamper evident sealing feature
- Will not corrode and contaminate product
- Compatible with a variety of non-hazardous dry and solid products*
- Economical and stackable
- Made of FDA compliant materials



Order No.	Capacity Gal.	Capacity lbs.	Wt. lbs.
DC427	30	225	9.4
DC425	55	300	17
DC426	55	550	19

* Compatible with semi-liquids when a polyethylene insert/bag is applied

LIQUIPAK® FIBRE DRUMS

- Interior is lined with heavy-duty polyethylene, making it the perfect solution for non-hazardous liquids
- The full-open top assures quick filling and dispensing, while the plastic covers and steel chimes reinforce top and bottom
- Will not corrode and contaminate product
- Economical and stackable
- Complete with bung and vent poly cover fully assembled with locking ring
- Made of FDA compliant materials



Order No.	Capacity Gal.	Capacity lbs.	lbs.
DC428	30	400	12
DC429	55	600	17.5
DC430	55	600	17.5

ACCORDION INSERTS FOR 55-GALLON DRUMS

- Made of FDA compliant materials
- Accordion pleat design adjusts to varying heights of reconditioned drums
- Formed lip grips chime of drum and stays in place during follower plate pumping



Order No.	Wall Thickness	Qty /Case
DC338	15 mil	20
DC340	18 mil	15
DC339*	15 mil	20

* Anti-static

STRAIGHT-SIDED INSERTS FOR 16, 30 & 55-GALLON OPEN HEAD STEEL DRUMS

- Made of FDA compliant materials
- Smooth wall inserts withstand mixing and pumping applications
- Available in anti-static
- Available in polypropylene for hot-fill applications to 440°F
- Order DC344 used for hot-fill applications



Order No.	Wall Thickness	Drum Gal.	Qty /Case
DC352	15 mil	16	15
DC336	15 mil	30	25
DC337	15 mil	55	20
DC344	15 mil	55	10
DC342*	18 mil	55	15
DC343	24 mil	55	15

* Anti-static

INSERTS FOR 5-GALLON STEEL PAIS

- Made of FDA compliant materials
- Straight-sided inserts for steel pails are ideal for small batch mixing
- Choose from pliable LDPE or solvent-resistant HDPE
- Available in anti-static
- Available in polypropylene for hot-fill applications to 300°F



Order No.	Wall Thickness	Material	Qty /Case
DC347	15 mil	LDPE	100
DC348	15 mil	HDPE	100
DC349	15 mil	Polypropylene	100
DC492*	15 mil	LDPE	100

* Anti-static

HOT-FILL LINERS FOR 55-GALLON DRUMS

- Round bottom liner constructed from polypropylene will withstand fill temperature to 290°F
- Available in heights of 40" to fold over drum or 53" to tie off



Order No.	Height"	Wall Thickness	Qty /Case
DA927	40	4 mil	100
DC047	53	4 mil	100

ULTRALINER DRUM INSERTS FOR 55-GALLON STEEL & FIBRE DRUMS

- Heavy-duty 18-mil insert with ultra thin lip for easy lid closure
- Can be used with fibre and steel drums



Order No.	Inside Dia."	Wall Thickness	Qty /Case
DC345	22.5	18 mil LDPE	15
DC346	22.5	18 mil LDPE	15
DC493	22.5	24 mil LDPE	15



FORMFIT LINERS FOR 55-GALLON DRUMS

- Cylindrical film liners are heat-sealed and made of FDA compliant materials
- Available in 40" height to fold over drum or 53" height to tie off
- Available in mil thickness of 4, 8 or 10
- Available in anti-static for solvent-based applications



Order No.	Height"	Wall Thickness	Qty /Case
DC353	40	4 mil	100
DC354	40	8 mil	50
DC355	40	10 mil	50
DC494	40	6 mil	100
DC356	53	4 mil	100
DC495	53	6 mil	100
DC357	53	8 mil	50
DC358	53	10 mil	50
DC359*	53	8 mil	50

* Anti-static



CHEMLINERS

- Formfit liner constructed from LDPE/NYLON/LDPE
- Resists chemical permeation and degradation
- Superior flex-crack and pinhole resistance for liquid applications



Order No.	Height"	Wall Thickness	Qty /Case
DA926	40	5 mil	100

PAIL INSERTS & STRAINERS

INSERT

- Seamless 14" tall tapered insert provides custom fit for plastic pail
- Average 15-mil thick
- FDA compliant materials



STRAINER

- Heavy-duty strainer ideal for filtering liquids or holding parts for washing
- Featuring 600-micron mesh, finer mesh strainers are available

Order No.	Material	Gallons	Qty/Case
INSERTS			
DC350	HDPE	5	100
DC351	LDPE	5	100
STRAINER			
DC049		5	48
DB021		55	8



Spill Control

UNIVERSAL POLY-DRUM FUNNEL™

- Patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnels nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather out
- **Exterior dimensions:** 26" dia. x 5 1/2" H
- **Interior dimensions:** 22" dia. x 4" H



Order No.	Mfg. No.	Description	Wt. lbs.
SAH565	3004-YE	Funnel	3
SAH566	3004-YE-SF	Safety Funnel	5
SAH567	3040-YE	Funnel Cover	3

SAFETY DRUM FUNNELS

- Suitable for handling flammables, minimise potentially dangerous spills
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101
- Hinged cover with fusible link reduces spread of vapours
- 2" NPS
- FM approved



Order No.	Mfg. No.	Description	Wt. lbs.
DA102	8207	6" Flame Arrestor	12
DA101	8205	32" Flame Arrestor	12

SAFETY FUNNELS W/VENT

- Provides safe waste solvent disposal due to automatic pressure and vacuum relief
- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- Wt.: 4 lbs.
- FM approved

Order No. DA103
Mfg No. 8211



POLY-PAIL FUNNEL™

Mounts to 3 1/2, 5 and 6-gallon tight-head pails. Also fits open top pails with 12" diameter. Optional Poly-Pail Funnel™ cover available.

POLY-PAIL FUNNEL™

- **Exterior dimensions:** 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H
- **Interior dimensions:** 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

- **Exterior dimensions:** 9 1/4" dia. x 2 3/8" H



Order No.	Mfg. No.	Description	Wt. lbs.
DA098	3005-YE	Poly-Pail Funnel™	2
SG291	3051-YE	Poly-Pail Funnel™ Cover	3

POLY-DRUM TOPPER™

- Snaps directly onto any 45-gallon open or closed-head drum to keep out debris and protect drum tops
- **Exterior dimensions:** 25 1/2" dia. x 3 3/4" H



Order No.	Mfg. No.	Description	Wt. lbs.
SAQ193	3065-BK	Poly-Drum Topper™	1.5

SEE PAGES 203-207 FOR CHEMICAL RESISTANT GLOVES



POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



POLY-OVERPACK® 20 SALVAGE DRUMS

- Accepts bottles, cans, and 5-gallon pails
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 19" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H
- 20 US gallon sump capacity
- Weight: 10 lbs.

Order No. SAG189

Mfg. No. 1220-YE

POLY-OVERPACK® 30 SALVAGE DRUMS

- Unit can contain up to 16 US gallon drums
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 30" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H
- 30 US gallon sump capacity
- Weight: 13 lbs.

Order No. SAH551

Mfg. No. 1230-YE



POLY-OVERPACK® 65 SALVAGE DRUMS

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- **Exterior dimensions:** 27 3/4" top dia. x 23" bottom dia. x 37 1/2" H
- **Interior dimensions:** 26 3/4" top dia. x 22" bottom dia. x 34 1/2" H
- Maximum handling capacity: 440 lbs.



Spill products not included



Order No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	47

POLY-OVERPACK® 95 SALVAGE DRUMS

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS & CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 45 gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Molded area allows for easy gripping and pick-up by material handling equipment
- **Exterior dimensions:** 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H
- **Interior dimensions:** 27" top dia. x 24 3/4" bottom dia. x 37" H
- 95 US gallon sump capacity



Order No.	Mfg. No.	Description	Wt. lbs.
SB756	1237-YE	Poly-Overpack® 95	48

Spill Control

WHEELED OVERPACK® SALVAGE DRUMS

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles
- Polyolefin wheels recommended for indoor use and pneumatic wheels for outdoor use

OVERPACK® 50 SALVAGE DRUM

- **Exterior dimensions:**
23" top dia. x 18 1/2" bottom dia. x 43 1/2" H
- **Interior dimensions:**
20" top dia. x 17 3/4" bottom dia. x 36" H

OVERPACK® 95 SALVAGE DRUM

- **Exterior dimensions:**
31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H
- **Interior dimensions:**
27" top dia. x 25" bottom dia. x 38 1/2" H



Order No.	Mfg. No.	Description	Sump Capacity US Gallons	Wt. lbs.
OVERPACK® 50 SALVAGE DRUM				
SAL223	1259-YE	Polyolefin Wheels	50	38
OVERPACK® 95 SALVAGE DRUM				
SAH549	1299-YE	Polyolefin Wheels	95	56
SAH550	1299-YE-A	Pneumatic Wheels	95	56

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Holds 55 US gallon drums
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit with patented sidewall sump
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- 69" L x 32 1/2" W x 26 1/2" H
- 80 US gallon sump capacity
- 600-lb handling capacity
- Eliminates the need for a separate dolly

Drum not included



SB769

Order No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104
SR442	6005-BK	Universal Well Liner	1.5

* All Terrain Dolly with heavy-duty pneumatic rubber wheels

DRUM/OVERPACK® LIFTERS

- A safe method of moving 45 and 75-gallon steel drums
- Design allows for quick, gentle loading, drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- 70-gallon Overpack® lifter picks up both 70-gallon steel Overpack® drums and 45-gallon steel drums
- Universal **DA876** handles many lever-lock closure fibre drums typical steel drums and 45-gallon rimmed plastic drums
- Capacity: 1000 lbs.



Order No.	Mfg. No.	Description	Wt. lbs.
DA224	90S	45-gal. Lifter	21
DA225	90S-A	75-gal. Overpack®/ 45-gal. Lifter	22
DA876	92	Universal Lifter	25
DC094	92-SS	Stainless Steel Universal Lifter	25

POLY-SPILLCART™

ELIMINATES RISK OF SPILLS DURING TRANSPORT!



Drums & pail not included



- Tough polyethylene construction cannot rust or corrode
- Dual drain plugs let you empty sump easily
- Removable structural foam grate for easy cleaning
- Built-in tool tray
- 10" polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an All Terrain Cart (ATC) with heavy-duty pneumatic rubber wheels
- 66 1/2" L x 29" W x 43 3/4" H
- 57-gallon sump capacity
- 500-lb. load bearing capacity

Order No.	Mfg. No.	Description	Wt. lbs.
SB766	5200-YE	Poly-Spillcart™	126
SR438	5200-YE-A	Poly-Spillcart™ ATC	133

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 45-gallon drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Colour: Grey



Order No.	Caster Type	Caster"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds up to 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- 34 1/2" diameter x 9" high
- 500-lb load bearing capacity
- 11 US gallon capacity



Drum not included

Order No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	22
SC554	5206-BK	T-Handle	3

DRIP CATCHER DOLLIES

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- Weight: 26 lbs.

Order No. DA600
Mfg. No. 9713

Drum not included



POLY-COLLECTOR™

- Portable hazardous materials collection systems
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal Poly-Drum Funnel™ to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and maintenance chemicals
- Drum dolly included

POLY-COLLECTOR™ 66

- Poly outer shell holds 70 US gallons
- Inner drum holds 55 US gallons
- Interior dimensions: 27" top dia. x 25 3/4" bottom dia. x 29 1/4" H
- Available with shell only, 70 US gallon sump capacity



Order No.	Mfg. No.	Description	Exterior Dimensions			Wt. lbs.
			Top Dia"	x Bottom Dia."	x H"	
SE554	8001-YE	W/Steel Drum	32 1/2	x 26 1/4	x 42	81
SE555	8002-YE	W/Poly Drum	32 1/2	x 26 1/4	x 42	65
SE556	8075-YE	Shell Only	32 1/2	x 26 1/4	x 31	25

**SEE PAGES
389-395
FOR DRUM
EQUIPMENT**



Spill Control



THE POLY-RACK™ SYSTEMS

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!



POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums securely in place
- 100 plus gallon containment sump ensures spill safety even in worst-case drum leaks
- Deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two Poly-Stacker™



POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup
- Increase safety and productivity by adding Poly-Shelf™ to the Poly-Racker™ System

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on a pallet
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable



SR442



Drums & Pallet Not Included

POLY-SHELF™

- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™

Order No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions					Wt. lbs.
				L"	x	W"	x	H"	
SB771	6000-YE	Poly-Racker™	3000	49	x	52 1/2	x	22 1/2	120
SB772	6002-YE	Poly-Stacker™	2400	49	x	41	x	13	56
SR466	6006-YE	Single Poly-Racker™	1600	31	x	53	x	32	95
SR467	6007-YE	Single Poly-Stacker™	800	31	x	40 1/2	x	20	50
SE410	6004-YE	Multi-Purpose Racker/Stacker™	2400	48 1/2	x	41	x	20	87
SB773*	6003-YE	Poly-Shelf™	60	17	x	22	x	17 1/2	10
SR442	6005-BK	Universal® Well Liner	-	12 3/4	x	15 1/2	x	2 1/2	1.5

* Use only with Poly-Racker™ or Poly-Stacker™

DRUMS-UP™ TRAYS

THE INCIDENTAL SPILL SOLUTION!

- Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain hole makes emptying easy



SD361



Drum Not Included

DA104

DRUMS-UP™

- Contains drips for containers up to 55 US gallons
- Control nuisance spills from drums with a 20 US gallon capacity

DRUMS-UP JR™

- Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity

Order No.	Mfg. No.	Description	Dimensions		Wt. lbs.
			Dia"	x H"	
DA104	8091-YE	Drums-Up™	34	x 7 1/4	12
SD361	8200-YE	Drums-Up Jr.™	21 1/2	x 7 1/2	4

NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H



Drums Not Included

Order No.	Mfg. No.	Description	Wt. lbs.
SEI786	5222-YE	2-Drum Poly-Spillpallet™	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	45

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet



Drums Not Included

Order No.	Mfg. No.	Description	Wt. lbs.
SB762	5102-YE	4-Drum Poly-Spillpallet™	84
SB763	5102-YE-D	4-Drum Poly-Spillpallet™ w/Drain	84
SAQ186	5039-BK	Poly-Ramp™	65

POLY-SPILLPALLET™ 6000

- Includes the same rugged features as the Poly-Spillpallet™ 2000
- Two removable grates
- Forkliftable from all sides
- Holds four 55 US gallon drums
- Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H



Drums Not Included

Order No.	Mfg. No.	Description	Wt. lbs.
SB795	5001-YE	4-Drum Poly-Spillpallet™	88
SB794	5001-YE-D	4-Drum Poly-Spillpallet™ w/Drain	88

POLY-SLIM-LINE™ 6000

- Offers all of the same advantages as the Poly-Spillpallet™ 6000
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet



Drums Not Included

Order No.	Mfg. No.	Description	Wt. lbs.
SE408	5400-YE	4-Drum Poly-Slim-Line™	91
SE409	5400-YE-D	4-Drum Poly-Slim-Line™ w/Drain	91
SAQ186	5039-BK	Poly-Ramp™	65

Spill Control

WORKSTATIONS™

- Tough, 1-piece polyethylene construction will not rust or corrode
- Low profile design and optional ramp make it easy to load
- Forkliftable when empty
- Large sump capacity catches incidental spills
- Removable heavy-duty structural foam grates for easy cleaning
- Multi-Purpose Work Ramp™ hooks onto any Workstation™ for easy loading

LINK-LOCK™

- Link and lock multiple Workstations™ together in a wide variety of configurations
- Made of 100% polyethylene
- Sold in pairs




Order No.	Description	Exterior Dimensions			Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.
		L"	W"	H"			
SR437	2-Drum	53	28 1/2	6	22	2400	38
SR436	4-Drum	52 1/2	53	6	43	6000	70
SR435	6-Drum	76 1/2	53	6	61	7000	102
SB764	8-Drum	100	53 1/4	6	77	8000	173
SAQ187	Work Ramp™	25 1/2	46	6 1/4	-	1000	30
SAQ188	Link-Lock™	9 1/2	7	3 1/2	-	-	3



Link-Lock™

SPILLPAL™ FLEXIBLE WORKSTATIONS

- Provides incidental spill control during temporary storage of equipment
- Can be used as a washdown pad or pumping station
- Alternative to hard plastic pallets
- Features 4" high foam sidewalls that spring back into place after any type of pressure is applied
- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- Easy drive-in and drive-out with a hand truck or forklift



Order No.	Mfg. No.	Description	Exterior Dimensions			Sump Cap. US Gallons	Wt. lbs.
			L"	W"	H"		
SAF814	5750-YE	1-Drum	24	24	4	10	2
SAF815	5755-YE	2-Drum	24	48	4	20	4
SAF816	5760-YE	4-Drum	48	48	4	40	5
SAF817	5765-YE	4-Drum In-Line	24	96	4	40	6
SAF818	5770-YE	6-Drum	48	72	4	60	7
SAF819	5775-YE	8-Drum	48	96	4	80	9
SE553	7006-BK	Optional Grate	48	23	1 3/4	-	18
SAP041	7007-BK	Optional Grate	25 1/2	24	1 3/4	-	9

ULTRA-SPILLDECK BLADDER SYSTEMS

- Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: SpillDecks do not require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations. Require adequate aisle space to allow the bladder to unfurl properly.



Order No.	Description	Dimensions			Total Containment Cap. US gallons	Wt. lbs.
		L"	W"	H"		
SE411*	1-Drum, 11 US Gal Cap.	25 7/8	30 1/2	5 3/4	66	27
SE412*	2-Drum, 22 US Gal Cap.	52	30 1/2	5 3/4	77	44
SE413*	4-Drum, 44 US Gal Cap.	52	56 5/8	5 3/4	99	66
SE414*	Bladder Attachment	25 1/8	4 5/8	4 5/8	-	4
SE415	Replacement Bladder	66 x 58 (unfurled)			55	2

* w/bladder

ECOPOLYBLEND™ SPILL CONTROL PALLETS

THE FIRST AND ONLY SPILL CONTROL LINE MADE OF RECYCLED POLYETHYLENE!

- Eco-friendly pallets are made of up to 100% recycled polyethylene, making them twice as good for the environment!
- They not only protect against groundwater contamination, they also utilize post-industrial material that might have otherwise been discarded into the waste stream
- Quality engineered with a robust design, pallets withstand the toughest environments for superior spill control
- Durable, UV-protected EcoPolyBlend™ polyethylene is nearly impervious to chemical attack from hazardous acids, caustics and solvents
- Seamless construction eliminates leaks even if a 55-gallon (200 L) drum fails and completely empties its contents
- Fully compliant, Justrite® EcoPolyBlend™ Pallets feature oversized leak proof sumps that meet or exceed regulations
- Sturdy, removable grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for quick sump inspection and cleaning
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Square pallet may be equipped with an optional ramp to facilitate loading and unloading of heavy drums

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark color camouflage dirt and keeps workplaces looking clean.



SBA844

Drums not included



SBA848



SBA855 shown with ramp SBA859



Yellow Order No.	Mfg. No.	Black Order No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
WITHOUT DRAIN								
SBA997	28622	SBA844	28623	2-Drum, In-Line	49 x 25 x 15 1/2	66	2500	44
SBA853	28626	SBA846	28627	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA857	28630	SBA850	28631	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA855	28634	SBA848	28635	4-Drum, Square	49 x 49 x 10 1/4	72	5000	68
WITH DRAIN								
SBA852	28624	SBA845	28625	2-Drum, In-Line	49 x 25 x 15 1/2	66	2500	44
SBA854	28628	SBA847	28629	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA858	28632	SBA851	28624	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA856	28636	SBA849	28637	4-Drum, Square	49 x 49 x 10 1/4	72	5000	73
ACCESSORIES								
SBA859	28620	-	-	Ramp for 4-Drum Square	49 x 33 x 10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24 x 48 x 2 1/2	-	-	16

Spill Control

ECOPOLYBLEND™ ACCUMULATION CENTERS

THE ONLY SPILL PLATFORMS MADE FROM RECYCLED POLYETHYLENE!

- Get reliable, high performance spill control and help reduce landfills by using recycled products
- These economical, low profile secondary containment platforms are eco-friendly made of up to 100% recycled, post-industrial, durable polyethylene that might have otherwise been discarded into the waste stream
- Long lasting EcoPolyBlend™ polyethylene is nearly impervious to chemicals, including acids and corrosives
- Accumulation centres feature a seamless design to ensure any leaks or spills are captured in the sump, before they reach floor drains or create a slip hazard
- Sturdy grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning
- Modular centres offer the ability to create a customized system
- As capacity needs increase, use optional joining clips to firmly lock units together and expand storage space
- Sumps remain separate and clips can be removed for easy repositioning
- In applications calling for a continuous sump, optional Sump-to-Sump™ drain kit (includes joining clips and transfer tube), allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gallons (250 L)
- Optional companion ramp facilitates movement of heavy drums and features anti-skid ribs for maximum safety
- It can be located anywhere on any 2-drum or larger centre

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark colour camouflage dirt and keeps workplaces looking clean.



SBA866



SBA869 with ramp SBA871

Drums not included



SBA867



Yellow Order No.	Mfg. No.	Black Order No.	Mfg. No.	Description	Exterior Dimensions					Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
					W"	x	D"	x	H"			
SBA866	28652	SBA861	28653	1-Drum Unit	25	x	25	x	5 1/2	12	1250	17
SBA867	28654	SBA862	28655	2-Drum Unit	49	x	25	x	5 1/2	22	2400	40
SBA868	28656	SBA863	28657	4-Drum Unit	49	x	49	x	5 1/2	43	6000	69
SBA869	28658	SBA864	28659	6-Drum Unit	73	x	49	x	5 1/2	64	7000	93
SBA870	28660	SBA865	28661	8-Drum Unit	97	x	49	x	5 1/2	85	8000	185
SBA871	28650	-	-	Ramp	48	x	33	x	6 1/4	-	1000	41



STEEL SPILL CONTAINMENT PALLETS


RUGGED STEEL PALLETS FOR INDUSTRIAL APPLICATIONS OFFER LONGEVITY WITH 100% TESTED LEAK TIGHT SUMPS FOR COMPLIANT SPILL CONTROL

- Durable and corrosion resistant
- 100% tested leak tight sump, fully compliant
- Constructed of 11-gauge hot rolled steel and strengthened with formed edging
- Provide excellent chemical resistance and durability
- Generous sump capacities are fully compliant
- Safely stores hazardous and flammable liquids to protect the environments
- Protect workers and the environment from hazardous leaks or spills
- Sturdy, galvanised steel bar grating keeps drums out of overflow
- Removable grating for convenient sump inspection and easy cleaning
- Sump is nestable for storage and transport to save space during shipping
- Large forklift pockets (8 3/8" W x 3 7/8" H) in front and back makes relocation easy
- Available in two finishes: environmentally friendly, tough powder coat paint in blue; or steel, hot-dipped galvanised after fabrication, for greater protection against rust and corrosion
- Meets EPA 40 CFR 264.175
- Meets NFPA 1 the Uniform Fire Code 60.3.2.10
- Meets International Fire Code 2704.2.3
- Spill Prevention, Control and Countermeasures (SPCC) Compliant



Drums not included

SAS578
2-Drum



SAS580
4-Drum
in line



SAS582
4-Drum
square

Order No.	Mfg. No.	Description	Colour	Sump Capacity (Gal.)	Load Bearing Capacity (lbs.)	Nominal Outside Dim. W" x D" x H"	Approval/Lstg Regulation	Weight lbs.
SAS578	28610	2-Drum	Blue	72	1200	47 1/4 x 31 1/2 x 16 5/16	EPA, SPCC, U	165
SAS579	28611	2-Drum	Galvanised	72	1200	47 1/4 x 31 1/2 x 16 5/16	EPA, SPCC, U	165
SAS580	28612	4-Drum In Line	Blue	102	2400	94 1/8 x 31 1/2 x 13 1/16	EPA, SPCC, U	305
SAS581	28613	4-Drum In Line	Galvanised	102	2400	94 1/8 x 31 1/2 x 13 1/16	EPA, SPCC, U	305
SAS582	28614	4-Drum Square	Blue	77	2400	47 1/4 x 47 1/4 x 13 1/16	EPA, SPCC, U	215
SAS583	28615	4-Drum Square	Galvanised	77	2400	47 1/4 x 47 1/4 x 13 1/16	EPA, SPCC, U	215

**SEE PAGES 33-42
FOR A VARIETY OF ZENITH
SPILL KITS**



Spill Control

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE!

- Tough, indoor or outdoor performer protects two 55 US gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- 100% polyethylene has excellent resistance to chemicals as well as weather
- Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 1 3/4"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the Poly-SafetyPack® caster frame assembly **SE565**
- **Exterior Dimensions:** 60 1/4" L x 36 1/2" W x 45 3/4" H
- **Interior Dimensions:** 52" L x 26 1/2" W x 37" H
- 130 US gallon sump capacity

Order No.	Mfg. No.	Description	Wt. lbs.
SB757	2038-YE	Poly-SafetyPack®	103
SR415	2038-YE-D	Poly-SafetyPack® w/Drain	103
SE565	2200-BK	Poly-SafetyPack® Caster Frame	37
SR416	2077-YE	Poly-Safety Pack® Plus	137
SR417	2077-YE-D	Poly-Safety Pack® Plus w/Drain	137



POLY-SAFETY PACK® PLUS

- Inside height of 54 1/4"
- Allows the lids to be closed with the pumps in place
- Optional drain
- **Exterior dimensions:** 60 1/2" L x 36 1/2" W x 63 1/4" H
- **Interior dimensions:** 51 1/4" L x 26 1/4" W x 54 1/4" H
- 264 US gallon sump capacity



SB758
Drums not included

HAZARD HUT®

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT!

- One-piece molded 100% polyethylene construction so there are no joints or seams to leak
- Molded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 55 US gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- Four-way forklift entry design
- Loading the Hazard Hut® is easy with the Hazard Hut® Poly Ramp



HAZARD HUT® POLY-RAMP

- Integrally molded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene



SB759

Order No.	Mfg. No.	Description	Exterior Dimensions L" x W" x H"	Load Bearing Cap. lbs.	Wt. lbs.
SB758	4000-YE	Hazard Hut® Door Opening	63 1/2 x 67 x 71 1/2 41 1/2 x 48 1/2	4000	269
SB759	4001-BK	Poly-Ramp	115 x 31 x 16 1/2	1000	154

JOB HUT™

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL...OR SO AFFORDABLE!

- Constructed of tough 100% polyethylene
- Will not rust or corrode
- Molded-in vents to reduce fumes and condensation inside
- Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 55 US gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 72 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- Low profile design allows for easy access
- Forkliftable from all sides for effortless handling
- Job Hut™ meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the Job Hut™ in seconds



Extra-wide doorway allows for easy forklift entry



MULTI-PURPOSE WORK RAMPS

LIGHTWEIGHT & EASY TO HANDLE!

- Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- Load bearing capacity of 1000 lbs.




Order No.	Mfg. No.	Description	Dimensions L" x W" x H"	Wt. lbs.
SE563	4010-YE	Job Hut™	90 x 60 1/2 x 93 (ext.) 70 x 51 x 82 (int.)	480
SAQ187	5111-BK	Work Ramp™	25 1/2 x 46 x 6 1/4	30

DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- Ideal for indoor/outdoor storage of 55 US gallon drums
- Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- Poly-Ramp™ available to assist in the loading of drums
- Optional drain

Drums not included



SI743
2-drum system

SEE974
2-drum system with optional ramp

2-DRUM HARDCOVER & SPILLPALLET™

- Holds up to two 55 US gallon drums
- Used in conjunction with the Poly-Spillpallet™ 2000
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Ramp extender to accommodate 17" high pallets

4-DRUM HARDCOVER & SPILLPALLET™

- Holds up to four 55 US gallon drums
- Used in conjunction with the Poly-Slim-Line™ 6000
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

ECO DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- All the same great benefits of the standard hardcover and Spillpallets™ but in an ECO-friendly version
- Made from up to 100% recycled material



Order No.	Mfg. No.	Description	Ext. Dimensions			Wt. lbs.
			L"	x W"	x H"	
2-DRUM SYSTEM						
SI743	4062-YE	Hardcover and Spillpallet™	60	x 37	x 72	210
SI744	4062-YE-D	Hardcover and Spillpallet™ w/Drain	60	x 37	x 72	210
SC548	5253-YE	Poly-Spillpallet™ 2000	53 1/2	x 29	x 17	55
SC547	5253-YE-D	Poly-Spillpallet™ 2000 w/Drain	53 1/2	x 29	x 17	55
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	x 8 1/2	x 6 1/2	6
4-DRUM SYSTEM						
SI740	4064-YE	Hardcover and Spillpallet™	65	x 58	x 69	269
SI741	4064-YE-D	Hardcover and Spillpallet™ w/Drain	65	x 58	x 69	269
SE408	5400-YE	Poly-Slim Line™ 6000 Pallet	54	x 54	x 12	91
SE409	5400-YE-D	Poly-Slim Line™ 6000 w/Drain	54	x 54	x 12	91
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65
ECO 2-DRUM SYSTEM						
SEE974	4062-ECO	Eco-Efficient Hardcover and Spillpallet™	60	x 37	x 72	197
SEE975	4062-ECO-D	Eco-Efficient Hardcover and Spillpallet™ w/Drain	60	x 37	x 72	197
SEE970	5253-ECO	Eco-Efficient Poly-Spillpallet™ 2000	53.5	x 29	x 17	52
SEE971	5253-ECO-D	Eco-Efficient Poly-Spillpallet™ 2000 w/Drain	53.5	x 29	x 17	52
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	x 8 1/2	x 6 1/2	6
ECO 4-DRUM SYSTEM						
SEE976	4064-ECO	Eco-Efficient Hardcover and Spillpallet™	65	x 58	x 69	32
SEE977	4064-ECO-D	Eco-Efficient Hardcover and Spillpallet™ w/Drain	65	x 58	x 69	232
SEE972	5400-ECO	Eco-Efficient Poly-Spillpallet™ 6000	54	x 54	x 12	73
SEE973	5400-ECO-D	Eco-Efficient Poly-Spillpallet™ 6000 w/Drain	54	x 54	x 12	73
SAQ186	5039-BK	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	x 8 1/2	x 6 1/2	6

IBC 2000i™

INTERMEDIATE BULK CONTAINMENT MADE EASY!

- Fits more than 99% of all IBC dispensing units
- Large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations
- Equipped with an integrated 5-gallon pail holder for quick and easy dispensing
- 1-piece, lightweight, 100% polyethylene
- Forkliftable and nestable
- Will not rust or corrode or have adverse reactions with chemicals
- **Exterior Dimensions:** 72" L x 80" W x 29" H
- **Pedestal Dimensions:** 55" L x 55 1/2" W x 29" H
- Optional drain available



IBC dispensing unit not included



Order No.	Mfg. No.	Description	Wt. lbs.
SR446	5469-YE	IBC 2000i™	291
SR685	5469-YE-D	IBC 2000i™ w/Drain	291

IBC SPACE-SAVER™

- Floor space efficient alternative for storing, dispensing and containing IBC totes
- Solid 100% polyethylene construction
- Will not rust, corrode or have adverse reactions with chemicals
- Sump capacity: 275 US gallons
- Load capacity: 3000 lbs.
- **Exterior dimensions:** 57" L x 57" W x 47" H
- Optional drain



IBC dispensing unit not included



Order No.	Mfg. No.	Description	Wt. lbs.
SEI788	5460-YE	IBC Space-Saver™	245
SEI789	5460-YE-D	IBC Space-Saver™ w/Drain	245

Spill Control

PROWLER POOL™


- Made of high-density polyethylene and a low-density coating
- Offers excellent resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials
- Resistant to cold temperatures, as low as minus 65°F, as well as abrasion, punctures and ultraviolet rays
- Lightweight; half the weight of comparably sized PVC pools while offering double the strength



Order No.	Mfg. No.	Dimensions			Sump Cap. US Gallons
		Base" x	Top" x	Height"	
SAQ189	5920-YE	28 Dia. x	18 Dia. x	13	20
SAQ190	5966-YE	48 Dia. x	36 Dia. x	13	66
SAQ191	5900-YE	48 Dia. x	32 Dia. x	18	100
SAQ192	5950-YE	60 Dia. x	44 Dia. x	18	150

STINGER BERM™

- Ideal for large scale spill containment
- Flexible sidewalls and easy-to-assemble design allows for immediate response to emergency response situations
- Designed for quick set up and compact fold-up, storage and transport
- Features excellent rip, tear and puncture resistance for the most demanding application or terrain
- Sidewalls fold down for easy drive-in and drive-out
- Chemical and abuse resistance



Order No.	Mfg. No.	Exterior Dimensions			Sump Cap. US Gallons	Wt. lbs.
		L' x	W' x	H'		
SAF806	4804-BK-SU	4 x	6 x	1	179	28
SAF807	4806-BK-SU	6 x	6 x	1	269	36
SAF808	4810-BK-SU	10 x	10 x	1	748	60
SAF809	4820-BK-SU	10 x	26 x	1	2333	112
SAF810	4836-BK-SU	12 x	36 x	1	3410	156

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

DRIPILLOW BERMS™ & OFF-ROAD DRIPILLOW BERMS™

- Ideal for outdoor leaks and spills under vehicles, hydraulic lines or equipment
- Designed as durable, portable drip-pan
- Stable weighted base will not flip, tip or splash in windy conditions
- Compatible with all fuels and hydrocarbons
- Folds for easy carrying and storage
- Standard includes grounding strap, weighted base and UV resistant removable pad
- Off-Road includes corner grommets and an additional weighted base allowing for easy staking and security in high-wind and rugged terrain applications

Order No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Capacity US Gal	Wt. lbs.
STANDARD DRIPILLOW BERMS™					
SAH552	5650-YE	Small w/Pad	22 x 22 x 3	1	7
SAH553	5660-YE	Medium w/Pad	24 x 36 x 3	2	9
SAH554	5670-YE	Large w/Pad	24 x 54 x 3	3	11
SAH555	5680-YE	X-Large w/Pad	38 x 42 x 3	4	9

Order No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Capacity US Gal	Wt. lbs.
OFF-ROAD DRIPILLOW BERMS™					
SEI802	5690-YE	Small w/Pad	36 x 36 x 3	4	12
SEI803	5691-YE	Medium w/Pad	36 x 72 x 3	10	15
SEI804	5692-YE	Large w/Pad	48 x 48 x 3	8	19
SEI805	5693-YE	X-Large w/Pad	48 x 60 x 3	12	21

ECONO SPILL SHELLS

- 5" sidewall allows for more sump space
- Diamond center pulls spills away from the drums
- Drip parameter retains liquids for cleaner sump area



Order No.	Mfg. No.	Dimensions			Capacity US Gal.
		L" x	W" x	H"	
SEC889	5002-BK	45 x	35 x	5	21.5
SEC890	5004-BK	51 x	47 x	5	36

STINGER YELLOW JACKET™

LIGHTWEIGHT, PORTABLE PALLET CAN BE CARRIED ANYWHERE TO PREVENT SPILLS FROM OCCURRING!

- Made of chemical-resistant vinyl coated polyester
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional removable polyethylene grates for easy access to the sump (SE553)
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet



Order No.	Mfg. No.	Dimensions			Cap. US Gal.	Wt. lbs.
		L" x	W" x	H"		
SE472	5700-YE	48 x	48 x	8	80	15
SE473	5710-YE	48 x	72 x	8	120	18
SE474	5720-YE	48 x	96 x	8	160	28
SE475	5730-YE	96 x	96 x	8	320	31
SE476	5740-YE	96 x	120 x	8	400	38

REMOVABLE GRATE

SE553	7006-BK	48 x	23 x	1 3/4	-	18
-------	---------	------	------	-------	---	----

Note: Interior dimensions for grates are 12" less than the exterior length and width.



REFILL PADS

Order No.	Mfg. No.	Description
-----------	----------	-------------

STANDARD		
SAH556	5655-WH	Small
SAH557	5665-WH	Medium
SAH558	5675-WH	Large
SAH559	5685-WH	X-Large

Refill pads sold as a case of 5

Order No.	Mfg. No.	Description
-----------	----------	-------------

OFF-ROAD		
SEI806	5690-WH	Small
SEI807	5691-WH	Medium
SEI808	5692-WH	Large
SEI809	5693-WH	X-Large

STINGER SNAP-FOAM BERM™

- One time set-up and then continual drive in and drive out capability
- Foam sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A)
- Foam end caps from 2-way air-relief system to snap end walls back automatically to their upright position
- High fuel/chemical resistant containment area
- Custom sizes available for your convenience
- Accessories available to prolong berm life



Shown with Tracmat™
(sold separately)

Order No.	Mfg. No.	Exterior Dimensions L' x W' x H'	Sump Cap. US Gallons	Wt. lbs.
SAP046	4820-BK-SF	10 x 26 x 1	1944	142
SAP047	4836-BK-SF	12 x 36 x 1	2231	170
SAP048	4854-BK-SF	14 x 54 x 1	5654	252

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

BERM ACCESSORIES

TRACMAT™

- Placed inside the berm, allowing trucks to drive in and out while protecting the berm from punctures and tears
- Available in sizes and dimensions to match any style Stinger Berm™
- Other sizes available



Order No.	Mfg. No.	Description	Wt. lbs.
SEC898	4812-TM	For 12' x 12' Berm	60
SEC902	4850-TM	For 15' x 50' Berm	200
SEC903	4854-TM	For 14' x 54' Berm	220

GROUND PADS

- Protects berms from truck wheels or rough terrain
- Prevents underside punctures from sharp objects when placed directly underneath the berm
- Other sizes available



Order No.	Mfg. No.	Description	Wt. lbs.
SEC916	4812-GP	For 12' x 12' Berm	56
SEC920	4850-GP	For 15' x 50' Berm	192
SEC921	4854-GP	For 14' x 54' Berm	124

STORAGE & TRANSPORT BAGS

- Heavy-duty chemically resistant bag for ease in maneuverability and storage
- Other sizes available



Order No.	Mfg. No.	Description	Wt. lbs.
SEC908	4820-BAG	For SAP046	7
SEC909	4836-BAG	For SAP047 and SAF810	21
SEC910	4854-BAG	For SAP048	7

DRIPILLOW BERM™

Available in four convenient sizes to capture small leaks and drips, and with its stable weighted base, it will not tip or splash in windy conditions. Eliminates nuisance drips under vehicles, hydraulic lines, or equipment.

- Grommets in the corners provide attachment points
- Fold for easy carrying
- Replaceable UV protected pad available
- Available in OD green upon request



Order No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Cap. US Gal.	Wt. lbs.
SAH552	5650-YE	w/Pad - Small	22 x 22 x 3	1	7
SAH553	5660-YE	w/Pad - Medium	24 x 36 x 3	2	9
SAH554	5670-YE	w/Pad - Large	24 x 54 x 3	3	11
SAH555	5680-YE	w/Pad - X-Large	38 x 42 x 3	4	9

BERM REPAIR KITS

DELUXE BERM REPAIR KITS

- For berm with 12" side walls

Contents:

- 1 Leister professional heat gun
- 1 XR material 1 sq. yd. (black)
- 1 PVC material 1 sq. yd. (yellow)
- 4 Replacement berm stays
- 5 Peel and stick berm patches
- 1 Rubber brayer roller
- 1 Cutting knife
- 1 Locking tool box



STANDARD BERM REPAIR KITS

Contents:

- 4 Peel and stick sheets (8" x 11")



Order No.	Mfg. No.	Description	Wt. lbs.
SEC892	48-BRK-DLX-12	Deluxe Berm Repair Kits	15
SEC891	48-BRK	Standard Berm Repair Kits	1

BAZOOKA™

- Water will continually drain through the filter, but in case of a spill within the berm, when an organic substance is detected, the Imbiber Bead® technology takes over (colour change), and the flow is completely shut off
- Automated shut off system allows water drainage of containment berm applications
- Utilises an innovative system for detection of Class I and II organics such as diesel fuel
- Trickle filter allows water flow rate of 20 gallons per hour
- Compatible with all Enpac containment berms



Order No.	Mfg. No.	Description
SAR417	BAZOOKA	Trickle Filter w/Automatic Shutoff
SAR418	BAZOOKA-12KIT	Bazooka™ and Installation Kit

Spill Control Vacuums

FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP - 2-STAGE MOTOR

- Factory tough large capacity 44-gallon vacuum and head assembly built to handle the toughest shop jobs
- **NG343** converts your steel drum into a wet/dry vac
- Heavy-duty dolly with **NG342**

INCLUDES:

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)
- Elbow joint 2 1/2" (NC277)
- Ultra web cartridge filter (NI735)

NG343



NG342

Order No.	Mfg. No.	Tank Cap. Gal/L	Electrical 120 V 60 Hz	CFM	Sealed Pressure"	Cord L'	Wt. lbs.
NG342	970-05	44/204.5	11 A	109	100	18	41
NG343	970-06	Head Assem.	11 A	109	100	-	30

CLEANSTREAM® FILTERS

- 99.97% efficient down to 0.3 microns
- Picks up wet or dry, no need to remove filter anymore
- Fits on Shop-Vac® brand dry/wet vacuums

Order No. NI530
Mfg. No. 903-40



WET/DRY VAC 2.5 PEAK HP 2-STAGE MOTOR

- Powerful industrial vacuum at moderate cost
- Poly tank capacity: 10 gal/45.5 L
- Includes accessory basket

INCLUDES:

- 1 1/2" 11 piece accessory package and filter kit



Order No.	Mfg. No.	Electrical 120 V, 60 Hz	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.
NI732	962-21	9 A	100	90	35	27

INDUSTRIAL-DUTY PUMP VAC

NEVER LIFT HEAVY TANKS OF WATER AGAIN!

- Industrial-duty pump vac can vacuum water quickly and easily
- Empties itself using any standard garden hose (not included)
- Converts from wet/dry vac to pump-out operation
- Quiet vac pumps water up to heights of 50' (15 m)
- Excellent for flooded basements, warehouses, hot tubs or spas

INCLUDES:

- 1 1/4" 4 piece accessory kit and filter kit
- 2 1/2" 8 piece accessory kit and filter kit

Order No. NI733
Mfg. No. 960-97



Peak HP	Tank Cap. Gal	Tank Type	Motor Type	Electrical 120 V 60 Hz	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.
6.5	15	Poly	Single Stage	12 A	200	58	18	35

INDUSTRIAL WET/DRY STAINLESS STEEL VAC

- 16 US gallon stainless steel tank
- 6.5 peak HP motor
- 100 CFM air flow
- 80" sealed pressure
- Heavy-duty rear wheels with swivel front casters provide easy movement
- Removable steel handle
- Positive lock on hose eliminates unexpected disconnections
- Large accessory storage box attached
- 20' power cord
- 2 1/2" accessories include: Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Order No. JC528



aurora tools®

INDUSTRIAL WET/DRY STAINLESS STEEL VAC

- 8 US gallon stainless steel tank
- 5.5 peak HP motor
- 85 CFM air flow
- 72" sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- 1 1/4" accessories include: Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Order No. JC525

aurora tools®



ATTIX 30 HEPA WET/DRY VACUUMS

- Superior suction power in a compact design
- Push & Clean Technology for fast and simple filter cleaning; simply block the inlet fitting or the hose, push and release the filter cleaning button
- Certified HEPA filter that captures 99.97% of debris, down to and including 0.3 microns
- Ideal superior quality professional vacuum used in general maintenance shops, abatement (i.e.: mold and lead) when using the bag and HEPA filter, surface preparation, auto-body shops; ideal for sawdust and drywall
- 8 US gallon polypropylene tank
- Power: 1000 W, Voltage/Frequency: 120V/60 Hz
- Max. Air Flow: 135 CFM
- Max. Waterlift: 92"
- Dimensions: 18" L x 15" W x 23" H
- Weight: 32 lbs.
- Comes with standard 1/2" 10-piece accessory kit

Order No. JD278
Mfg No. 900130



Nilfisk
ALTO

HAWG AIR VAC

- Last longer and need little maintenance, with no moving parts, cleanable filters or corrosion resistant epoxy coated tanks
- Venturi system provides increased motor efficiency
- Pick up wet or dry
- Low-pitched motor runs very quietly
- Pick-up fine material and filter down to 5 micrometers
- Capacity: 60 GPM water pick-up



Order No.	Description	Pick up Hose"	Water Lift"	Flow SCFM	CFM@ 90 PSIG	Inlet"	Wt. lbs.
TG262*	55 gallons	1 1/2	116	110	5.5	3/8	18.5

STANDARD ACCESSORIES

Order No.	Description
TG284	10' x 1 1/2" Vinyl hose
TG391	Two stage filter cartridge

*Lid only, drum not included.

Caution: Vac must be grounded and conductive hose used to control static electricity. Recommended air supply hose size: 1/2" I.D. Performance rated at 90 PSIG.

COMPRESSED AIR VACUUMS

- Compressed air-powered vacuums offer significant advantages in dependability, safety and efficiency over conventional electric powered vacuums
- No electricity required – operate strictly on compressed air
- Dramatically more powerful – up to 259" of water lift
- Always dependable – no moving parts to wear out, no motors to burn out
- Safe in almost any wet environment
- Extremely versatile – pick up chips, dust, powder, debris and most liquids

INCLUDES:

- Vacuum generating head with standard cartridge filter for **JB511**, cloth filter for **JB510**
- 2" x 20' standard-duty vinyl vacuum hose for **JB511** and 1 1/2" x 20' for **JB510**
- Metal wet/dry floor tool (12" wide) with 4' wand
- 24" long metal crevice tool
- 3/4" x 20' air supply hose with fittings
- Incoming Air Line Pressure: 100 PSI

ATTIX 50 AS/E XC WET/DRY VACUUMS

- Attix 50 features cutting edge Xtreme Clean Technology which automatically pulses the filter clean every 30 seconds while vacuum is in operation
- Automatically turns on vacuum when you power up the tool
- Speed control to adjust suction power
- Ideal superior quality professional vacuum used in general maintenance shops, abatement (i.e.: mold and lead) when using the bag and HEPA filter, surface preparation, auto-body shops; ideal for sawdust and drywall
- 12 US gallon polypropylene tank
- Power: 1000 W, Voltage/Frequency: 120 V/60 Hz
- Max. Air Flow: 135 CFM
- Max. Waterlift: 92"
- Dimensions: 18" L x 15" W x 30" H
- Weight: 37.5 lbs.
- Certified HEPA filter optional
- Comes with standard 1/2" 7-piece accessory kit

Order No. JD279
Mfg No. 302004235



Nilfisk
ALTO

PORTABLE OMEGA® DRY VACUUMS, ESD SAFE

- Ideal for the electronics, telecommunications, pharmaceutical, gaming, medical, military and robotics industry
- One gallon poly tank
- Quiet 1.2 HP flow thru motor with sound baffles and electronic line filter
- 5.2 Amps AC, 120 V, 60 Hz
- Static pressure 60", 98 CFM
- Convenient self-storing utensil (cover insert)
- **Includes:** 1 3/16" dia x 6' L hose, 0.3 micron HEPA disposable filter canister and standard filter, 12' power cord, shoulder strap, crevice tool brush and a flexible 16" goose neck for hard to reach places
- Dimension: 19 1/4" L x 7 3/8" W x 9 5/16" H
- Weight: 11 1/2 lbs.
- UL approved




Order No. JC155



JC155

ACCESSORIES

Order No.	Description
JC156	0.3 micrometre HEPA Filter
JC157	Filter Single Pack
JC158	ULPA (99.999% @ 0.12 micrometre) Filter



JB510

Order No.	Description	Air Consump. (SCFM)	Min Comp. Size	Vacuum Lift (in H ₂ O)	Vacuum Flow (SCFM)	Wt. lbs.
JB510	15 gallons	47	10 HP	213	60	79
JB511	55 gallons	68	15 HP	185	89	121