



ZENITH[®]
Safety Products

Safety Products for Industry

Eye Protection

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAN426	Clear

Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Polycarbonate lens with UV protection
- Molded-in nose bridge
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEF024	Clear

Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAK850	Clear
SAK851	Smoke

Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lenses for **SEB183** are ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAP877	Clear
SEB183	Clear - Anti-Fog
SAS362	Smoke
SAS363	Amber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange

Z600

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAW920	Clear

Z700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX442	Clear

Z800

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Molded nose bridge
- Distortion-free
- Blue frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX443	Clear

Z900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX444	Clear

Z1000

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX445	Clear

Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC952	Clear

Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC953	Clear

Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC954	Clear

Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC955	Clear

Z1600

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEE817	Clear

Z1700

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEG788	Clear

Z1800

- Readers Lens
- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Ultra-soft non slip nosepiece
- Adjustable temples provide a superior comfort and fit
- Black frame
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Dioptre
SEH013	1.0
SEH014	1.5
SEH015	2.0
SEH016	2.5

Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard



Order No. SEH632

ACCESSORIZE YOUR EYEWEAR!

SEE PAGE 122 FOR LANYARDS, RETAINERS & CASES



Eye Protection

ROBSON

- Patented highly flexible nylon frame
- Soft Megol® pads on temples for improved comfort
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SEG805	XR411	Black	Clear
SEG806	XR412	Black	Yellow
SEG807	XR415	Black	Copper
SEG808	XR416	Black	Smoke
SEG809	XR418	Black	Blue Mirror
SEG810	XRAP419	Black	Aqua Precision Red Mirror
SEG811	XR426	Silver	Smoke

ROBSON XL

SEG819*	XR-XL411	Black	Clear
SEG820*	XR-XL418	Black	Blue Mirror
SEJ545*	XR-XL416	Black	Smoke

* Extra-wide nylon frame for larger heads

ROBSON MULTI FIT

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Adjustable Megol® nosepiece for improved comfort and grip
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG812	XR411-AFT	Clear
SEG813	XR415-AFT	Copper
SEG814	XR416-AFT	Smoke

KHOR POLARIZED

- Patented black half-frame
- Soft Megol® pads on temples for improved comfort
- Metal pieces screwed into frame for style
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- Interchangeable lenses available
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG823	TSDK415	Copper
SEG824	TSDK41-G15-7	G-15 Silver Mirror

ROBSON POLARIZED

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Polarized lens
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG800	TXR415	Copper
SEG801	TXR416	Smoke
SEG802	TXR41-G15-7	G-15 Silver Mirror
SEG803	TXRAP418	Aqua Precision Blue Mirror
SEG804	TXRG416	Gradient

ROBSON MILITARY GRADE

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Scratch-resistant
- True fog-resistant vapor shield lenses
- Blocks 99.9% of UVA/UVB/UVC rays
- Pre-applied foam gasket option also available
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Type	Lens Tint
SEG815	XR411VS	W/O Gasket	Clear
SEG816	XR416VS	W/O Gasket	Smoke
SEG817	XR411VSG	W/Gasket	Clear
SEG818	XR416VSG	W/Gasket	Smoke

STEELE

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Interchangeable temples and strap
- Removable gasket and adjustable nosepiece
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEJ539	HT411ARG	Clear - Anti-Reflective
SEJ540	HT411VSG	Clear - Vapor Shield Lens
SEJ541	HT412VSG	Yellow - Vapor Shield Lens
SEJ543	HT416VSG	Smoke - Vapor Shield Lens

DAKURA POLARIZED

- Highly flexible black soft touch nylon frame
- Soft Megol® temple tips for improved comfort
- Polarized lens
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG826	TSM415	Copper
SEG827	TSM41-G15-7	G-15 Silver Mirror

BRAZEAU POLARIZED

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Polarized gradient lens
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG799	TXBG416	Gradient

DAKURA MILITARY GRADE ANTI-FOG (VAPOR SHIELD)

- Highly flexible black nylon frame
- Soft Megol® temple tips for improved comfort
- Scratch-resistant
- True fog-resistant vapor shield lenses
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG831	SW411VS	Clear
SEG832	SW416VS	Smoke

BRAZEAU DESIGNER

- Patented nylon frame
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SEG791	XB446	White	Smoke
SEG792	XB416-S	Black Skull	Smoke
SEG793	XB436	Black	Smoke

POLARIZED

Order No.	Mfg. No.	Frame Colour	Lens Tint
SEJ547	TXB416-S	Black Skull	Smoke
SEJ548	TXB436	Black	Smoke
SEJ549	TXB446	White	Smoke

ZORGE

- Universal blade-style black frame
- Soft Megol® temple tips for improved comfort
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG833	DZ411	Clear
SEG834	DZ416	Smoke
SEG835	DZ417	Silver Mirror

ZORGE MAGNIFIER

- Universal blade-style black frame
- Soft Megol® temple tips for improved comfort
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Magnifier	Lens Tint
SEG836	DZ411-1.5	1.5	Clear
SEG837	DZ411-2.0	2	Clear

Eye Protection

SPECIFIX™ VERSA PRO™

- Lightweight design and versatile protection makes Versa Pro™ ideal for assembly line work, shipping, machine operation and other light manufacturing tasks
- Economical and easy lens replacement allows for multiple tints and extends the life of the eyewear
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- FlexFit™ bendable temples and nosepiece for a more comfortable fit
- FlexFit™ nosepiece conforms to virtually any nasal profile and provides a contoured, non-slip fit
- Available with Uvextreme® anti-fog coating or Supra-Dura™ advanced anti-scratch coating
- Frame widths: 5.45"
- Frame colour: Blue/Black
- Certified to CSA standard Z94.3
- Lifetime frame warranty



Order No.	Mfg. No.	Size	Lens Tint
SEB635	SX0100	Medium	Clear/Supra-Dura™
SEB636	SX0100X	Medium	Clear/Uvextreme® AF
SEB637	SX0101	Medium	Espresso/Supra-Dura™
SEB638	SX0101X	Medium	Espresso/Uvextreme® AF
SEB639	SX0102	Medium	Amber/Supra-Dura™
SEB640	SX0102X	Medium	Amber/Uvextreme® AF

Other lens tint and sizes available

REPLACEMENT LENSES

Order No.	Mfg. No.	Size	Lens Tint
SEB649	SX5100	Medium	Clear/Supra-Dura™
SEB650	SX5100X	Medium	Clear/Uvextreme® AF
SEB651	SX5101	Medium	Espresso/Supra-Dura™
SEB652	SX5101X	Medium	Espresso/Uvextreme® AF
SEB653	SX5102	Medium	Amber/Supra-Dura™
SEB654	SX5102X	Medium	Amber/Uvextreme® AF

SEISMIC®

- Protection against impact, sun, wind, dust and debris
- Available with Dura-streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high quality face cushioning and padded temple tips offer all-day comfort
- Adjustable flame-resistant headband provides excellent fit
- Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear
- Headband and cushion-lined subframe are latex-free
- Frame colour: Black
- Certified to the requirements of the CSA Z94.3 standard only with subframe in place



Order No.	Mfg. No.	Frame colour	Lens Tint
SBA822	S0600	Black	Clear/Hardcoat
SBA823	S0600X	Black	Clear/ Uvextra® AF
SBA824	S0600D	Black	Clear/ Dura-streme® AF
SBA825	S0601X	Black	Espresso/ Uvextra® AF
SBA826	S0602X	Black	Amber Uvextra® AF
SBA827	S0604X	Black	Mirror/Uvextra® AF
SBA828	S0620	Blue	Clear/ Hardcoat
SBA829	S0620X	Blue	Clear/ Uvextra® AF
SBA830	S0622X	Blue	Amber/ Uvextra® AF
SBA831	S0624X	Blue	Mirror/ Uvextra® AF

SKYPER®

- Simple lens replacement system
- Adjustable temple length and lens inclination
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SH014	S1900X	Clear
ULTRA-DURA® HARDCOAT		
SH015	S1900	Clear
SH016	S1902	Amber
SH017	S1903	Mirror
SH018	S1906	Infra-Dura® 2.0
SH019	S1907	Infra-Dura® 3.0
SH020	S1908	Infra-Dura® 5.0

REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SH021	S6500X	Clear
ULTRA-DURA® HARDCOAT		
SH022	S6500	Clear
SH023	S6502	Amber
SH024	S6503	Mirror
SH025	S6506	Infra-Dura® 2.0
SH026	S6507	Infra-Dura® 3.0
SH027	S6508	Infra-Dura® 5.0

AMBIENT OTG

- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design
- Highest available impact protection
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Adjustable and bendable, wire-core temples offer complete flexibility with secure, customised fit
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles
- The medium version has a 13% smaller lens than the larger version and extends the life of the eyewear
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints
- Certified to CSA standard Z94.3



SAS560



Order No.	Mfg. No.	Description	Lens Tint
SAS560	S3150	Blue/Large	Clear Ultra-Dura®
SAS561	S3150X	Blue/Large	Clear Uvextreme®
SAS562	S3150D	Blue/Large	Clear Dura-Streme™
SAS563	S3160	Blue/Medium	Clear Ultra-Dura®

SPECIFIX™ PRECISION PRO™

- Frameless design and precise optics: ideal for quality control, inspection, technical applications, lab work, aerospace, fine maintenance and mechanics
- Specialized task-specific SCT (spectrum control technology) lens tints optimize lighting and enhance visual perception
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- FlexFit™ bendable temples and nosepiece for a more comfortable, customized fit
- Ultra-lightweight at only 28 g
- Available with Uvextreme® AF anti-fog coating or Supra-Dura™ advanced anti-scratch coating
- Certified to CSA standard Z94.3



SEB665

SEB663



Order No.	Mfg. No.	Lens Tint
SEB663	SX0200	Clear/Supra-Dura™
SEB664	SX0200X	Clear/Uvextreme® AF
SEB665	SX0202	Amber/Supra-Dura™

Other lens tint available

IGNITE™

- Sleek, sporty, unisex lightweight frameless design appeals to a broad range of workers
- Offers 180° of distortion-free, unobstructed vision
- A 9-base, wraparound lens design provides close-to-the-face protection and superior coverage
- Adjustable nose piece reduces slippage and provides a personalized, comfortable fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Meets military V₀ ballistic test for impact
- Available with Uvextra® AF anti-fog coating
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SAQ725	S4400	Black & Silver	Clear/Hardcoat
SAQ726	S4400X	Black & Silver	Clear/Uvextra™ AF
SAQ727	S4401	Black & Silver	Grey/Hardcoat
SAQ728	S4401X	Black & Silver	Grey/Uvextra™ AF
SAQ729	S4402	Black & Silver	SCT®-Reflect 50/Hardcoat
SAQ730	S4403	Black & Silver	Silver Mirror/Hardcoat

PROTÉGÉ™

- Proprietary Floating Lens™ design offers increased flexibility for better fit
- Secure wraparound brow expands to fit a wide range of users
- Ultra lightweight design
- Soft temple tip pads provide a secure, comfortable fit
- Soft, clear nose pads prevent slipping
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Compliant with ANSI standard Z87+
- Lifetime frame guarantee



Order No.	Mfg. No.	Frame Colour	Lens Tint
UVEXTREME® AF			
SAO666	S4201X	Black	Grey
SAO667	S4210X	Sandstone	Clear
SAO668	S4211X	Sandstone	Grey
ULTRA-DURA® HARDCOAT			
SAO659	S4200	Black	Clear
SAO660	S4201	Black	Grey
SAO661	S4202	Black	SCT®-Reflect® 50
SAO662	S4210	Sandstone	Clear
SAO663	S4211	Sandstone	Grey
SAO664	S4212	Sandstone	SCT®-Reflect® 50

Eye Protection

GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two shot temple for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings
- Certified to CSA standard Z94.3



ULTRA-DURA® HARDCOAT

Order No.	Mfg. No.	Lens Tint
SAK138	S3300	Clear
SAK139	S3301	Grey
SAK403	S3308	Mirror
SAK405	S3306	Infra-Dura® 3.0
SAK406	S3307	Infra-Dura® 5.0

REPLACEMENT LENSES

SAK411	S6950	Clear
SAK412	S6951	Grey
SAK413	S6958	Mirror
SAK415	S6956	Infra-Dura® 3.0
SAK416	S6957	Infra-Dura® 5.0

UVEXTREME® AF

Order No.	Mfg. No.	Lens Tint
SAK093	S3300X	Clear
SAK407	S3301X	Grey
SAK408	S3303X	SCT®-Grey
SAK409	S3304X	SCT®-Low IR

REPLACEMENT LENSES

SAK417	S6950X	Clear
SAK418	S6951X	Grey
SAK419	S6953X	SCT®-Grey
SAK420	S6954X	SCT®-Low IR

RX INSERT

- Optional Rx insert for Genesis XC™ eyewear
- Holds prescription lenses securely
- Accommodates a variety of Rx needs including bifocals, trifocal and progressive lenses
- Classic screw closure easily fits, with prescription ranging from +3.0 to -3.0D



Order No. SAK410
Mfg. No. S3350



GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wraparound almost any nasal profile
- Ratchet lens inclination adjustment

Order No.	Mfg. No.	Lens Tint
-----------	----------	-----------

BLACK FRAME

SN209	S3200	Clear Ultra-Dura®
SN210	S3200X	Clear Uvextreme® AF
SAQ907	S3200D	Clear Dura-Streme™
SN211	S3201	Espresso Ultra-Dura®
SN212	S3201X	Espresso Uvextreme® AF
SN213	S3202	Amber Ultra-Dura®
SAK427	S3207	Infra-Dura® 3.0
SAK428	S3208	Infra-Dura® 5.0

VAPOUR BLUE FRAME

SN219	S3240	Clear Ultra-Dura®
SN220	S3240X	Clear Uvextreme® AF
SN221	S3241	Espresso Ultra-Dura®
SN222	S3241X	Espresso Uvextreme® AF
SN223	S3242	Amber Ultra-Dura®

FALCON®

- Impact-resistant polycarbonate lens absorb > 99.9% of harmful UVA and UVB radiation
- Frameless design with patented dual 9-base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
-----------	----------	-----------

ULTRA-DURA® HARDCOAT

SAJ061	S4500	Clear
--------	-------	-------

UVEXTREME® AF

SAJ062	S4500X	Clear
--------	--------	-------

- Passed military V₀ ballistic (standard MIL-STD-662) test regiment
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings
- Certified to CSA standard Z94.3



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SN243	S6900	Clear Ultra-Dura®
SN244	S6900X	Clear Uvextreme® AF
SAQ908	S6900D	Clear Dura-Streme™
SN245	S6901	Espresso Ultra-Dura®
SN246	S6901X	Espresso Uvextreme® AF
SN247	S6902	Amber Ultra-Dura®



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
-----------	----------	-----------

ULTRA-DURA® HARDCOAT

SAJ079	S6700	Clear
--------	-------	-------

UVEXTREME® AF

SAJ080	S6700X	Clear
--------	--------	-------

MILLENNIA®

HIGH STYLE FULL COVERAGE

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Includes: Adjustable breakaway FlexiCord™ for added security and convenience
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SG990	11150350CSA	Black	Clear
SG991	11150370CSA	Blue	Clear

ASTROSPEC 3000®

- Lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Adjustable lens inclination and temple length
- Molded side shields
- Black frame
- Lifetime frame guarantee
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SE622	S1359C	Clear
SE623*	S136C	Grey
SE624*	S1362C	SCT® - Vermilion

Order No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SE404	S535C	Clear
SE650	S536C	Grey
SE651	S539C	SCT® - Vermilion

ULTRA-DURA® HARDCOAT		
SE633	S1359	Clear
SE634	S1369	Grey
SE635*	S1360	Light Grey
SE636*	S145	Amber
SE637	S1379	Mirror
SE638*	S112	SCT® - Low IR
SE639*	S1361	SCT® - Grey
SE641	S111029	Infra-Dura® 2.0
SE642*	S1111	Infra-Dura® 3.0
SE643*	S1112	Infra-Dura® 5.0

ULTRA-DURA® HARDCOAT		
SE652	S535	Clear
SE653	S536	Grey
SE655	S537	Amber
SE656	S538	Mirror
SE657	S540	SCT® - Low IR
SE658	S541	SCT® - Grey
SE660	S5412	Infra-Dura® 2.0
SE661	S542	Infra-Dura® 3.0
SE662	S543	Infra-Dura® 5.0

* Does not feature Duoflex® temples

ASTRO OTG® 3001

- Same features as the Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Lifetime frame guarantee
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3



Black Order No.	Mfg. No.	Blue Order No.	Mfg. No.	Lens Tint
UVEXTREME® AF				
SE700	S2500C	SE702	S2510C	Clear
SE701	S2504C	SE703	S2514C	Grey
ULTRA-DURA® HARDCOAT				
SE704	S2500	-	-	Clear
SE705	S2504	-	-	Grey

ULTRASPEC®

ULTRASPEC® 1000

- Ideal visitor eyewear
- Uncoated 100% polycarbonate wraparound unilens design with solid side shields
- Certified to CSA standard Z94.3



ULTRASPEC® 2000

- Coated 100% polycarbonate wraparound unilens design
- Adjustable temple length
- Available with Uvextreme® AF anti-fog coating
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
ULTRASPEC® 1000 UNCOATED			
SAG310	S300CS	Clear	Clear
ULTRASPEC® 2000 UVEXTREME® AF			
SE614	S0250X	Clear	Clear
SE615	S0280X	Grey	Grey
SE616	S0290X	Amber	Amber



Eye Protection

EYE INJURIES ARE NOT COOL. THESE ARE.

- Harley-Davidson® logo on lens and frame
- Impact-resistant polycarbonate lenses
- 99.9% UV protection
- Scratch-resistant hardcoat

HD400 SERIES

- High-tech, high-style protective eyewear
- Provides 180° of panoramic vision
- Excellent side and brow coverage
- Adjustable H-D® retainer cord shipped with frame
- Meets CSA and ANSI standards



SAK025

HD500 SERIES

- Silver matte metal frame with special nickel-free coating
- 10-base dual lens for optimal field of vision
- Spring hinge temples provide a secure and comfortable fit
- Meets ANSI standard



SAK029

HD700 SERIES

- 8-base, metal rimless frame design with spring hinge temples
- Gunmetal frame with nickel-free coating
- Adjustable optical nose pads conform to varying nose bridge shapes
- Polycarbonate hard-coated lenses
- Complies with ANSI standard Z87+ for high impact



SAN330



SAP450

HD800 SERIES

- Defies convention while embracing compliance
- Lightweight, comfortable to wear all day long
- Striking mirror lenses coupled with a double 9-base frameless design
- Silver temples
- Meets CSA and ANSI standards



ACCESSORIES

SAFETY EYEWEAR ZIPPER CASE

- Tough, hard case protects eyewear when not in use
- Includes handy belt loop and clip

Order No. SAK216



SAFETY EYEWEAR RETAINER CORD

- Silkscreened with Harley-Davidson® logo
- Adjustable slide with Harley-Davidson® logo

Order No. SAK217



Order No.	Mfg. No.	Frame Colour	Lens Tint
HD400 SERIES			
SAK024	HD400	Black	Clear
SAK025	HD401	Black	Mirror 50
SAK026	HD402	Black	Silver Mirror
HD500 SERIES			
SAK027	HD501	Matte Silver	Clear
SAK028	HD502	Matte Silver	Grey
SAK029	HD503	Matte Silver	Silver Mirror
HD700 SERIES			
SAN327	HD701	Gunmetal	Clear
SAN328	HD702	Gunmetal	Grey
SAN329	HD703	Gunmetal	Amber
SAN330	HD700	Gunmetal	Brown Mirror
HD800 SERIES			
SAP450	HD800	-	Orange Mirror
SAP451	HD801	-	Blue Mirror
SAP452	HD802	-	Silver Mirror
ACCESSORIES			
Order No.	Mfg. No.	Description	
SAK216	HD903	Zipper Case	
SAK217	HD902	Retainer Cord	



Honeywell

© 2013 H-D. All rights reserved. Manufactured by Honeywell under license from Harley-Davidson Motor Company.

WARNING: Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

ADAPTEC™

- Adjustable nose bridge keeps eyes centered in lens for clearer optics and reduced eye fatigue
- Vented, cushioned frame allows optimum air circulation and reduces fogging
- Ratcheting temple hinges adjust lens angle for greater protection and reduced fogging
- Proprietary temple design adjusts temple tension for personal comfort and non-slip security
- Temple inserts slide from front to back for firmer fit, – or in opposite direction for looser fit
- Soft, flexible material covers frame components for comfortable, secure fit
- The North Adaptec™ 4A lens coating ensures excellent anti-fog, anti-static and scratch-resistant properties plus 99.9% UV protection
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Colour	Lens Tint
NARROW			
SED448	T5900NTK	Black	Clear
SED450	T5900NTKS	Black	Smoke
SED451	T5900NTKA	Black	Amber
REGULAR			
SED456	T5900LTK	Black	Clear
SED458	T5900LTKS	Black	Smoke
SED459	T5900LTKA	Black	Amber
WIDE			
SED464	T5900WTK	Black	Clear
SED466	T5900WTKS	Black	Smoke
SED467	T5900WTKA	Black	Amber

Other lens tint available

LIGHTNING & LIGHTNING PLUS

- High base panoramic lens for a wide unobstructed field of vision
- Frame made of chemical and heat resistant Elasto LT material
- Flexi-Fit three-point non-slip nosepiece eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique Rapid-Change system
- Soft-Touch comfort pads
- Certified to CSA standard Z94.3

LIGHTNING:

- Self-adjusting temples to insure a secure and comfortable fit

LIGHTNING PLUS:

- Bowed temples designed to fit virtually anyone

Order No.	Mfg. No.	Frame Colour	Lens Tint
LIGHTNING			
SAJ221	T65005	Black	Clear
SAJ222	T65005S	Black	Smoke
SAJ230	T65005A	Black	Amber
SAJ231*	T65005M	Black	Mirror
SAP515*	T65015TCK	Black	I/O Mirror
LIGHTNING PLUS			
SAJ223	T65505B	Black	Clear
SAJ224	T65505BS	Black	Smoke
SAJ232	T65505BA	Black	Amber
SAP516*	T65515BTCG	Black	I/O Mirror

180 SLIMLINE

- Made of lightweight, non-conductive high impact polycarbonate material
- Popular low profile shape
- High 9-base curve for better coverage and wide field of vision
- Soft temple pads for more comfort
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
SAK757	T13501	Clear
SAK758	T13502	Smoke

REPLACEMENT LENS

Order No.	Mfg. No.	Lens Tint
NARROW		
SED471	500NRL	Clear
SED472	501NRL	Smoke
SED473	502NRL	Amber
REGULAR		
SED477	500LRL	Clear
SED478	501LRL	Smoke
SED479	502LRL	Amber
WIDE		
SED483	500WRL	Clear
SED484	501WRL	Smoke
SED485	502WRL	Amber



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SAJ469	469RL	Clear
SAK754	470RL	Smoke
SAK755	471RL	Amber
SAK756*	472RL	Mirror
SAP517*	489HRL	I/O Mirror

* Lenses are not anti-fog

REPLACEMENT NOSEPIECE

Order No.	Mfg. No.
SAK760	65RB



Eye Protection

VAPOR™

- Affordably priced, shiny smooth design
- Metallic blue, lightweight frame for all day wear
- Sport temple provides a secure and comfortable wraparound fit
- Soft nose bridge, prevents slipping and conforms to varying nose bridge shapes
- 9-base polycarbonate hardcoat lenses provide distortion-free 180° field of vision
- Includes: Adjustable break-away FlexiCord™
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SAK393	11150900	Clear HC
SAK394	11150901	TSR® Grey HC
SAK395	11150904	Silver Mirror HC
SAK396	11150905	Clear Fog-Ban®
SAK397	11150906	Grey Fog-Ban®

VISITORS SPECTACLES

- Offer premium protection to plant visitors
- Comfortable, provide a wide viewing field
- Superior optical quality with high impact and penetrating resistance
- Exclusive interlocking sideshield system offers all around protection from flying particles
- Universal nose bridge
- Specially designed to fit comfortably over prescription glasses
- Individually wrapped in a protective poly envelope
- Certified to CSA standard Z94.3

Order No. SG290
Mfg. No. 90S



by Honeywell



FUSE™

- Affordably priced, sporty gunmetal double bridge styling
- Soft adjustable saddle nose bridge, prevents slipping and provides comfort and grip
- 9-base polycarbonate lenses provide distortion-free 180° field of vision
- Frame with nickel-free top-coat to prevent skin reactions for people sensitive to nickel
- Hinge-stoppers prevent temple tips from touching the lenses when folded
- Includes: Adjustable breakaway FlexiCord™
- Certified to CSA standard Z94.3



by Honeywell



Order No.	Mfg. No.	Lens Tint
SAK398	11150800	Clear HC
SAK399	11150801	TSR® Grey HC
SAK400	11150804	Silver Mirror HC
SAK401	11150805	Clear Fog-Ban®
SAK402	11150806	Grey Fog-Ban®

THE EDGE™

- Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision
- Lens is anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- Comes complete with both straight and curved temple ends
- Available in black or grey frame colours

Order No.	Mfg. No.	Frame Colour	Lens Tint
SH060	T56005B	Black	Clear
SH061	T56005BS	Black	Smoke
SH062	T56005BA	Black	Amber
SH066	T56005GRY	Grey	Clear
SH067	T56005GRYS	Grey	Smoke

REPLACEMENT LENSES

Order No.	Mfg. No.	Frame Colour	Lens Tint
SR681	443RL	-	Clear
SR682	444RL	-	Smoke
SR683	445RL	-	Amber



by Honeywell

SH061

N-VISION™ T5650 SERIES

UNIVERSAL COMFORT BRIDGE SYSTEM

- Modern ergonomic design for comfort and fit
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple ends supplied with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
SAK140	T56505B	Clear
SAK141	T56505BS	Smoke

N-VISION™ T5655 SERIES


FLEXI-FIT SOFT NOSEPIECE SYSTEM

- Flexi-Fit soft nosepiece for comfort and adaptability
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-scratch, anti-fog, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
SAK195	T56555B	Clear
SAK196	T56555BS	Smoke

TORNADO F5

- Unique dual lens styling in a single piece lens design gives maximum protection and comfort for greater user acceptance
- Full frame in black with grey trim, blue with grey trim and grey with black trim
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- Anti-fog, anti-scratch, anti-static and anti-UV
- Certified to CSA standard Z94.3



Black/Grey Order No.	Mfg. No.	Lens Tint
CURVED TEMPLES		
SEF128	T57505B	Clear
SEC323	T57505BS	Smoke
SEB098	T57505BA	Amber
STRAIGHT TEMPLES		
SEB099	T58505B	Clear
SEC326	T58505BS	Smoke
SEC324	T58505BA	Amber



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SAK192	477RL	Clear
SAK784	478RL	Smoke



REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SAK787	485RL	Clear
SAK788	486RL	Smoke

A700 SERIES

- Lightweight design with sport temples
- Soft temple tip pads provide a secure, comfortable fit
- Molded universal nose bridge
- 9-base polycarbonate hard coated lenses provide 180° field of distortion-free vision
- Provides 99.9% UV protection
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SAO669	A700	Clear	Clear/Hardcoat
SAO670	A701	Grey	TSR® Grey/Hardcoat
SAO671	A702	Clear	Amber/Hardcoat
SAO672	A703	Grey	Blue Mirror/Hardcoat
SAO673	A704	Grey	I/O Silver Mirror
SAO674	A705	Clear	Clear Fog-Ban®

Eye Protection

Z300

- Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on **SAN429** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3



SAN428

Order No.	Description
SEF218	Direct Vent
SEF219	Indirect Vent
SAN430	Indirect Vent, Anti-Fog

V-MAXX®

- Sleek wraparound styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3



SAI905



by Honeywell

Order No.	Mfg. No.	Description	Lens Tint
SAI905	11250800	Direct Vent, Red Elastic Headband	Clear Fog-Ban®
SAI906	11250810	Indirect Vent, Black Neoprene Headband	Clear Fog-Ban®
SAI907	11250830	Indirect Vent, Black Body and Elastic Headband	Shade 3.0
SAI908	11250850	Indirect Vent, Black Body and Elastic Headband	Shade 5.0
SAI909	11250860	Goggles Covers, Peel-Off, 10/Pkg.	-

FURY®

- Sleek, frameless design with wraparound 9-base unilens
- Ideal for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Not for chemical splash applications
- Compliant with CSA standard Z94.3

Order No. SG499
Mfg. No. S1890X



Z1100

- Wraparound style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Anti-fog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes, and chemical splash
- Adjustable elastic headband
- Compliant with CSA standard Z94.3



Order No.	Description
SAX300	Indirect vent

STRATEGY™

- All-day comfort, exceptional fit and protection, even in extreme environments
- Four ventilation options: direct vent, closed vent, indirect vent and indirect vent with foam lining for fine particle protection
- Soft, flexible TPE body conforms to the face, providing an exceptional snug fit
- Optically perfected clear polycarbonate lens with Uvextra™ AF anti-fog coating
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



SAP500



SAP502

Order No.	Mfg. No.	Description	Frame Colour
SAP498	S3800	Direct Vent	Grey
SAP499	S3805	Closed Vent	Grey
SAP500	S3810	Indirect Vent	Grey
SAP501	S3815	Indirect Vent w/Foam	Grey
SAP502	S3820	Indirect Vent	Hot Orange

FUTURA™

- Wraparound sports style provides excellent panoramic vision
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Frosted browguard reduces glare
- Indirect venting increases air flow
- For welding and dust/mist/impact/chemical splash
- Uvextreme® AF coating minimises fogging
- Neoprene headband
- Clear Frame
- Fits over most Rx eyewear
- Compliant with CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SE799	S345C	Clear

REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SE802	S780C	Clear

CLASSIC™

- Three models available for dust, mist or chemical splash:
 - indirect vented
 - indirect hooded and for dust and mist only
 - indirect hooded with face foam
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Impact resistant polycarbonate lenses absorb 99.9 of UV light
- Uvextreme® AF coating minimises fogging
- Neoprene headband
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Description
SE805	S360	Indirect Vent
SE806	S350	Hooded, Indirect Vent
SE807	S350CF	Hooded, Indirect Vent w/Facefoam

STEALTH™

- Futuristic, low profile design for chemical splash and impact protection
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Uvextreme® AF coating and indirect ventilation system minimises fogging
- Dura-Streme™ dual anti-fog/anti-scratch coating minimizes fogging while protecting the lens
- Impact resistant polycarbonate lens absorbs 99.9% of UV light
- Quick adjust neoprene headband
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
-----------	----------	-----------

UVEXTREME® AF

SE790	S3960C	Clear
SE791*	S3960CI	Clear
SE792	S3961C	Grey
SE793	S3962C	Amber

REPLACEMENT LENSES

SE794	S700C	Clear
SE795	S701C	Grey
SE796	S702C	Amber

* Fabric Headband

FLEX SEAL™

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimises fogging
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint	Headband
SAK386	S3400X	Clear	Neoprene
SAK387	S3405X	Clear	Fabric

REPLACEMENT LENSES

SAK391	S710X	Clear	-
--------	-------	-------	---

SEE CLEARLY!
SEE PAGE 123 FOR LENS
CLEANING STATIONS



Eye Protection

NEOPRENE EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Order No. SEF183



NYLON EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Order No. SEF182



EYEWEAR LANYARDS

- 100% cotton
- Adjustable barrel slide
- Durable, cool and comfortable
- Machine washable
- Fits standard frames
- Black

3200 SERIES

Order No. SAK847

Mfg. No. 19152

3215 SERIES

DUAL BREAKAWAY DESIGN

Order No. SAK848

Mfg. No. 19212



EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Order No. SEF180



GOGGLES CASES

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Order No. SEF181



EYEWEAR CASES

- Offers protection for your Wolf Peak glasses
- Hard carrying case

Order No. SEI538

Mfg. No. 9810



LENS CLEANING BAGS

- Can be used for all safety eyewear

Order No. SEI539

Mfg. No. 9802



PRINZING SAFETY GLASSES DISPENSERS WITH LID

- Compact unit designed to hold up to six pairs of glasses
- Dust cover to isolate glasses
- Wall or table mount
- 9" W x 6" D x 3" H

Order No. SED048

Mfg. No. PD211L-F



DELUXE VISITOR SPEC DISPENSERS

- Bottom door that keeps glasses in and folds down for easy dispensing
- Supplied with two top holes making them ideal for wall-mounting
- Holds approximately 20-25 glasses
- 8" W x 4" D x 18" H

Order No. SED050

Mfg. No. MVSD



LENS CLEANING SOLUTION

- Anti-fog, anti-static lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, faceshields and computer monitors
- Silicone free



SEE377

SEE378

SEE381

Order No.	Description	Size	Fits Station(s)
SEE377	Modern Round Bottle w/Pump	8 oz./250 ml	SEE380
SEE378	Boston Round Bottle w/Pump	16 oz./500 ml	SEE382, SEE397
SEE381	Refill	1 gallon	-

LENS CLEANING TISSUES

- For general lens cleaning and wiping needs
- Fits SEE380, SEE382 and SEE397 lens cleaning stations
- 300 interfolded 5" x 8" wipes

Order No. SEE398
Mfg. No. M60G



LENS CLEANING TOWELETTES

- Excellent cleaning with no streaking
- 5" x 8" individually wrapped towelettes permeated with anti-fog, anti-static formula
- 100 towelettes per dispenser

Order No. SEE379



SEE PAGES 108 & 109

FOR ZENITH EYEWEAR



LENS CLEANING STATIONS

SEE380



SEE382



Order No.	Description
SEE380	One 250 ml Bottle w/Pump and 600 Tissues
SEE382	One 500 ml Bottle w/Pump and 1200 Tissues

METAL LENS CLEANING STATIONS

- Rugged, long-wearing steel dispenser
- Comes with two boxes of 5" x 8" interfolded tissues and one 16 oz./473 ml pump bottle of lens cleaning solution

Order No. SEE397
Mfg. No. 860DFP



UVEX CLEAR®


- Specially formulated for anti-fog and scratch-resistant hardcoats and is completely silicone-free and alcohol-free
- Refillable lens cleaning station SR366 comes complete with one 16-oz. Uvex Clear® cleaning solution, four boxes of 500 non-abrasive tissues, a 3 1/2" x 4 1/2" mirror and screw mounts and adhesive foam for quick wall mounting

SR366



Order No.	Mfg. No.	Description
SR366	S461	Refillable Lens Cleaning Station (22 1/2" x 12 1/2")
SN287	S463	16 oz./473 ml Refillable Spray Solution
SM798	S464	1 Gallon/3.78 L Solution Refill
SN144	S462	Box of 500 Non-Abrasive Tissues

SELECTION OF PARTICULATE RESPIRATORS & FILTERS



N-SERIES FILTERS

These filters are restricted to use in atmospheres free of oil aerosols. They may be used for any solid or liquid airborne particulate hazard that does not contain oil.

R-SERIES FILTERS

These filters may be used for solid or liquid airborne particulate hazards including oil aerosols.

P-SERIES FILTERS

These filters may be used for solid or liquid particulate airborne hazards including oil aerosols. In environments containing oil aerosols, P-Series filters can be used longer than R-Series filters. Refer to each product's time use limitation.

NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps



ZENITH®
Safety Products

Order No.	Qty/Box
SAS499	50

PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- SAS498 comes with exhalation valve for reduced humidity build up
- NIOSH approved N95



SAS497



SAS498

ZENITH®
Safety Products

Order No.	Qty/Box
SAS497	20
SAS498	12

8200 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Lightweight construction enhances comfort and wear time
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- NIOSH approved N95
- **20 respirators per box**

Order No. SAQ777
Mfg. No. 8200

3M



8110S & 8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment - no staples to irritate the user's face
- NIOSH approved N95
- **20 respirators per box**

3M

SE260



Order No.	Mfg. No.	Size
SAM402	8110S	Small
SE260	8210	Regular

8210 PLUS N95 PARTICULATE RESPIRATORS

- Advanced electret media
- Two braided straps with staple free attachment
- Adjustable nose clip with soft nose foam
- NIOSH approved N95
- **20 respirators per box**

Order No. SAQ778
Mfg. No. 8210PLUS

3M



8210V N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment - no staples to irritate the user's face
- NIOSH approved N95
- **10 respirators per box**

Order No. SEF203
Mfg. No. 8210V

3M



8510 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Adjustable M-nose clip allows for fewer pressure points and greater comfort
- Lightweight construction
- Braided comfort straps
- NIOSH Approved N95
- **10 respirators per box**

Order No. SEB517
Mfg. No. 8510

3M



8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- **10 respirators per box**

Order No. SE261
Mfg. No. 8511N95

3M



9105 & 9105S N95 V-FLEX™ PARTICULATE RESPIRATORS

- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Elastic headband
- **SED599** fits small faces
- NIOSH approved N95
- **50 respirators per box**

3M

Order No.	Mfg. No.	Size
SED599	9105S	Small
SED600	9105	Regular



9210+ & 9211+ N95 PARTICULATE RESPIRATORS

- Three-panel respirator
- Soft, conformable nose clip
- Lightweight, collapse-resistant design
- Cool Flow™ exhalation valve on **SR616**
- NIOSH approved N95

3M

SR588



Order No.	Mfg. No.	Description	Qty /Box
SR588	9210+	Without Valve	20
SR616	9211+	With Valve	10

Respiratory Protection

8212 & 8214 N95 PARTICULATE RESPIRATORS **3M**

- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Fits easily under a welding hood
- Adjustable straps
- Comfortable foam face seal
- Flame resistant as per ASTM D2859-96 testing
- NIOSH approved N95
- **10 respirators per box**



Order No.	Mfg. No.	Description
SE262	8212	N95
SE883	8214	N95 w/Nuisance Level Organic Vapour Relief

8515 N95 WELDING PARTICULATE RESPIRATORS **3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Welding web and black valve
- Lightweight construction
- Braided comfort straps
- NIOSH approved N95
- **10 respirators per box**



Order No. SA0788
Mfg. No. 8515

8233 N100 PARTICULATE RESPIRATORS **3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip
- Lightweight construction
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved N100
- **1 respirator per bag**



Order No. SE268
Mfg. No. 8233

8512 N95 WELDING PARTICULATE RESPIRATORS **3M**

- Designed for applications in which metal fumes may be present
- Lightweight construction
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Adjustable straps
- NIOSH approved N95
- **10 respirators per box**



Order No. SAJ443
Mfg. No. 8512

8246 & 8247 R95 PARTICULATE RESPIRATORS **3M**

- Proprietary filter media helps make breathing easier
- Constructed with carbon filter material for nuisance level vapour relief
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Lightweight construction
- NIOSH approved R95
- **20 respirators per box**



SE263



SE264

Order No.	Mfg. No.	Description
SE263	8246	R95 w/Nuisance Level Acid Gas Relief
SE264	8247	R95 w/Nuisance Level Organic Vapour Relief

8271, 8276 & 8277 P95 PARTICULATE RESPIRATORS **3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Lightweight construction
- Braided comfort straps
- NIOSH approved P95
- **10 respirators per box**



SE267

Order No.	Mfg. No.	Description
SE267	8271	P95
SE265	8576	P95 w/ Nuisance Level Acid Gas Relief
SE266	8577	P95 w/ Nuisance Level Organic Vapour Relief

8293 P100 PARTICULATE RESPIRATORS **3M**


- Lightweight construction
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved P100
- **1 respirator per bag**

Order No. 142-8293
Mfg. No. 8293



1200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Softspun® lining gives added comfort and durability
- NIOSH approved N95
- 20 respirators per box



MOLDEX



Order No.	Mfg. No.	Description
SAQ182	1200N95	Medium/Large

2200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Available in three sizes to fit most faces
- Flame retardants are added to the shell to help decrease flammability
- NIOSH approved N95
- 20 respirators per box



SE848



SAQ183



Order No.	Mfg. No.	Description
SE451	2200N95	Medium/Large
SE452	2201N95	Small
SE848	2207N95	Low Profile
SAQ183	2200N95HV	High-Visibility

MOLDEX

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Soft foam nose cushion
- Available in three sizes to fit most faces
- NIOSH approved N95
- 10 respirators per box



SE849



MOLDEX

Order No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Low Profile

2400 N95 PARTICULATE RESPIRATORS

MOLDEX


- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per bag



Order No.	Mfg. No.	Description
SE852	2400N95	Medium/Large

2500 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps to filter nuisance levels of acid gas irritants (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per bag



MOLDEX

Order No.	Mfg. No.	Description
SE853	2500N95	Medium/Large

2700 N95 PARTICULATE RESPIRATORS

MOLDEX

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- NIOSH approved N95
- 10 respirators per box



Order No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small

2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per box



SJ904

RESPIRATOR LOCKER®

- Handy personal supply with hygienic storage
- Separate chamber stores respirator-in-use during breaks
- 4 respirators per locker



Order No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small

RESPIRATOR LOCKER®

Order No.	Mfg. No.	Description
SAG158	2850	Medium/Large



MOLDEX

Respiratory Protection

AIRWAVE™ N95 RESPIRATORS

- Exclusive easy-breathing wave design
- Less resistance, better breathability
- Cool inside, without a valve
- FlexFit™ comfort wave flexes with you
- Ideal where unvalved respirators are preferred
- Dura-Mesh® shell adds lasting durability
- NIOSH approved N95
- **10 respirators per box**



Order No.	Mfg. No.	Size	Straps
SEE821	4200	Medium/Large	Standard
SEE822	4201	Small	Standard
SEI529	4600N95	Medium/Large	Adjustable
SEI530	4601N95	Small	Adjustable

2310/2315 N99 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge and soft foam nose cushion
- SAG155 has adjustable cloth straps for a more comfortable fit
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N99
- **10 respirators per bag**



Order No.	Mfg. No.	Description
SE854	2310N99	Standard Straps
SAG155	2315N99	Adjustable Straps

2730 N100 PARTICULATE RESPIRATORS


- Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam face cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N100
- **5 respirators per box**



Order No.	Mfg. No.	Description
SAG149	2730N100	Medium/Large
SAG150	2731N100	Small

2740 R95 PARTICULATE RESPIRATORS

- Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Flame retardants are added to the shell to help decrease flammability
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved R95
- **10 respirators per box**



Order No.	Mfg. No.	Description
SAF825	2740R95	Medium/Large
SAF826	2741R95	Small

2360 P100 PARTICULATE RESPIRATORS

- Adjustable straps allow a snug, comfortable fit
- Molded nose bridge with face foam cushion
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved P100
- **5 respirators per box**



Order No.	Mfg. No.	Description
SAI323	2360P100	Medium/Large

M2600 SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

- Solid black colour stays cleaner looking longer to prevent premature disposal
- HandyStrap® with buckle
- Stretch cloth strap feels cool and comfortable against the skin
- Contoured nose bridge with soft foam nose cushion
- NIOSH approved N95 or R95



Order No.	Mfg. No.	Size	Type	Qty /Box
SAM858	M2600N95	Medium/Large	N95	15
SAM859	M2601N95	Small	N95	15

RESPIRATORS WITH VENTEX VALVE

- Ventex® valve lets the hot air out faster

Order No.	Mfg. No.	Size	Type	Qty /Box
SAM860	M2700N95	Medium/Large	N95	10
SAM861	M2701N95	Small	N95	10
SAM862	M2740R95	Medium/Large	R95	10
SAM863	M2741R95	Small	R95	10

PARTICULATE RESPIRATORS PLUS NUISANCE VAPOUR RELIEF

Order No.	Mfg. No.	Size	Type	Qty /Box
SAM864	M2800N95	Medium/Large	N95	10
SAM865	M2801N95	Small	N95	10
SAM866	M2840R95	Medium/Large	R95	10

N95 FOLDING PARTICULATE RESPIRATORS

- Fits a small face as well as a large one
- Wide cushion offers a better sealing
- Latex free
- One size fits all
- Individually packed and sealed
- NIOSH certified N95
- Sold per box



Order No.	Mfg. No.	Description	Qty/Box
SAS475	7230N95	Without Valve	12
SAS476	7240N95	With Valve	10

ONE-FIT™ MOLDED CUP PARTICULATE RESPIRATORS

- Universal, one-size design
- Fits most face sizes and shapes
- Provides outstanding respiratory protection
- NIOSH approved N95



Order No.	Mfg. No.	Description	Qty /Box
SAQ180	14110444	Without Exhalation Valve	20
SAQ181	14110445	With Exhalation Valve	10

SAF-T-FIT® PLUS N1105 PARTICULATE RESPIRATORS

- Economical respiratory protection
- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- NIOSH approved N95
- 20 respirators per box



Honeywell

Order No.	Mfg. No.	Size
SAM235	14110387	Small
SAM236	14110388	Medium/Large
SAM237	14110389	X-Large

SAF-T-FIT® PLUS N1125 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box



Honeywell

Order No.	Mfg. No.	Size
SAM241	14110393	Small
SAM242	14110394	Medium/Large
SAM243	14110395	X-Large

CFR-1™ PARTICULATE RESPIRATORS

- Reusable face piece with easy to replace disposable filters
- A perfect compromise between comfort, protection and value
- Soft face piece seal
- Built-in exhalation valve
- Face piece design prevents filters from collapsing
- Adjustable harness
- Welding version features a stainless steel mesh cover to catch sparks and slag
- Both versions are shipped with N95 filters, but R95 replacement filters are available for environments where oil may be present



SAG360

Honeywell

Order No.	Mfg. No.	Description	Size
SAG360	4200S	Standard	Small
SAG361	4200M	Standard	Medium
SAG362	4200L	Standard	Large
SAG363	4200SW	Welding	Small
SAG364	4200MW	Welding	Medium
SAG365	4200LW	Welding	Large



SAG363

REPLACEMENT FILTERS

Order No.	Mfg. No.	Description	Qty /Box
SAG366	42N95	N95	20
SAM585	42R95	R95	20

SAF-T-FIT® PLUS N1115 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box



Honeywell

Order No.	Mfg. No.	Size
SAM238	14110390	Small
SAM239	14110391	Medium/Large
SAM240	14110392	X-Large

SAF-T-FIT® PLUS N1125 OV PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Provides relief from nuisance level organic vapours
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 10 respirators per box



Honeywell

Order No.	Mfg. No.	Size
SAM244	14110396	Small
SAM245	14110397	Medium/Large
SAM246	14110398	X-Large

Respiratory Protection

SAF-T-FIT® N1139 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved P95
- **10 respirators per box**



Honeywell

Order No.	Mfg. No.	Size
SAM250	14110402	Small
SAM251	14110403	Medium/Large
SAM252	14110404	X-Large

SAF-T-FIT® P1135 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved P95
- **10 respirators per box**



Honeywell

Order No.	Mfg. No.	Size
SAM255	14110428	Medium/Large
SAM256	14110429	X-Large

NUISANCE DUST MASKS

- Suitable for nuisance dusts such as animal dander or pollen
- This mask is not NIOSH approved

Order No. **SAM286**
Mfg. No. 14110094CC



Honeywell

SEE PAGES 171-172 FOR OUR LINE OF ZENITH® DISPOSABLE COVERALLS



FILTERING FACEPIECE RESPIRATOR DISPENSERS

- Holds up to 40 disposable respirators
- Keeps respirators clean, sanitary and readily accessible
- Gravity-close lid
- Foam-gasket opening
- All steel construction
- Wall mountable
- Dimensions: 6 1/4" W x 5 3/4" D x 13 9/16" H
- Colour: Safety yellow
- Weight: 4.75 lbs.

3M

Order No. **SB916**
Mfg. No. D100



Respirators sold separately

RESPIRATOR DISPENSERS

- Convenient clear acrylic dispenser has a unique cut-out design that allows you to reach in the opening to easily remove even the last respirator model
- Fits any disposable respirator model
- Holds more than 30 respirators
- Dimensions: 6" W x 6" D x 12 1/2" H

BRADY®

Order No. **SAM878**
Mfg. No. M420



Respirators sold separately

7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimises replacement parts and simplifies maintenance

Cartridges sold separately



NORTH

by Honeywell

Order No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200° field vision

Cartridges sold separately



NORTH

by Honeywell

Order No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large

BACKPACK ADAPTERS

- Backpack adapter allows users to locate cartridges and filters out of the work zone
- Is easily adaptable to all North full facepiece and half mask air-purifying respirators
- Attaches to the facepiece cartridge connector
- Ideal for tight or highly heated work places
- Like an extension cord for cartridges

Order No. SAO679
Mfg. No. BP1002



Shown here with half mask and cartridges, sold separately

NORTH

by Honeywell

5500 SERIES LOW MAINTENANCE HALF MASK RESPIRATORS

- Non-allergenic elastomer for comfort and fit
- Contoured sealing flange eliminates discomfort
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- Latex-free straps stretch and move with worker while providing optimum support



NORTH

by Honeywell

Order No.	Mfg. No.	Size
SM890	550030S	Small
SM891	550030M	Medium
SM892	550030L	Large

7600 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean and resists distortion
- Protects the wearer's eyes and face against irritating gases, vapors and flying objects
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Speaking diaphragm makes communication easy
- Five-strap harness provides an effective and comfortable facepiece to face seal
- Hard-coated polycarbonate lens provides over 200° field vision

NORTH

by Honeywell




Cartridges sold separately

Order No.	Mfg. No.	Size
SM893	76008AS	Small
SI777	76008A	Medium/Large

7900 EMERGENCY ESCAPE RESPIRATORS

- Easy to use, emergency escape mouthpiece respirators
- Disposable, no need for a maintenance program



NORTH

by Honeywell

Order No.	Mfg. No.	NIOSH Approved for (Escape only)
SM898	7902	Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide
SM899	7904	Ammonia

Respiratory Protection

N SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision



by Honeywell

Sold per Package

Cartridges	Description	Approved For	Order No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	SEI595	75SCL	2
	Organic Vapour	Organic Vapours	SEI596	N75001L	2
	Acid Gas	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde	SEI597	N75002L	2
	Organic Vapour and Acid Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	SEI598	N75003L	2
	Ammonia / Methylamine	Ammonia, Methylamine	SEI599	N75004L	2
	Mercury Vapour / Chlorine with Mercury ESLI	Mercury Vapour, Chlorine Gas	SEI600	N750052L	2







N SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision












by Honeywell


Sold per Package

Cartridges	Description	Approved For	Order No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter	SEI601	75SCP100L	2
	Organic Vapour w/P100 Filter	Organic Vapours, P100 Particulate Filter	SEI602	7581P100L	2
	Acid Gas w/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, P100 Particulate Filter	SEI603	7582P100L	2
	Organic Vapour and Acid Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, P100 Particulate Filter	SEI604	7583P100L	2
	Ammonia / Methylamine w/P100 Filter	Ammonia, Methylamine, P100 Particulate Filter	SEI605	7584P100L	2
	Mercury Vapour / Chlorine with Mercury ESLI w/P100 Filter	Mercury Vapour, Chlorine Gas, P100 Particulate Filter	SEI606	75852P100L	2

PARTICULATE PREFILTERS & ACCESSORIES

			Sold per Package	
	Descriptions	Order No.	Mfg. No.	Qty /Pkg.
	N95 Filter N95 Particulate Filter	SM915	7506N95	10
	N95 Filter Assembly Includes: N95 Particulate Filter, Filter Cover, and Filter Holder	SM907	7531N95	2
	N99 Filter N99 Particulate Filter	SM913	7506N99	10
	N99 Filter Assembly Includes: N99 Particulate Filter, Filter Cover, and Filter Holder	SM909	7531N99	2
	P100 Filter P100 Particulate Filter	SM914	75FFP100	2
	Hard Shell P100 Filter Hard Shell P100 Particulate Filter	SM913	7580P100	2
	Filter Adaptor For Use With N Series Cartridges and SM907, SM909, or SM914 Filters	SM917	N750035	1
	Filter Holder For Use With N Series Cartridges and SM907, SM909, or SM914 Filters	SM918	N750015	1
	Shower Cap For SM913 Hardshell P100 Filter	SM919	N750029	1

**WORKING IN TIGHT SPACES?
SEE PAGES 253 TO 255 FOR
OUR CONFINED SPACE
ENTRY & EGRESS
PRODUCTS**



Respiratory Protection

THREADED CARTRIDGES

This icon indicates selected Survivair® products that will accept threaded (S-Series) cartridges



BAYONET CARTRIDGES

This icon indicates selected Survivair® products that will accept bayonet (T-Series) cartridges



SURVIVAIR® VALUAIR® PLUS HALF-MASK RESPIRATORS

Great value and easy to adjust. The Valuair® Plus series provide an excellent choice for limited use and limited life applications. Valuair® combines NIOSH-approved protection with low breathing resistance and the comfort of more expensive respirators.

- Thermoplastic elastomer facepiece
- Soft sealing flange and forward angled nose piece easily accommodate eyewear
- Perspiration port
- Easy to adjust, 3-piece sliding suspension
- Facepiece replacement parts are available

Order No.	Mfg. No.	Size
SAM214	301000	Small T-Series
SAM215	302000	Medium T-Series
SAM216	303000	Large T-Series



Cartridges sold separately

Honeywell

SURVIVAIR® PREMIER® HALF-MASK RESPIRATORS

Low breathing resistance for maximum comfort. One of the easiest breathing respirators of its type, the Survivair® Premier® incorporates a perspiration port to reduce facepiece slippage and skin irritation. This high quality, silicone respirator includes a soft sealing flange with rolled edges for increased wearer comfort.

- Elastic head straps adjust at the crown for easy fit and unobstructed vision
- Low profile nosepiece allows for compatibility with eyewear
- Lower breathing resistance than most other available models
- Low breathing resistance for maximum comfort

Order No.	Mfg. No.	Size
SAM217	311000	Small T-Series
SAM218	312000	Medium T-Series
SAM219	313000	Large T-Series



Cartridges sold separately

Honeywell

SURVIVAIR® PREMIER® PLUS HALF-MASK RESPIRATORS

Triple flange design = superior fit, comfort and protection. The Survivair® Premier® Plus is our top-of-the-line half-mask respirator. Made of soft silicone, it is extremely comfortable, flexible and durable.

- A triple flange fits a wide variety of facial types and provides the ultimate in comfort and superior fit
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Lateral placement of exhalation valve and cartridge ports enhances field of vision
- Cradle suspension with four-point floating yoke eliminates pressure points to enhance comfort

Order No.	Mfg. No.	Size
SAM220	321000	Small T-Series
SAM221	322000	Medium/Large T-Series



Cartridges sold separately

Honeywell

SURVIVAIRMAX™ FULL FACEPIECE RESPIRATORS

Maximise your choice of headgear. SurvivairMax™ respirators offer an excellent field of vision, maximising safety, comfort and wearer acceptance.

- High-grade soft silicone facepieces available in three sizes
- Double-scaling flange for optimum fit
- Distortion-free lens with anti-fog and anti-scratch coatings provide outstanding optical clarity in the most demanding environments
- Simple disassembly and reassembly for ease of maintenance
- Optional floating prescription lens insert for spectacle wearers



Cartridges sold separately



Honeywell

Order No.	Mfg. No.	Size
SAN366	851000	Small, 5-Strap
SAN367	852000	Medium, 5-Strap
SAN368	823000	Large, 5-Strap

SURVIVAIR® OPTI-FIT™ FULL FACEPIECE RESPIRATORS

Optimum fit, comfort and superior optics in a full face respirator. The Opti-Fit™ offers the ultimate in performance and affordability. With features usually reserved for more expensive respirators, the Opti-Fit™ can help you get the most from your respiratory protection budget. Opti-Fit™ features a distortion-free lens with exceptional view. Lightweight construction reduces head and neck stress even during extended wear. Three sizes fit almost any facial type.

- Comfortable, durable silicone skirt and five-strap suspension
- Nose cup is a standard feature to prevent fogging
- Lens is replaceable and treated with an anti-scratch coating



Cartridges sold separately





















Order No.	Mfg. No.	Size
S-SERIES		
SAM922	752000	Small
SAM923	762000	Medium
SAM924	772000	Large

Order No.	Mfg. No.	Size
T-SERIES		
SAM925	758000	Small
SAM926	768000	Medium
SAM927	778000	Large

SURVIVAIR® GAS/VAPOUR RESPIRATOR CARTRIDGES

- Designed to offer low inhalation resistance for easier breathing and less fatigue
- Low profile won't interfere with vision







Honeywell

Cartridges	Description	Approval For	Connection Type	Order No.	Mfg. No.	Sold per Pair
	Organic Vapours	Organic Vapours		SAM265	T100100	
				YB579	B100100	
	Ammonia / Methylamine	Ammonia / Methylamine		SAM268	T100400	
				SAM934	B100400	
	Organic Vapours / Acid Gas	Organic Vapours / Chlorine Hydrogen Chloride / Sulfur Dioxide Hydrogen Fluoride / Hydrogen Sulfide (escape)		SAM267	T100300	
				SAM933	B100300	
	Acid Gas	Chlorine / Hydrogen Chloride / Sulfur Dioxide / Hydrogen Sulfide (escape) Formaldehyde		SAM266	T100200	
				SAM932	B100200	
	Uni-Sorb™ Multi-Gas	Organic Vapours / Ammonia / Methylamine / Chlorine / Hydrogen Chloride / Sulfur Dioxide / Chlorine Dioxide / Hydrogen Fluoride / Hydrogen Sulfide (escape) / Formaldehyde		SAM212	T100800	
				SAM936	100800	
	Mercury Vapours / Chlorine	Mercury Vapours or Chlorine		SAM270	T100600	
				SAM935	100600	

SURVIVAIR® COMBINATION GAS/VAPOUR/P100 FILTER RESPIRATOR CARTRIDGES

- Designed to offer low inhalation resistance for easier breathing and less fatigue
- Low profile won't interfere with vision















Honeywell

Cartridges	Description	Approval For	Connection Type	Order No.	Mfg. No.	Sold per Pair
	Organic Vapour w/P100	Organic Vapours P100		SAM273	T105110	
	Organic Vapour / Acid Gas w/P100 Filter	Organic Vapours Chlorine / Sulfur Dioxide/ Chlorine Dioxide Hydrogen Fluoride / Hydrogen Sulfide (escape) P100		SAM274	T105310	
	Uni-Sorb™ Multi-Gas w/P100 Filter	Organic Vapours / Ammonia Methylamine / Chlorine / Hydrogen Chloride / Sulfur Dioxide / Chlorine Dioxide / Hydrogen Fluoride / Hydrogen Sulfide (escape) / Formaldehyde P100		SAM275	T105810	

Respiratory Protection

SURVIVAIR® PARTICULATE PREFILTERS & ACCESSORIES

Honeywell

Cartridges	Description	Approval For	Order No.	Mfg. No.	Sold per Pair	
					Pairs /Case	
	N95, Solid and Non-Oil Based Aerosol	95% efficient against particulate aerosols free of oil		SAM277	T106010	12
				SAM938	106010	12
	N99, Solid and Non-Oil Based Aerosol	95% efficient against particulate aerosols free of oil		SAM939	107010	12
				SAO702	T117010	12
	P100 HEPA, Solid Liquid Aerosol and Oil Mist	99.97% efficient against all particulate aerosols		SAM272	T105005	5
				SAM937	105005	5
	Filter Retainer Cover	Valuair®, Premier®, Premier® Plus and SurvivairMax™ respirators		SAM259	14900975	10
				SAP401	140170	10
	Filter Base	Valuair®, Premier®, Premier® Plus and SurvivairMax™ respirators		SAM257	14900578	10
				SAP402	B140074	10

SOLUTIONS FOR ALL YOUR CONFINED SPACE NEEDS

RESCUE EQUIPMENT



PAGES 253-255

GAS DETECTION



PAGES 346-347

RESPIRATORY PROTECTION



PAGES 130-145

BLOWERS



PAGE 237

7000/9000 SERIES RESPIRATORS

- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
- Ultra lightweight, durable, and economical



7000 HALF-MASK RESPIRATORS

- Low profile, angled cartridge placement for wider field of vision
- Easy mount bayonet cartridge/filter attachment
- Adjustable head harness for a custom fit
- Contoured neck buckles for comfort and quick attachment
- Compact, fits under welding helmets
- Wide flange fits more facial shapes comfortably
- Attached exhale cover for easy inspection



Order No.	Mfg. No.	Size
SEC563	7001	Small
SEC564	7002	Medium
SEC565	7003	Large

9000 FULL FACEPIECE RESPIRATORS

- Lightweight facepiece weighs less than 12.7 oz.
- Stand away head harness for easy donning
- Over-molded buckles for secure strap attachment with one finger strap release
- Panoramic lens with peripheral vision side panels is scratch resistant and includes a tear away lens protector
- Integrated exhale area with attached cover has fewer parts for simple maintenance and inspection



Order No.	Mfg. No.	Size
SEC567	9001	Small
SEC568	9002	Medium
SEC569	9003	Large

PRE-ASSEMBLED PAINT/SPRAY PESTICIDE RESPIRATORS

- Includes SEC576 Organic Vapour Cartridge, SEC570 N95 Prefilter, and SEC572 Prefilter
- Size: Medium

Order No. SEC566
Mfg. No. 7112



REPLACEMENT FACESHIELD PROTECTORS

- 15 per bag

Order No. SEC574
Mfg. No. 0093



7000/9000 SERIES GAS/VAPOUR CARTRIDGES



Description

Order No.

Mfg No.

Sold per Package

Qty /Pkg.

Organic Vapour

SEC576

7100

2

Acid Gas

SEC575

7200

2

Organic Vapour/Acid Gas

SEC577

7300

2

Multi-Gas/Vapor Smart

SEC578

7600

2

7000/9000 SERIES PARTICULATE FILTERS & RETAINERS



Description

Order No.

Mfg. No.

Sold per Package

Qty /Pkg.

N95 Prefilter

SEC570

8910

10

P100 Prefilter

SEC571

7940

2

Prefilter Retainer

SEC572

7020

2

Piggyback Adapter

SEC573

7920

2

Respiratory Protection

MAINTENANCE-FREE PAINT SPRAY/PESTICIDE RESPIRATORS

- **5000 series** respirator offers workers greater comfort, convenience and performance
- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- Low profile facepiece with organic vapour cartridge for a wider field of vision and even greater comfort while wearing glasses or goggles
- Easy-to-install prefilter that is approved for paint spray, pesticides and particulates
- Packaged with one pair of 5P71 P95 prefilter and one pair of prefilter retainers
- NIOSH approved



3M

Order No.	Mfg. No.	Size
SE884	51P71	Small
SE406	52P71	Medium
SE885	53P71	Large

6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATORS

- Lightest half mask respirator available
- Soft thermoplastic facepiece is extremely comfortable and easy-to-adjust
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Facepiece can be reused over and over by simply washing as directed
- Includes reclosable storage bag
- NIOSH/MSHA approved



3M

Order No.	Mfg. No.	Size
SE886	6100	Small
SE887	6200	Medium
SE888	6300	Large

REPLACEMENTS PARTS Sold per Package

Order No.	Mfg. No.	Description	Qty /Pkg.
SAI579	6889	Exhalation Valves	10
SR188	6893	Inhalation Valves	40
SR190	6895	Inhalation Gaskets	20
SAI583	6281	Head Harness	5

MAINTENANCE-FREE GAS & VAPOUR RESPIRATORS

- Same features as the Paint Spray/Pesticide Respirator
- Colour coded by size
- Replaceable prefilters eliminate the need to replace the entire respirator
- NIOSH/MSHA approved



3M

Order No.	Mfg. No.	Size
ORGANIC VAPOUR NIOSH/MSHA APPROVAL NO. TC-23C-859		
SI937	5101	Small
SI938	5201	Medium
SI939	5301	Large
ORGANIC VAPOUR/ACID GAS NIOSH/MSHA APPROVAL NO. TC-23C-865		
SI940	5103	Small
SI941	5203	Medium
SI942	5303	Large

6500 SERIES HALF FACEPIECE RESPIRATORS

- Provides comfort and stability with a soft but firm silicone face seal
- Resilient material extends product life
- Maintains its shape in high heat environments
- Overmolded, low-profile design simplifies cleaning and maintenance with fewer parts and crevices, and provides a wide field of view
- Valve cover design directs exhaled breath and moisture downwards, and facilitates a positive pressure seal check
- Cool Flow™ exhalation valve enhances comfort by reducing heat and moisture, and allows for easier breathing
- Adjustable head harness assembly provides optimum fit and comfort with a three-size adjustable head cradle
- Long-lasting polyester spandex straps
- Optional quick-latch drop-down mechanism allows for easy on and off as workers move in and out of contaminated areas – no need to remove your hard hat or faceshield



3M

Order No.	Mfg. No.	Size
SEJ779	6501	Small
SEJ780	6502	Medium
SEJ781	6503	Large
W/QUICK-LATCH DROP-DOWN FEATURE		
SEJ782	6501QL	Small
SEJ783	6502QL	Medium
SEJ784	6503QL	Large

7500 SERIES ULTIMATE REUSABLE HALF FACEPIECE RESPIRATORS



- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce pressure points on the face
- Dual-mode head harness, option of wearing in traditional or drop-down mode
- Durable and heat resistant plastics
- Cool Flow™ exhalation valve for easier breathing and helps reduce heat and moisture build-up
- NIOSH approved



Order No.	Mfg. No.	Size
SAG264	7501	Small
SAG265	7502	Medium
SAG266	7503	Large

REPLACEMENT PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI636	7582	Inhalation Valves	10
SAI637	7583	Exhalation Valves	10

6000 SERIES FULL FACEPIECE RESPIRATORS



- Lightweight, well balanced, low maintenance facepiece provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick and easy cleaning
- Cool Flow™ exhalation valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- Lens with integrated optical correction limits distortion as you look from side to side
- Wide field of vision provides excellent visibility



Order No.	Mfg. No.	Size
SE889	6700	Small
SE890	6800	Medium
SE891	6900	Large

ACCESSORIES			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI578	6878	Spectacle Kit	1
SI946	6885	Clear Lens Covers	25
SI947	6886	Tinted Lens Covers	25

REPLACEMENTS PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI579	6889	Exhalation Valves	10
SAN499	6864/37000	Centre Adapter Assembly	1
SR188	6893	Inhalation Valves	40
SAI581	6894	Nosecup Assembly	1
SR190	6895	Inhalation Gaskets	20
SR189	6897	Head Harness Assembly	1
SAI584	6898	Lens Assembly	1

ULTIMATE FX FF-400 SERIES FULL FACEPIECE RESPIRATORS



- Engineered for maximum comfort, durability, and visibility
- Provides rugged flexibility in extreme environments while still delivering superior comfort
- The only respirator with Scotchgard™ Protector for easier cleaning and maintenance
- Cool Flow™ valve for easier breathing and cool, dry comfort
- Features soft yet durable silicone face seal and head harness
- Long-lasting head harness – straps pulled over one million times in durability testing
- Large lens for superior peripheral vision
- Low profile bayonet cartridge attachments, designed for improved balance and better weight distribution
- NIOSH approved



Order No.	Mfg. No.	Size
SEB184	FF-401	Small
SEB185	FF-402	Medium
SEB186	FF-403	Large

7800 SERIES FULL FACEPIECE RESPIRATORS



- Silicone facepiece with large face shield for excellent visibility
- Versatile - use with particulate filters, gas/vapour cartridges, supplied air systems or Powered Air Purifying Respirators (PAPR)
- Double-flap face seal
- Cool Flow™ exhalation valve helps make breathing easier
- Speaking diaphragm for easy, clear communications
- Scratch-resistant polycarbonate lens
- Six adjustable straps
- NIOSH approved



Order No.	Mfg. No.	Size
SG534	7800(S)	Small
SG535	7800(M)	Medium
SG536	7800(L)	Large












ACCESSORIES			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI645	7894	Spectacle Kit	1
SI948	7899-25	Clear Lens Covers	25
SI949	7986	Tinted Lens Covers	25

REPLACEMENTS PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI639	701	Cartridge Filter Adapters	2
SR190	6895	Inhalation Gaskets	20
SAI642	7884	Lens	1
SAI643	7885	Frame Kit for Lens	1
SAI644	7887	Gaskets for Inhalation Valves	2
SAF820	7893S	Head Strap Assembly	1

Respiratory Protection

6000 SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES










Cartridges	Description	Approved For	Order No.	Sold per Package	
				Mfg. No.	Qty/Pkg.
	Organic Vapours	Organic Vapours	SE892	6001	2
	Acid Gas	Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide	SE893	6002	2
	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide	SE894	6003	2
	Ammonia/ Methylamine	Ammonia/Methylamine	SE895	6004	2
	Formaldehyde	Formaldehyde and certain organic vapours	SE896	6005	2
	Multi-Gas/ Vapour	Organic Vapours/Chlorine/Chlorine Dioxide/ Hydrogen Chloride/Sulfur Dioxide/ Hydrogen Fluoride/Hydrogen Sulfide/ Ammonia/Methylamine/Formaldehyde	SE897	6006	2
	Mercury Vapour/ Chlorine Gas	Mercury Vapour/Chlorine	SE898	6009	2
	N95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE913	5N11	10
	P95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE914	5P71	10
	Prefilter Retainer	For use with SE913 or SE914	SE915*	501	1
	Prefilter Adapter	For use with SE913 or SE914	SEH649	603	2

*Need two retainers per respirator

6000 SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES









Cartridges	Description	NIOSH Approval For	Order No.	Sold per Package	
				Mfg. No.	Qty/Pkg.
	Organic Vapours/ P100	Organic Vapours permanently pre-attached P100 prefilter*	SE899	60921	2
	Acid Gas/P100	Chlorine/Hydrogen Chloride Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE900	60922	2
	Organic Vapour/ Acid Gas/P100	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE901	60923	2
	Ammonia/ Methylamine/P100	Ammonia/Methylamine/ permanently pre-attached P100 prefilter*	SE902	60924	2
	Formaldehyde/ P100	Formaldehyde and certain organic vapors with P100 particulate filter*	SE903	60925	2
	Multi-Gas/ Vapour/P100	Organic Vapours/Chlorine/ Chlorine Dioxide/Hydrogen Chloride/ Ammonia/Methylamine/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/Formaldehyde/permanently pre-attached P100 prefilter*	SE904	60926	2
	Mercury Vapour/ Chlorine/P100	Mercury Vapour/Chlorine/permanently pre-attached P100 prefilter*	SE905	60929	2

*At least 99.97% efficient against solid and liquid aerosols including oils




2000 SERIES RESPIRATOR PREFILTERS

- Light weight and easy to breathe through
- Suited for a wide range of oil and non-oil based particulate contaminants

Filters	Description	Used For (Possible Applications)	Order No.	Sold per Package	
				Mfg. No.	Qty /Pkg
	P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations	SE906	2071	2
	P95 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Aluminum smelting, glass etching, chemical manufacturing	SE907	2076	2
	P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting	SE908	2078	2
	P100 Filter	Welding, pharmaceutical manufacturing	SE909	2091	2
	P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting	SE910	2096	2
	P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing	SE911	2097	2



2200 SERIES RESPIRATOR PREFILTERS

- Features 3M™ advanced electret filter media making it easier to breathe
- Suited for a wide range of oil and non-oil based particulate contaminants

Filters	Description	Used For (Possible Applications)	Order No.	Sold per Package	
				Mfg. No.	Qty /Pkg.
	P100 Advanced Filter	Welding, pharmaceutical manufacturing	SEI738	2291	2
	P100 Advanced Filter w/ Nuisance Level Acid Gas	Utility operations, chemical manufacturing, Aluminum smelting	SEI739	2296	2
	P100 Advanced Filter w/ Nuisance Level Organic Vapour Relief	Welding, metal foundry, chemical Manufacturing, undercoating operations, pharmaceutical manufacturing	SEI740	2297	2
	Prefilter Adaptor	Filter adaptor for use with 2000 And 2200 series filters	SE916	502	1

7093 P100 RESPIRATOR PARTICULATE FILTERS

- Unique, spring-loaded filter cover design simplifies negative pressure user seal checks
- Swept-back design provides enhanced field of view and greater comfort

Filters	Description	Used For (Possible Applications)	Order No.	Sold per Package	
				Mfg. No.	Qty /Pkg.
	P100 Hard Shell Filter	Welding, pharmaceutical manufacturing	SE912	7093	1
	P100 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Welding, metal pouring, abatement OSHA substance specific particle exposures, pharmaceuticals chemical manufacturing, undercoating	SAQ696	7093C	2

Respiratory Protection

ADVANTAGE® 200 LS HALF FACEPIECE RESPIRATORS

- Clear blue facepiece subtracts 25% of the weight and adds noticeable softness to give workers more comfort and stability than ever
- AnthroCurve™ sealing surface, which instantly conforms to each wearer's unique facial characteristics
- The unmatched fit and comfort start with a soft, pliable combination of rubber and plastic that provides a virtually customized fit
- Patented MultiFlex® system equalizes pressure on the face-seal area while delivering exceptional stability



Order No.	Mfg. No.	Size
2-PIECE NECK STRAP		
SAG058	815696	Small
SAG059	815692	Medium
SAG060	815700	Large
SINGLE NECK STRAP		
SAG061	815448	Small
SAG062	815444	Medium
SAG063	815452	Large

ADVANTAGE® 3000 FULL FACEPIECE RESPIRATORS

- Full-face respirator features a wraparound lens combined with a soft, pliable silicone facepiece
- For the utmost in convenience, Advantage® 3000 uses the same cartridges and filters as the Advantage® 200 LS respirator
- Lower breathing resistance; includes a standard noseclip that reduces fogging in low temperatures or high humidity conditions
- Scratch-resistant coating has been engineered to be optically correct, giving you superior visibility and peripheral vision
- Pre-adjustable straps for a consistent fit, time after time
- Choose between standard rubber harness or Advantage® harness that dons like a catcher's mask



Order No.	Mfg. No.	Size
RUBBER HEAD HARNESS		
SAG064	10028996	Small
SAG065	10028995	Medium
SAG066	10028997	Large
ADVANTAGE® HEAD HARNESS		
SAM909	10031340	Small
SAM910	10031309	Medium
SAM911	10031341	Large
COVER LENS		
• Clear, flexible cover lens protects facepiece lens from scratches		
• Package of 25, sold per package		
Order No.	Mfg. No.	Description
SAM912	10031542	Clear
SAM913	10031543	Smoke







**SEE PAGE 346
FOR OUR GAS
DETECTION
PRODUCTS**



ADVANTAGE GAS/VAPOUR RESPIRATOR CARTRIDGES

- Lightweight, low-profile performance







- Fits MSA Advantage® respirators

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG094	815355	Organic Vapours	Organic Vapours	2
	SAG096	815356	Acid Gas	Chlorine/ Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	2
	SAG098	815357	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen/Sulfide(Escape Only)	2
	SAG102	815359	Multi-Gas	Organic Vapours/ Chlorine/Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	2
	SAG100	815358	Ammonia/Methylamine	Ammonia/Methylamine	2
	SAG105	815361	Mercury Vapour/Chlorine Gas	Mercury Vapour/Chlorine Gas	2

ADVANTAGE COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES






- Lightweight, low-profile performance
- Fits MSA Advantage® respirators

- Combines gas/vapour protection with a permanently attached P100 filter

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG095	815362	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	2
	SAG097	815363	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	2
	SAG099	815364	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	2
	SAG103	815366	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)/Formaldehyde/ Hydrogen Fluoride Permanently Preattached P100 Filter	2
	SAG101	815365	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2
	SAG106	815368	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	2








ADVANTAGE RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

- For use with Advantage® respirators and cartridges

Filters	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG107	815369	P100 Hard Shell Filter	99.97% Efficiency Against Particulate Aerosols	2
	SAG108	816357	N95 Prefilter	95% Efficiency Against Non-Oil Particulate Aerosols	10
	SAG110	815392	N95 Prefilter Retainer	Use with N95 Prefilter	2
	SAG109	815397	R95 Prefilter	95% Efficiency Against Particulate Aerosols	2
	SAG111	815401	R95 Prefilter Retainer	Use with R95 Prefilter	2

FLEXI-FILTER® RESPIRATOR FILTERS

- Low profile flexible filters fit well under a welding hood or with other personal protection equipment
- Great balance and weight distribution for maintaining a good face seal
- Swept-back design provides improved vision and comfort

Filters	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG112	818342	P100	99.97% Efficiency Against Particulate Aerosols	2
	SAG113	818343	P100 w/Nuisance Level Organic Vapour & Ozone Relief	99.97% Efficiency Against Particulate Aerosols	2
	SAG114	818344	P100 w/Nuisance Level Acid Gas Relief	99.97% Efficiency Against Particulate Aerosols	2
	SAG116	818346	N95	95% Efficiency Against Non-Oil Particulate Aerosols	2
	SAG117	818347	N95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Non-Oil Particulate Aerosols	2
	SAG120	818354	P95	95% Efficiency Against Particulate Aerosols	2
	SAG121	818355	P95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Particulate Aerosols	2

Respiratory Protection

COMFO CLASSIC® HALF FACEPIECE RESPIRATORS

- Comfo Classic® respirators feature SoftFeel® facepiece material, which is an MSA-exclusive formulation that improves pliability and softness
- Unique face seal design gives wearers an exceptional fit
- NIOSH approved



Order No.	Mfg. No.	Size
SOFTFEEL® HYCAR™ RUBBER		
SAG070	808075	Small
SAG071	808074	Medium
SAG072	808076	Large
SOFTFEEL® SILICONE		
SAG073	808072	Small
SAG074	808071	Medium
SAG075	808073	Large

COMFO® GAS/VAPOUR RESPIRATOR CARTRIDGES

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG124	464031	Organic Vapours	Organic Vapours	1
	SAG127	464032	Acid Gas	Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1
	SAG129	464046	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1
	SAG134	492790	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	1
	SAG132	464033	Ammonia/Methylamine	Ammonia/Methylamine	1

COMFO® COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

- Combines gas/vapour protection with a permanently attached P100 filter

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG125	815178	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	1
	SAG128	815179	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1
	SAG130	815180	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1
	SAG135	815182	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride Permanently Preattached P100 Filter	1
	SAG133	815181	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	1
	SAG138	815185	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	1

COMFO® RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

- For use with Advantage® respirators and cartridges

Filters	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	SAG139	815175	P100 Hard Shell Filter	99.97% Efficiency Against Particulate Aerosols	1
	SAG142	816661	N95 Prefilter	95% Efficiency Against Non-Oil Particulate Aerosols	10
	SAG144	489353	N95 Prefilter Retainer	Use with N95 Prefilter	1
	SAG143	816287	R95 Prefilter	95% Efficiency Against Particulate Aerosols	1
	SAG145	489219	R95 Prefilter Retainer	Use with R95 Prefilter	1

ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Order No. JA984



RESPIRATOR CLEANING WIPES

Used to clean elastomeric facepiece respirators. 8" x 10" towelettes are alcohol-free and will not damage the facepiece materials. Individually packaged. 100 per box.

Order No. SAI530

Mfg. No. 504



RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Order No. SEE383



FIT TEST KITS

IRRITANT SMOKE FIT TEST KITS

- Facilitates testing required under CSA standard Z94.4-02
- **Includes:** Six irritant smoke tubes (15 tests/tube), aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case

Note: The irritant smoke test protocol requires that the test be conducted in a well-ventilated area. The use of a tent or hood is prohibited and will not comply with OSHA regulations.

Misuse of these products may result in serious injury or death.

Order No.	Mfg. No.	Description
SAM213	140090	Irritant Smoke Fit Test Kit
SAQ164	140038	Replacement Tubes, Irritant Smoke (6/box)



FIT TEST KITS

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection and CSA Standard Z94-4
- A fast, easy method for performing qualitative fit testing
- Can be used with any particulate respirator or any gas and vapour respirator with a particulate filter
- Helps satisfy respiratory program requirements
- Can be used during respirator training programs
- Convenient, reliable, and economical to use
- Determines employee's taste threshold to fit test solution
- Allows exercises to be performed in a test atmosphere
- 1 per case

QUALITATIVE FIT TEST KIT WITH SWEET TESTING SOLUTION

Order No. SAK078

Mfg. No. FT-10

FT-30 QUALITATIVE FIT TEST KIT WITH BITTER TESTING SOLUTION

Order No. SAK085

Mfg. No. FT-30



Disposable Earplugs

MULTI MAX® MULTI-SIZED FOAM



- Offers flexibility, protection and economy in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory
- Smooth, soil-resistant polyurethane foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S.3.19-1974
- **Ratings:** NRR 31 dB, SNR 35_{CE}, SLC_{80T}, 26.0, CSA A(L)



SM557



SM556

Order No.	Mfg. No.	Description	Qty /Box
SM556	MM-1	Uncorded, Poly Bag	200 prs.
SM557	MM-1-PB	Uncorded, Paper Bag	100 prs.

MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 30 dB CSA A(L)

SM558



SM558



Order No.	Mfg. No.	Description	Qty /Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.
SM560	LPF-30-PB	Poly Cord, Paper Bag	100 prs.
SM561	LPF-30-P	White Cotton Cord, Biodegradable-Repulpable Paper Bag	100 prs.

LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 32 dB CSA A(L)

SM562




SM562



Order No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.

MAX® FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 33 dB CSA A(L)



SD631



SD630



Order No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.

LASER-TRAK™ SINGLE USE DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly sensitive production areas
- Contoured T-shape for easy handling and wear
- Comfortable long term wear
- **Rating:** NRR 32 dB CSA Class A(L)



Order No.	Mfg. No.	Description	Qty /Box
SAK189	LT-30	Poly Cord, Individual Polybag	100

3M™ E-A-R™ CLASSIC™ FOAM EAR PLUGS

Slow recovery PVC foam provides comfort with low pressure. It is moisture resistant, and foam will maintain its comfort, fit and critical recovery characteristics. Shape equalises pressure throughout the ear canal as it expands. Flame retardant and dermatologically safe foam is not irritating. The **Classic® Plus** offers the highest NRR, 33 dB. It has a longer high performance foam plug for increased protection, fits more deeply into the ear canal. The **Classic® Small** has a more narrow design for smaller ear canals. All models available uncorded in pillow pak or corded in poly bag. **SH106** is packaged in environmentally friendly paper pak, vegetable based in ink and glue. One size fits all. 200 pairs per box.



Order No.	Mfg. No.	Description	NRR dB
UNCORDED			
SA681	310-1001	Foam - Pillow	29
SH106	313-5555	Foam - Paper Pak	29
SH107	310-1101	Classic® Plus Foam	33
SH109	310-1103	Classic® Small Foam	29
SAJ486	312-1201	Polybag	29
CORDED			
SE649	311-1101	Foam	29
SH108	311-1105	Classic® Plus Foam	33
SH110	311-1106	Classic® Small Foam	29

DECIDAMP²™


- Formed from non-toxic and non-irritating PVC
- Corded model can hang comfortably around the neck for convenience
- Colour: White
- **Rating:** NRR 29 dB



Order No.	Mfg. No.	Description	Qty /Box
SA666	280005	Uncorded	200 prs.
ZB546	280006	Corded	100 prs.

PURA-FIT® FOAM

- Longer length for easy fitting instructions and removal
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- Bright green colour for easy compliance checks
- **Rating:** NRR 33 dB



Order No.	Mfg. No.	Description	Qty /Box
SR831	6800	Uncorded	200 prs.
SAG837	6900	Corded	100 prs.

SPARKPLUGS® MULTI-COURED FOAM

- Different colours in every package
- Fun coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- **Rating:** NRR 33 dB



Order No.	Mfg. No.	Description	Qty /Box
SAG838	6604	Uncorded	200 prs.
SAG839	6654	Corded	100 prs.

Disposable Earplugs & Dispensers

EAR PLUG DISPENSERS

- Refill qty per case: 10



Order No.	Description
SAO205	LS-400 Leight® Source Ear Plug Dispenser

BULK REFILLS, SINGLE USE EAR PLUGS

Order No.	Description	NRR db	Pairs /Refill
SAO206	Matrix™ Orange No-Roll	29	200
SAO207	Matrix™ Green No-Roll	27	200
SAO208	Matrix™ Blue No-Roll	23	200
SAO209	Max®	33	200
SAO210	Max Lite®	30	200
SAO211	Laser Lite®	32	200
SAO212	MultiMax®	31	200

ONE TOUCH™ EARPLUG DISPENSERS

- Patented "No Waste Funnel" allows users to reuse base and dispenser
- Can be used as a table top or wall mounted
- Easy access for the user from all sides
- Rating: NRR 33dB



Order No.	Mfg. No.	Description
SAI093	391-1000	One Touch™ Dispenser

BULK REFILLS

Order No.	Mfg. No.	Description	Size	Pairs /Refill
SAH873	391-1004	Yellow Neons™	Regular	500
SAH874	391-1005	Yellow Neons™	Large	400
SAI104	391-1010	Blasts™	Regular	500

LS-500 LEIGHT® SOURCE EARPLUG DISPENSERS

- Refill qty per case: 10



Order No.	Description
SAK347	LS-500 Leight® Source Earplug Dispenser

BULK REFILLS

Order No.	Description	NRR db	Pairs /Refill
SAF828	Max® Single-Use Earplugs	33	500
SAK343	Max Light® Single-Use Earplugs	30	500
SAF827	Laser Lite® Single-Use Earplugs	32	500
SAK346	Multi Max® Single-Use Earplugs	31	500
SAK338	Matrix™ Green No-Roll Single-Use Earplugs	27	500
SAK337	Matrix™ Orange No-Roll Single-Use Earplugs	29	500
SAK339	Matrix™ Blue No-Roll Single-Use Earplugs	23	500

PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per PlugStation® with SparkPlugs® or Pura-Fit® foam ear plugs
- Camo Plugs® only available in 500 pair dispenser
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB



Order No.	Mfg. No.	Description	Pairs /Dispenser
SE924	6644	SparkPlugs®	250
SE925	6645	SparkPlugs®	500
SE847	6844	Pura-Fit®	250
SF624	6845	Pura-Fit®	500
SAK439	6648	Camo Plugs®	500

QUIET®

- Patented "no-roll" design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- **Rating:** NRR 26 dB, CSA Class A(L)




HOWARD LEIGHT
by Honeywell

Order No.	Mfg. No.	Description	Qty /Box
SAK351	QD1	Uncorded, Flip Top Box	100 prs.
SE359	QD30	Poly Cord, Flip Top Box	100 prs.

FUSION®

- Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety
- **Rating:** NRR 27 dB, CSA Class A(L)




HOWARD LEIGHT
by Honeywell

Order No.	Mfg. No.	Description	Qty /Box
SAK349	FUS30-HP	Regular, HearPack™	100 prs.
SAK350	FUS30S-HP	Small, HearPack™	100 prs.

E-A-R™ ULTRAFIT™ 27 EARPLUGS

- Innovative pistol grip shape designed to give wearers improved fingertip control
- Patented new polymer formulation now provides highest NRR of any premoulded earplug at 27 dB
- Comfortable and reusable
- CSA Class AL



E-A-R
3M

Order No.	Mfg. No.	Description	Qty /Box
SAP858	340-8001	Uncorded	100 prs.
SAP859	340-8002	Corded	100 prs.

SMARTFIT®

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack® storage case
- **Rating:** NRR 25 dB, CSA Class A(L)




HOWARD LEIGHT
by Honeywell

Order No.	Mfg. No.	Description	Qty /Box
SAK348	SMF-30	Corded	100 prs.

AIR SOFT™

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection – highest attenuation in multiple-use
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 27 dB CSA A(L)



HOWARD LEIGHT
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
POLYBAGS			
SD582	DPAS-1	Uncorded	100 prs.
SD583	DPAS-30R	Corded, Red Vinyl	100 prs.
SD584	DPAS-30W	Corded, White Nylon	100 prs.

DISPENSER BOXES

SD585	AS-1	Uncorded	50 prs.
SD586	AS-30R	Corded, Red Vinyl	50 prs.
SD587	AS-30W	Corded, White Nylon	50 prs.

ROCKETS® REUSABLE

- Easy grip handle allows easy insertion
- Air bubble in the tip provides cushioned comfort
- Can be washed and reused
- Each pair comes with a Pocket-Pak® carrying case to store plugs between uses
- Slips easily into the pocket
- **Rating:** NRR 27 dB



MOLDEX

Order No.	Description	Qty /Box
SAN317	Uncorded	50 prs.
SAN318	Corded Vinyl	50 prs.

Hearing Bands

EAR PLUG TRAYS

- Clear acrylic ear plug dispenser tray holds a standard box of ear plugs
- Front section catches spills and protects the corrugated dispenser
- Use on table top or wall mount
- Dimensions: 10 5/8" W x 10 5/8" D x 10 5/8" H

Order No. SED049
Mfg. No. PD228E



JAZZ BAND® HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-Free
- Higher NRR 25 dB
- Includes an extra pair of pods



Order No.	Mfg. No.	Description
SE922	6506	Jazz Band® w/Corded Replacement Pods
SE923	6504	Replacement Pods w/Cord, 5 Pairs/Bag

LARGE CAPACITY EAR PLUG DISPENSERS


- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable ear plugs and can be wall or table mounted
- Dimensions: 12" W x 8" D x 13" H

Order No. SED051
Mfg. No. PD439G



PERCAP® FOLDABLE 3-POSITION BANDED

- Super soft pods rest outside the ear canal opening
- Ideal for workers who do not like to put ear plugs in their ears
- Wear over the head, under the chin or behind the neck
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear
- Rating: NRR 21 dB



Order No.	Mfg. No.	Description	Qty /Box
SA0692	PERCAP	Ear Band	10
SA0744	PCAP100	Replacement Pods	50

QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the Quiet Bands down. Available in three different plug styles:

QB1 Hyg® inner-aural protection; NRR 27 dB

QB2 Hyg® supra-aural protection; NRR 25 dB

QB3 Hyg® semi-aural protection for moderate or intermittent hearing protection; NRR 23 dB rating

One free pair of replacement pods included with each Quiet Band.


Replacement pods for all three styles allow you to economically replace the ear plugs while reusing the headband.



Order No.	Mfg. No.	Description
SN615	QB1HYG	QB1 HYG® Inner-Aural, 27 dB
SN616	QB2HYG	QB2 HYG® Supra-Aural, 25 dB
SN281	QB3HYG	QB3 HYG® Semi-Aural, 23 dB

REPLACEMENT PODS

SN617	QB100HYG	QB1 HYG®, 1 Pair/Pkg.
SN618	QB200HYG	QB2 HYG®, 1 Pair/Pkg.
SN279	QB300HYG	QB3 HYG®, 1 Pair/Pkg.





by Honeywell

THUNDER®

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available



Order No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Headband	26
SAK151	1010929	T2, Over-Head Headband	28
SAK152	1010930	T3, Over-Head Headband	30
SAO694	1011601	T1H, Cap Mount	23

VIKING®

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Headband straps for multi-position wear
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy



by Honeywell

Order No.	Mfg. No.	Description	NRR dB
SAK153	1010925	V1, Multi-Position Headband	23
SAK154	1010926	V2, Multi-Position Headband	25
SAK155	1010927	V3, Multi-Position Headband	29

NOISE BLOCKING QM24+

- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design, weighing only 6 oz
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin

Order No. 154-1205
Mfg. No. QM24+



by Honeywell



Earmuffs

LEIGHTNING®

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



Order No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK148	1010923	L2, Over-Head Headband	27
SAK149	1010924	L3, Over-Head Headband	30



LEIGHTNING® HIGH VISIBILITY®

- Bright green earcups provide additional visibility and contrast on the job
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



Order No.	Mfg. No.	Description	NRR dB
SAO691	1015020	Cap-Mount	23
SAO695	1013941	Over-Head	30
SAO696	1013942	Foldable	27

LEIGHTNING® ULTRASLIM

- Easy storage when not in use
- Extremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection against marginal noise or intermittent exposure
- Cushion replacement is quick and easy
- Provides better fitting on top of the head for optimal attenuation
- Robust design withstands demanding use, especially in tough environments



Order No.	Mfg. No.	Description	NRR dB
SAO690	1013460	Lo ^N Neckband	22
SAO697	1013461	Lo ^F Foldable	23

RADIO HIGH VISIBILITY

- Limits sound radio volume to 82 dB
- Bright green ear cups and reflective headband provide high visibility
- Built-in AM/FM radio provides high sound quality, excellent stereo reception
- AUX input jack for connection to MP3 players or other audio devices (includes 3.5 mm connection cable)
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- 140-hour battery life from two AA batteries (included)
- Hygiene kits available



Order No.	Mfg. No.	Description	NRR dB
SAP883	1015543	Headband	25



IMPACT®

- Amplifies ambient sound to safe 82 dB – response technology revert to passive hearing protector when noise reaches 82 dB
- Inner-ventilated headband minimises pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy
- Sound amplification allows wearers to hear important communication – alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Includes two AA batteries for 700 hours of use
- Hygiene kits available

Order No.	Mfg. No.	Description	NRR dB
SAK160	1010376	V1, Over-Head Headband	23
SAK161	1010632	Cap Mount	21



SAK160



SAK161

HOWARD LEIGHT

by Honeywell

CLARITY®

- Patented Sound Management Technology™ (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Hygiene kits available

Order No.	Mfg. No.	Description	NRR dB
SAK157	1011142	C1, Over-Head Headband	20
SAK159	1011146	C3, Over-Head Headband	27



SAK159
C3



SAK157
C1

HOWARD LEIGHT

by Honeywell

MACH™ 1

- Economical choice for basic hearing protection
- Adjusts to fit any head size
- Dielectric, super lightweight construction

Order No.	Mfg. No.	NRR dB
SAK156	1010421	18



HOWARD LEIGHT

by Honeywell

INTRUDER, CSA, CLASS A

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Hygiene kits available



NORTH

by Honeywell

Order No.	Mfg. No.	Description	NRR dB
SAH731	EM7209	Cap Mount	27

HORNET, CSA CLASS A

- Quality, economical protection for medium range noises
- Lightweight plastic construction provides durable, dielectric protection
- Hygiene kits available



NORTH

by Honeywell

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SA685	EM2177	Cap Mount	24	8.0

Earmuffs

3M™ PELTOR™ OPTIME™ 101 SERIES EARMUFFS

- Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green
- Hygiene kits available



PELTOR™ 3M

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC165	H7A	Headband	27	7.8
SC166	H7B	Neckband	26	7.2
SC167	H7P3E	Cap Mount	24	8.8

3M™ PELTOR™ OPTIME™ 105 SERIES EARMUFFS

- Dual cup ultra high attenuating hearing protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure
- Ear cushions are easily replaceable with a simple press-and-snap function
- The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability
- CSA Class AL
- Colour: Black with red trim
- Hygiene kits available



PELTOR™ 3M

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC161	H10A	Headband	30	9.3
SC162	H10B	Neckband	29	8.8
SC163	H10P3E	Cap Mount	27	10.4

3M™ PELTOR™ OPTIME™ 98 SERIES EARMUFFS

- Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure
- Pressure equalization air openings, quickly ensure the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment
- CSA Class A
- Colour: Yellow
- Hygiene kits available



PELTOR™ 3M

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC172	H9A	Headband	25	5.1
SC173	H9P3E	Cap Mount	23	6.2

3M™ PELTOR™ X SERIES EARMUFFS

- The X-Series earmuffs are 3M's latest advancement in hearing conservation
- This low-profile earmuff is designed for protection against low-level industrial noise and other loud sounds
- Earcup pivot points tilt for optimum comfort and efficiency
- Hygiene kit available
- CSA Class A



PELTOR™ 3M

Order No.	Mfg. No.	Description	NRR dB
SEJ034	X1A	Peltor™ X1, Over-Head Headband	22
SEJ035	X2A	Peltor™ X2, Over-Head Headband	24
SEJ036	X3A	Peltor™ X3, Over-Head Headband	28
SEJ037	X4A	Peltor™ X4, Over-Head Headband	27
SEJ038	X5A	Peltor™ X5, Over-Head Headband	31
SEJ039	X1P3E	Peltor™ X1P, Cap Mount	21
SEJ040	X2P3E	Peltor™ X2P, Cap Mount	24
SEJ041	X3P3E	Peltor™ X3P, Cap Mount	25
SEJ042	X4P3E	Peltor™ X4P, Cap Mount	25
SEJ043	X5P3E	Peltor™ X5P, Cap Mount	31

3M™ PELTOR™ OPTIME™ 95 SERIES EARMUFFS

- Comfort engineered for continuous daily use
- Slim tapered dome for use with hardhat and face protection equipment
- Ultra light with liquid/foam filled ear cushions
- Exclusively engineered for the computer industry
- Also suitable for technical training schools, printing facilities, textile industries and home power equipment use
- CSA Class A (SC176, SC177), Class B (SC175, SAG847)
- Colour: White



PELTOR™ 3M

Order No	Mfg. No.	Description	NRR dB	Wt. oz.
SC175	H6A/V	Headband	21	5.8
SC176	H6B/V	Neckband	21	5.3
SC177	H6P3E/V	Cap Mount	21	6.9
SAG847	H6F/V	Foldable	21	6.5

M1 PREMIUM

- Features an exclusive iridescent colour and sleek, curvy shape for a look that workers will want to wear
- SoftCoat® covering on cups and yoke helps muffle transmitted noise
- Black-chrome, spring-steel headband resists fatigue and is more durable
- Six different adjustment points provide a custom and comfortable fit for most head sizes
- Folds into a super-compact size for easy storage.

Order No.	Mfg. No.	Description	NRR dB
SAG849	6100	Premium	29

MOLDEX



XLS, CSA CLASS A

- The XLS has been specifically designed to offer quality, comfort and protection at an affordable price
- The space age plastic provides rugged durability in harsh environments
- May be adjusted to six different positions
- Extra wide headband provides secure fit
- Hygiene kits available



MSA

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN234	10061535	Cap Mount	22	6

EXC, CSA CLASS A

- Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection
- Two point mounting system ensures pressure is distributed evenly around the cushion
- Press-and-snap function makes it easy to replace ear cushion
- Contoured sealing ring feature provides the best possible seal
- Also suitable for dielectric applications
- Hygiene kits available



MSA

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN237	10061230	Cap Mount	24	7.6

Face Protection

PROTECTO-SHIELD® PROLOK® HEADGEARS

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor

SG413



SG414



NORTH

by Honeywell

Order No.	Mfg. No.	Description
HEADGEARS		
SG413	11380048	Ratchet Adjustment
SG414	11380049	Pinlock Adjustment
SG416	11380057	For Safety Cap with Bilsom® Earmuffs

Order No.	Mfg. No.	Description	Window Dimensions		
			W"	x D"	x H"
FACESHIELDS - MOLDED					
SG418	11390044	Clear, Propionate	15	x 0.060	x 8 1/2
SG419	11390047	Clear, Polycarbonate	15	x 0.060	x 8 1/2
SG423	11390058	Clear, Polycarbonate	20	x 0.040	x 9
SAK431	11390066	Shade 3.0	15	x 0.060	x 8 1/2
SAK432	11390067	Shade 4.0	15	x 0.060	x 8 1/2
SAK433	11390068	Shade 5.0	15	x 0.060	x 8 1/2
SAK434	11390069	Shade 6.0	15	x 0.060	x 8 1/2

FACESHIELDS - ALUMINUM BOUNDED ACETATE					
Order No.	Mfg. No.	Description	W"	x D"	x H"
SG420	11390054	Clear	15	x 0.040	x 6
SG421	11390055	Clear	15	x 0.040	x 8 1/2

FACESHIELDS (SOLD SEPARATELY)

- Universal hole pattern allows faceshields to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate faceshields form easily for a contoured, customised fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Compliant with OSHA, ANSI Z87+ and CSA Z94.3 standards

SG418



SG420



Faceshields sold separately

BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit

SAK421



UVEX™
by Honeywell

- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Compliant with CSA Z94.3 standards

Order No.	Mfg. No.	Description
-----------	----------	-------------

FACESHIELDS

SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-fog Hardcoat Faceshield

REPLACEMENT FACESHIELDS

SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat
SAK425	S8560	Shade 3.0, Uncoated
SAK426	S8565	Shade 5.0, Uncoated

ACCESSORIES

SAO774	S8580	Replacement Headband
SAO775	S8570	Hard Hat Adapter
SAO776	S8595	Ratchet Suspension

JACKSON SAFETY* 170-SB HEADGEARS



- Enables attachment of all Jackson Safety* faceshields to your safety cap
- Large spark deflector
- Universal hole pattern design
- Ratchet suspension
- Faceshields sold separately

Order No. 138-1613

Mfg. No. 29077



JACKSON SAFETY* CAPSHIELDS




- Ideal for attachment of Jackson Safety* faceshields

137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment

138-1550



JACKSON SAFETY* FACESHIELDS



POLYCARBONATE

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3

ACETATE

- Robust combination of weight and strength
- Excellent cold flexibility
- Meets ANSI standard Z87.1



138-1070

138-1072

337 CAPSHIELDS

- Totally dielectric device for non-slotted caps
- Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown
- Faceshields are secured with integral plastic lugs

138-1725



437 CAPSHIELDS

- All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs

138-1775



Order No.	Mfg. No.	Window Dimensions				Tint	
		W"	x	D"	x		H"
POLYCARBONATE, UNBOUND							
138-1070	3002832	15 1/2	x	0.060	x	8	Clear
138-1072	3002813	15 1/2	x	0.060	x	8	IR/UV 3.0
138-1074	3002810	15 1/2	x	0.060	x	8	IR/UV 5.0
ACETATE, ALUMINUM BOUND							
138-1950	3002806	12	x	0.040	x	8	Clear
138-1035	3002808	15 1/2	x	0.040	x	9	Clear

Order No.	Mfg. No.	Description
138-1550	14948	137 Capshield, Cap Coil Spring Attachment
138-1725	14946	337 Capshield, Cord Mounted
138-1775	14947	437 Capshield, Blade Mounted

V90 MONOSHIELD* GOGGLES

- Monogoggle* 211 attaches to shield with PVC gasket
- Can be worn with caps and disposable respirators
- Clear see through material allows for easy wearer identification
- Polycarbonate shield provides face protection
- Can be worn over most prescription eyeglasses
- Meets ANSI standard Z87.1



Order No.	Mfg. No.	Description
SC480	16671	V90 Monoshield* Goggles

JACKSON SAFETY* 382 B CAP ADAPTERS



- Ideal for attachment of Jackson Safety* faceshields
- Easiest, least costly adapter
- Polyethylene spark deflector
- Totally dielectric for slotted caps
- Faceshield secured with integral plastic lugs
- Includes an integral spark deflector and pivoting blades



Order No.	Mfg. No.	Description
138-1747	14944	382 B Cap Adapters

Face Protection

REGULAR FORESTRY KITS

Contains:

- 1 SH143 hard hat, orange
- 1 SAM365 forestry screen
- 1 SA688 Phantom muff, NRR 21 dB

Order No. SG503

Mfg. No. FK12



NORTH

by Honeywell

RATCHET HEADGEARS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkgard made of HDPE plastic
- Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards



Headgear and Faceshield sold separately



Order No.	Mfg. No.	Description	Window Dimensions W" x D" x H"
SA388	103	Ratchet Headgear	-
SA301	181540	Clear Polycarbonate Faceshield	15 1/2 x 0.040 x 8

ECONOMICAL FORESTRY KITS

Contains:

- 1 OZ045 hard hat, red
- 1 SAM365 forestry screen
- 1 SA690 Mustang muff, NRR 20 dB

Order No. SG504

Mfg. No. FK13



NORTH

by Honeywell

SPARKGARD HEADGEARS

- Accepts a wide range of faceshield/window styles
- Large sparkgard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount Sparkgard provides comfortable wear even with heavy faceshield and continuous use
- Quick change system for holding faceshield/window
- Ratchet adjustment for quick, easy and perfect fit



Headgear and faceshields sold separately

NORTH

by Honeywell

Order No.	Mfg. No.	Description	Window Dim. W" x H"
HEADGEAR			
SAH652	KHG4001	Headgear	
FACESHIELDS			
Order No.	Mfg. No.	Description	Window Dim. W" x H"
SAI077	A8154	Polycarbonate, Formed	15 1/2 x 8
SAI078	A8150/40	Copolyester, Flat PET-G	15 1/2 x 8

HEAD & FACE PROTECTION SYSTEMS

Contains:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SAG013 Frame for V-Gard®
- 1 SAG031 Clear polycarbonate faceshield
- 1 SAG016 Sound Blocker muffs, 26 NRR

Order No. SAM400



Contains:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SAG013 Frame for V-Gard®
- 1 SAG031 Clear polycarbonate faceshield

Order No. SAM401



SAM401

MSA

HIGH PERFORMANCE FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 17" x 8" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection



Headgear and faceshields sold separately

FIBRE-METAL

by Honeywell

Order No.	Mfg. No.	Description
SAM376	F-400	Headgear
SAM377	4178	Clear Faceshield
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 Faceshield