

## LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Features short peak, trim profile, and functional rain trough
- Accessory slots accommodate a wide variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 1 class E**



Order No.	Mfg. No.	Colour
<b>EASY QUICK-SLIDE SUSPENSION</b>		
SAX840	14LS79822-YEL	Yellow
SAX841	14LS79826-BLU	Blue
SAX842	14LS79821-WHT	White
SAX844	14LS79823-ORG	Orange
SAX849	14LS79801-DBL	Dark Blue
SAX845	14LS79835-HVO	Hi-Viz Orange

Order No.	Mfg. No.	Description
<b>SECURE-FIT RATCHET SUSPENSION</b>		
SAX850	14LR79622-YEL	Yellow
SAX851	14LR79626-BLU	Blue
SAX852	14LR79621-WHT	White
SAX854	14LR79623-ORG	Orange
SAX859	14LR79601-DBL	Dark Blue
SAX855	14LR79635-HVO	Hi-Viz Orange

Other colours available upon request.

### REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX884	14A79800	Easy Quick-Slide Suspension
SAX885	14A79600	Secure-Fit Ratchet Suspension

## BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-molded suspension
- "Pin-lock" sizing adjustment
- **Not certified**



Order No.	Mfg. No.	Colour
SAX874	14B19112-YEL	Yellow
SAX876	14B19111-WHT	White
SAX877	14B19114-RED	Red
SAX879	14B19161-DBL	Dark Blue

Other colours available upon request.

### REPLACEMENT BUMP CAP SUSPENSION

Order No.	Mfg. No.	Description
SAX886	14A19120	Replacement Suspension

## OMEGA II SAFETY CAPS CSA TYPE 2

- Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 2 class E**



Order No.	Mfg. No.	Colour
<b>EASY QUICK-SLIDE SUSPENSION</b>		
SAX813	14OSC49132-YEL	Yellow
SAX814	14OSC49136-BLU	Blue
SAX815	14OSC49131-WHT	White
SAX816	14OSC49133-ORG	Orange
SAX825	14OSC49301-DBL	Dark Blue
SAX819	14OSC49129-HVP	Hi-Viz Pink
SAX821	14OSC49135-HVO	Hi-Viz Orange

Order No.	Mfg. No.	Description
<b>SECURE-FIT RATCHET SUSPENSION</b>		
SAX826	14ORC49932-YEL	Yellow
SAX827	14ORC49936-BLU	Blue
SAX828	14ORC49931-WHT	White
SAX829	14ORC49933-ORG	Orange
SAX838	14ORC49901-DBL	Dark Blue
SAX832	14ORC49929-HVP	Hi-Viz Pink
SAX834	14ORC49935-HVO	Hi-Viz Orange

Other colours available upon request.

### REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX882	14A69141	Easy Quick-Slide Suspension
SAX883	14A69945	Secure-Fit Ratchet Suspension

# Head Protection

## BASEBALL BUMP CAPS

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook & loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection
- Caution, bump caps are not designed to protect against impact from falling or glancing objects
- **Does not meet CSA or ANSI requirements**



Order No.	Colour
SEJ182	Dark Blue
SEJ183	Camo
SEJ184	Orange
SEJ185	Red

## HARLEY-DAVIDSON® HARD HATS

- Smooth ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- Cushioned sweatband provides increased comfort for the wearer
- **Complies with ANSI Z89.1 impact standard type 1 and electric class G and E**



**Honeywell**



Order No.	Mfg. No.	Description
SAP272	HDHHAT10FM	Flame Design
SAS386	HDHHAT30FM	Orange Metallic Flames, Blades and Skull
SAS387	HDHHAT35FM	Black Matte w/Silver Metallic Flames, Blades and Skull

© 2013 H-D. All rights reserved.  
 Manufactured by Honeywell under license from Harley-Davidson Motor Company.  
**WARNING:** Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

## SUPEREIGHT™ P2 ROUGHNECK

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- **Meets ANSI standard Z89.1, type 1, classes C and G**



Order No.	Mfg. No.	Colour
SAM404	P2QRW-GREY	Grey
SAM405	P2QRW-GREEN	Green
SAM406	P2QRW-BLUE	Blue

## TRAFFIC SAFETY HARD HATS CSA TYPE 1

- Anti-glare protector under peak
- HDPE shell and rain trough
- 4-point nylon suspension and comfort pad
- Four anchor points for chin strap
- **SAM549** and **SAM550** come with three North-Brite™ stripes, 1" x 4", on side and back
- **SAM551** and **SAM552** come with three North-Lite™ stripes, 1" x 4", on side and back
- **Certified to CSA standard Z94.1-05 type 1**



Order No.	Mfg. No.	Suspension	Stripes	Colour
SAM549	A7931/GY	Pinlock	North-Brite™	Orange
SAM550	A79R31/GY	Ratchet	North-Brite™	Orange
SAM551	A7944/GS	Pinlock	North-Lite™	Yellow
SAM552	A79R44/GS	Ratchet	North-Lite™	Yellow

## CSA Z94.1-05 STANDARDS FOR INDUSTRIAL PROTECTIVE HEADWEAR

CSA has recently launched a revised version of the "Industrial Protective Headwear" standard Z94.1-05. This new standard classifies protective headwear in to two types. Type 1 provides impact and penetration protection on the crown (top) only. Type 2 offers impact and penetration protection on the top as well as lateral protection (sides). The new standard also requires that a hazard assessment be performed in the work place. This new standard includes a guide on how to perform a workplace hazard assessment. If no hazard assessment is conducted, the worker must default to the highest protection level which is a type 2, class E protective helmet.

The new standard still covers dielectric properties. Class E rating (Electric), is a hard hat that must pass an electrical test that protects up to 20 000 volts. For a class G rating (general purpose) the conductivity test must qualify with a protection limit of 2200 volts. Lastly, a class C rating, is a hard hat manufactured of conductive material or a hard hat that does not meet classes E or G. This would only be suitable in areas where there is no risk of electrical hazards.

### THE PEAK A79 CSA TYPE 1

- High density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**

**NORTH**

by Honeywell



Order No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SAI085	A79070000	Pinlock	Sky Blue
SH140	A79040000	Pinlock	Green
QZ045	A79150000	Pinlock	Red
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue
YA067	A79R0070000	Ratchet	Sky Blue
SH145	A79R040000	Ratchet	Green

Other colours available upon request

#### ACCESSORIES

Order No.	Mfg. No.	Description
SI917	A79S2	4-Point Pinlock Suspension
SI918	A79RS2	4-Point Ratchet Suspension

Ratchet



Pinlock



### THE SUMMIT A99R CSA TYPE 2

- High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- 6-point ratchet suspension system comes with two adjustment levels for headband
- Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- **Certified to CSA standard Z94.1-05 type 2 class E**



**NORTH**

by Honeywell

Order No.	Mfg. No.	Suspension	Colour
SA651	A99R010000	Ratchet	White
SA652	A99R020000	Ratchet	Yellow
SH146	A99R030000	Ratchet	Orange
SA650	A99R070000	Ratchet	Sky Blue
SH147	A99R040000	Ratchet	Green

Other colours available upon request

#### ACCESSORIES

Order No.	Mfg. No.	Description
SJ317	A99C100	4-Point Safety Cap Chin Strap



# Head Protection

## MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- Certified to CSA standard Z94.1-05 type 2 class E



Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

### ACCESSORIES

SAO538	A89S3	4-Point Quick Fit Suspension
SAN022	A89RS3	4-Point Ratchet Suspension

### SUSPENSION TYPES:

Pinlock



Ratchet



Quick Fit



## THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell
- Ergonomically designed 6-point suspension with two adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- Certified to CSA standard Z94.1-05 type 2 class E



Order No.	Mfg. No.	Colour
SE933	A119R010000	White
SE934	A119R020000	Yellow
SE935	A119R030000	Orange
SE936	A119R070000	Sky Blue
SE937	A119R110000	Black
SE938	A119R150000	Red
SAN168	A119R080000	Navy Blue

## THE EVEREST A49 CSA TYPE 1

- High-density polyethylene outer shell
- 6-point ratchet web suspension or pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- Sizing adjustment from 6 1/2 to 8
- Certified to CSA standard Z94.1-05 type 1 class E



Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SE928	A49R010000	Ratchet	White	15.4
SE929	A49R020000	Ratchet	Yellow	15.4
SE930	A49R070000	Ratchet	Sky Blue	15.4
SE931	A49R110000	Ratchet	Black	15.4
SE932	A49R150000	Ratchet	Red	15.4
SH151	A49010000	Pinlock	White	14.7
SH152	A49020000	Pinlock	Yellow	14.7
SH154	A49110000	Pinlock	Black	14.7
SH155	A49150000	Pinlock	Red	14.7

### ACCESSORIES

SJ317	A99C100	4-Point Safety Cap Chin Strap
SI919	A491S	4-Point Pinlock Suspension

## V-GARD® PROTECTIVE CAPS

Offer comfortable, lightweight protection

V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system. V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size. Available with Fas-Trac® or 1-Touch™ suspension. Caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003**, and **CSA Z94.1-2005**, class E.



## MSA SUSPENSION TYPES:



Fas-Trac®



1-Touch™

## TOPGARD® PROTECTIVE CAPS

Uni-Ridge Design Protects Wearer From Falling Objects

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-Touch™ or Fas-Trac® suspension. Topgard® caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003** and **CSA Z94.1-2005**, class E.



Order No.	Mfg. No.	Colour
<b>1-TOUCH™ SUSPENSION</b>		
SAM569	454728	White
SAM571	454723	Blue
SAM572	454721	Yellow
SAM573	454725	Orange
SAM574	454727	Red
SAM575	454726	Green
SAM576	454722	Grey

Order No.	Mfg. No.	Colour
<b>FAS-TRAC® SUSPENSION</b>		
SAG002	475385	White
SAG003	475380	Blue
SAG004	475378	Yellow
SAG005	475382	Orange

### REPLACEMENT SUSPENSIONS

Order No.	Mfg. No.	Description
SAM577	10061127	1-Touch™ Suspension
SAG010	473333	Fas-Trac® Suspension

Order No.	Mfg. No.	Colour
<b>FAS-TRAC® SUSPENSION</b>		
SAF970	475358	White
SAF971	475359	Blue
SAF972	475360	Yellow
SAF973	475361	Orange
SAF974	475363	Red
SAF975	475362	Green
SAF976	475364	Grey
SAF977	488146	Hi-Viz Orange
SAF978	815565	Hi-Viz Lime Green
SAF979	475365	Gold
SAF980	495855	Silver
SAF981	492559	Black

Order No.	Mfg. No.	Colour
<b>1-TOUCH™ SUSPENSION</b>		
SAM578	10057441	White
SAM579	10057442	Blue
SAM580	10057443	Yellow
SAM581	10061514	Hi-Viz Lime Green

## FREEDOM SERIES™ HARD HATS

- Canadian Maple Leaf design
- V-Gard® helmet with distinctive "all Canadian" graphics
- FAS-TRAC® suspension
- Meet requirements of **ANSI Z89.1 2003** for a **type I** helmet, class E and **CSA type 1**, class E



Order No.	Mfg. No.	Description
SAM667	10050613	Maple Leaf Design

## WORKER STARTER KITS

- Ideal for outfitting temporary workers
- **Kit includes:**
  - Hard hat: CSA type 1 with ratchet suspension
  - Safety glasses: I/O blue mirror compliant with CSA standard
  - Ear plugs: Corded CSA class AL with NRR rating of 32 dB
  - Gloves: Split cowhide patch palm leather
  - Respirator: NIOSH N95 approved

Order No.	Hard Hat Colour
SEH890	Yellow
SEH891	White
SEH892	Blue



SEH890

# Head Protection

## HARD HAT MOUNTING RACKS

Two models of racks are available to store your hard hat.

**Seat Mount Rack** hangs over the front or back of a car or truck seat.

**Wall Mount Rack** can be permanently mounted in a vehicle or office.



SA660



SA664

Order No.	Mfg. No.	Description
SA660	STR-1-SM	Seat Mount Rack
SA664	STR-2-WM	Wall Mount Rack


## SWEATBANDS

Sweatbands are a cool and comfortable solution for hot workplace environments. Feature soft, reinforced sponge to absorb perspiration and prevent it from running into eyes or spectacles. Waffled sponge provides added durability with gauze scrim-reinforced design. Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place.


**Clip-on** version has harness that fits onto hard hats, welding helmets, or sandblast hood suspensions. For workers who wear head or face protection all day.

Dimensions: 8 5/8" x 1 3/4".

**Sold per package.**



SAI911



SAI910

Order No.	Mfg. No.	Description	Qty /Pkg
SAI910	22011	Sweatband	25
SAI911	22010	Clip-On Sweatband	25

## HEADGEAR SWEATBANDS

- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Sweatbands come with elastic strap
- Field tested to improve helmet grip with maximum perspiration absorption
- **Sold per package of two**

Order No. SAM548

Mfg. No. WM20-3303



## 6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size

SEE076

SEE077



Order No.	Mfg. No.	Description
SEE076	16810	Half Cap Style
SEE077	16815	Full Face Style

## SEPTOR® HEADLAMPS

- Hands-free headlamp features LEDs lighting that amply illuminate the task at hand
- 90° tilting head for task targeting
- 7 bright white LEDs that have a 100000 hour lifetime and never needs to be replaced
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Run time of up to 150 hours on a single LED
- Produces up to 50 lumens - 7 LEDs; 25 lumens - 3 LEDs; 9 lumens - 1 LED
- Water resistant
- **Includes:** 3 AAA alkaline batteries, elastic headstrap and rubber hard hat strap

**Order No. XC389**  
**Mfg. No. 61052**



## TRIDENT® HEADLAMPS

- 3-way headlamp with rubber and elastic straps
- Features 1 high powered LED and 3 ultra bright white LEDs within the same reflector - all with 100 000 hour lifetimes
- 3 brightness levels - (1) high powered LED, (1) LED, (3) LEDs
- 90° tilting head
- Low Battery Indicator - Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- **Includes:** 3 AAA alkaline batteries and both elastic and rubber hard hat straps

**Order No. XC388**  
**Mfg. No. 61050**



## ARGO® HEADLAMPS

- Long-range headlamp with a far reaching beam of 190 meters
- 3 lighting modes: High for maximum output long-range beam distance, medium for intense brightness, and low for extended run times
- Low Battery Indicator - Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- **Includes:** 3 AAA alkaline batteries and both elastic and rubber hard hat straps

**Order No. SEJ181**  
**Mfg. No. 61301**



## 3AA HAZ-LO®

- Streamlight®'s first safety approved LED headlamp for Class 1, Div 1 hazardous locations
- Contains a 1 Watt super high-flux LED
- LED has a 50 000 hour lifetime and never needs to be replaced
- Brightness: 34 lumens
- Run time: Up to 11 hours of continuous use
- O-ring sealed for weather-resistance
- 90° tilting head
- UL Classified for Class I, Division 1, Groups A, B, C, D, Temperature Code T4
- **Includes:** 3 AA Alkaline batteries; 2 head straps - rubber and elastic

**Order No. XC391**  
**Mfg. No. 61200**



## LED HEADLAMPS

- 7 ultra bright LED lights
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap
- Certified for sale in Canada by an accredited certification body

**Order No. XC658**



## INDUSTRIAL 6 LED HEADLIGHTS

- Two white spot, two white flood, two red
- Lamp life: Lifetime
- Comes with three AAA batteries

**Order No. XC645**  
**Mfg. No. HDL33AINE**



**REPLACEMENT BATTERIES, AAA**  
24/pkg. Sold per package.

**Order No. XB873**  
**Mfg. No. EN92**



## EXPLOSION PROOF HEADLIGHTS

Totally enclosed, chemical-resistant light comes with an adjustable strap that mounts the light on a hard hat. Can also fit comfortably directly on worker's head. Lamp housing swivels 45° for accurate aim. Operates for approximately four hours on four AA batteries (**not included**).

Wt. w/batteries: 7.6 oz.

**Order No. XA036**  
**Mfg. No. HL-X**



**REPLACEMENT BATTERIES**

AA 1.5 V, 24/pkg. Sold per package.  
**Order No. XB872**  
**Mfg. No. EN91**



# Clothing

## TYVEK® PROTECTIVE CLOTHING

- Serged seams

**Applications:** Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.



SAV192



SAV174



SAV176










SAV183



SAV190



	Order No.	Mfg. No.	Size	Qty /Case
 <p><b>SHIRT</b> Snap front</p>	SAV183	TY303S-S	Small	50
	SAV182	TY303S-M	Medium	50
	SAV181	TY303S-L	Large	50
	SAV184	TY303S-XL	X-Large	50
	SAV178	TY303S-2XL	2X-Large	50
	SAV179	TY303S-3XL	3X-Large	50
	SAV180	TY303S-4XL	4X-Large	50
	 <p><b>PANTS</b> Elastic waist</p>	SAV190	TY350S-S	Small
SAV189		TY350S-M	Medium	50
SAV188		TY350S-L	Large	50
SAV191		TY350S-XL	X-Large	50
SAV185		TY350S-2XL	2X-Large	50
SAV186		TY350S-3XL	3X-Large	50
SAV187		TY350S-4XL	4X-Large	50
 <p><b>PULLOVER HOOD</b> Pullover, elasticized face opening, covers shoulders</p>		SAV193	TY657S	One-Size
 <p><b>LAB COAT</b> Snaps 2 pockets, collar</p>	SAV174	TY212S-S	Small	30
	SAV173	TY212S-M	Medium	30
	SAV172	TY212S-L	Large	30
	SAV175	TY212S-XL	X-Large	30
	SAV169	TY212S-2XL	2X-Large	30
	SAV170	TY212S-3XL	3X-Large	30
	SAV171	TY212S-4XL	4X-Large	30
	 <p><b>APRON</b> Sewn ties</p>	SAV176	TY273B	28" x 36" Long
 <p><b>SLEEVES</b> Elastic at both ends</p>	SAV192	TY500S	18" Long	100 pairs
 <p><b>SHOE/BOOT COVER</b> Elastic top</p>	SA174	TY450S-WH	5" High, O/S, pr.	100 pairs
	SA173	TY454S-WH	18" High, O/S, pr.	100 pairs







## TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops submicron particles better than reusable garments
- Colour: White

### Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mould remediation, microcrystalline silica.



	Order No.	Mfg. No.	Size	Qty /Case
 <p><b>COVERALL</b> Serged Seams, Collar, Front Zipper Closure</p>	SAS028	TY120S-M	Medium	25
	SAS029	TY120S-L	Large	25
	SAS030	TY120S-XL	X-Large	25
	SAS031	TY120S-2XL	2X-Large	25
	SAS032	TY120S-3XL	3X-Large	25
	SAS033	TY120S-4XL	4X-Large	25
 <p><b>COVERALL</b> Serged Seams, Collar, Front Zipper Closure, Elastic Wrists and Ankles</p>	SAS035	TY125S-M	Medium	25
	SAS036	TY125S-L	Large	25
	SAS037	TY125S-XL	X-Large	25
	SAS038	TY125S-2XL	2X-Large	25
	SAS039	TY125S-3XL	3X-Large	25
	SAS040	TY125S-4XL	4X-Large	25
 <p><b>HOODED COVERALL</b> Serged Seams, Attached Hood, Front Zipper Closure, Elastic Wrists and Ankles</p>	SAS042	TY127S-M	Medium	25
	SAS043	TY127S-L	Large	25
	SAS044	TY127S-XL	X-Large	25
	SAS045	TY127S-2XL	2X-Large	25
	SAS046	TY127S-3XL	3X-Large	25
	SAS047	TY127S-4XL	4X-Large	25
 <p><b>HOODED COVERALL W/BOOTS</b> Zipper Front, Attached Hood, Boots and Elastic Wrists</p>	SAV166	TY122S-M	Medium	25
	SAV165	TY122S-L	Large	25
	SAV168	TY122S-XL	X-Large	25
	SAV162	TY122S-2XL	2X-Large	25
	SAV163	TY122S-3XL	3X-Large	25
	SAV164	TY122S-4XL	4X-Large	25

## TYVEK® DUAL COVERALLS

- The ideal balance of protection, durability, and comfort for workers
- Unique zoned garment designed specifically for composite manufacturing applications
- Front zone features Tyvek® fabric to provide excellent durability and an inherent barrier to fine particles
- Rear zone features ProShield® fabric to help increase breathability for reduced heat stress and advanced worker comfort
- Comfort fit design helps to enable a greater range of movement while providing a more tailored fit
- Thumb loops keep the sleeves in place while donning gloves or reaching
- Respirator-fit hood with elastic around the face opening
- Longer zipper extends to chin for complete coverage of the neck area
- Unique outside serged seams provide better liquid mist holdout



Order No.	Mfg. No.	Size	Qty /Case
SEH057	TD127-S	Small	25
SEH058	TD127-M	Medium	25
SEH059	TD127-L	Large	25
SEH060	TD127-XL	X-Large	25
SEH061	TD127-2X	2X-Large	25
SEH062	TD127-3X	3X-Large	25
SEH063	TD127-4X	4X-Large	25



# Clothing




## PROSHIELD® BASIC GARMENTS

- Soft, breathable, comfortable and lightweight spunbond meltblown spunbond (SMS) material
- Feature a proprietary comfort fit design that is specially engineered for enhanced worker range of motion and durability in use
- Provides protection from dirt, grime, and non-hazardous dry particles
- Colour: Blue



**Applications:** Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.



		Order No.	Mfg. No.	Description	Qty /Case
<b>COVERALL</b> Zipper Front, Elastic Wrists and Ankles		<b>SEJ892</b>	PB125SBU-MD	Medium	25
		<b>SEJ893</b>	PB125SBU-LG	Large	25
		<b>SEJ894</b>	PB125SBU-XL	X-Large	25
		<b>SEJ895</b>	PB125SBU-2X	2X-Large	25
		<b>SEJ896</b>	PB125SBU-3X	3X-Large	25
		<b>SEJ897</b>	PB125SBU-3X	4X-Large	25
<b>HOODED COVERALL</b> Zipper Front, Attached Hood, Elastic Wrists and Ankles		<b>SEJ899</b>	PB127SBU-MD	Medium	25
		<b>SEJ900</b>	PB127SBU-LG	Large	25
		<b>SEJ901</b>	PB127SBU-XL	X-Large	25
		<b>SEJ902</b>	PB127SBU-2X	2X-Large	25
		<b>SEJ903</b>	PB127SBU-3X	3X-Large	25
		<b>SEJ904</b>	PB127SBU-4X	4X-Large	25
<b>LAB COAT</b> Snaps 2 Pockets, Collar		<b>SEC274</b>	P1212SDB-MD	Medium	30
		<b>SEC275</b>	P1212SDB-LG	Large	30
		<b>SEC276</b>	P1212SDB-XL	X-Large	30
		<b>SEC277</b>	P1212SDB-2X	2X-Large	30
		<b>SEC278</b>	P1212SDB-3X	3X-Large	30




## NEXGEN® COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White



**Applications:** Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.



		Order No.	Mfg. No.	Size	Qty /Case
<b>COVERALL</b> Zipper front, collar		<b>SN880</b>	NG120S-S	Small	25
		<b>SN881</b>	NG120S-M	Medium	25
		<b>SN882</b>	NG120S-L	Large	25
		<b>SN883</b>	NG120S-XL	X-Large	25
		<b>SN884</b>	NG120S-2XL	2X-Large	25
		<b>SN885</b>	NG120S-3XL	3X-Large	25
<b>COVERALL</b> Zipper front, elastic wrists and ankles		<b>SN886</b>	NG120S-4XL	4X-Large	25
		<b>SN887</b>	NG125S-S	Small	25
		<b>SN888</b>	NG125S-M	Medium	25
		<b>SN889</b>	NG125S-L	Large	25
		<b>SN890</b>	NG125S-XL	X-Large	25
		<b>SN891</b>	NG125S-2XL	2X-Large	25
<b>HOODED COVERALL</b> Zipper front, attached hood, elastic wrists and ankles		<b>SN892</b>	NG125S-3XL	3X-Large	25
		<b>SN893</b>	NG125S-4XL	4X-Large	25
		<b>SN894</b>	NG127S-S	Small	25
		<b>SN895</b>	NG127S-M	Medium	25
		<b>SN896</b>	NG127S-L	Large	25
		<b>SN897</b>	NG127S-XL	X-Large	25
	<b>SN898</b>	NG127S-2XL	2X-Large	25	
	<b>SN899</b>	NG127S-3XL	3X-Large	25	
	<b>SN900</b>	NG127S-4XL	4X-Large	25	

## TYCHEM® SL COVERALLS



- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White



### Applications:

Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents.



	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Bound Seams, Collar, Front Zipper, Storm Flap, Elastic Wrists and Ankles	<b>SAS056</b>	SL125B-M	Medium	12
	<b>SAS057</b>	SL125B-L	Large	12
	<b>SAS058</b>	SL125B-XL	X-Large	12
	<b>SAS059</b>	SL125B-2XL	2X-Large	12
	<b>SAS060</b>	SL125B-3XL	3X-Large	12
	<b>SAS061</b>	SL125B-4XL	4X-Large	12
 <b>HOODED COVERALL</b> Bound Seams, Attached Hood, Front Zipper, Storm Flap, Elastic Wrists and Ankles	<b>SA194</b>	SL127B-M	Medium	12
	<b>SA193</b>	SL127B-L	Large	12
	<b>SA196</b>	SL127B-XL	X-Large	12
	<b>SC252</b>	SL127B-2XL	2X-Large	12
	<b>SC253</b>	SL127B-3XL	3X-Large	12
	<b>SC254</b>	SL127B-4XL	4X-Large	12

## TEMPRO® COVERALLS




- Engineered secondary flame-resistant protection intended to wear over primary flame-resistant garments
- Lightweight, disposable barrier protection designed to not contribute to burn injury
- Protects non-hazardous dry particles and aerosols from contaminating flame-resistant garments
- Colour: Blue

\*Attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.



SA228





	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Zipper front, collar	<b>SA224</b>	TM120S-S	Small	25
	<b>SA223</b>	TM120S-M	Medium	25
	<b>SA222</b>	TM120S-L	Large	25
	<b>SA225</b>	TM120S-XL	X-Large	25
	<b>SC273</b>	TM120S-2XL	2X-Large	25
	<b>SC274</b>	TM120S-3XL	3X-Large	25
 <b>COVERALL</b> Zipper front, attached hood, elastic wrists and ankles	<b>SA228</b>	TM127S-S	Small	25
	<b>SA227</b>	TM127S-M	Medium	25
	<b>SA226</b>	TM127S-L	Large	25
	<b>SA229</b>	TM127S-XL	X-Large	25
	<b>SC276</b>	TM127S-2XL	2X-Large	25
	<b>SC277</b>	TM127S-3XL	3X-Large	25
 <b>COVERALL</b> Zipper front, attached hood, elastic wrists and ankles, attached sock boots*	<b>SAV160</b>	TM122S-S	Small	25
	<b>SAV159</b>	TM122S-M	Medium	25
	<b>SAV158</b>	TM122S-L	Large	25
	<b>SAV161</b>	TM122S-XL	X-Large	25
	<b>SAV155</b>	TM122S-2XL	2X-Large	25
	<b>SAV156</b>	TM122S-3XL	3X-Large	25
<b>SAV157</b>	TM122S-4XL	4X-Large	25	

## PYROLON PLUS II® COVERALLS

### FLAME RETARDANT FABRIC

- Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- Water and oil repellency
- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilities
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue



	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Zipper Front, Collar	<b>SN339</b>	7412-SB	Small	25
	<b>SN340</b>	7412-MB	Medium	25
	<b>SN341</b>	7412-LB	Large	25
	<b>SN342</b>	7412-XLB	X-Large	25
	<b>SN343</b>	7412-2XLB	2X-Large	25
	<b>SN344</b>	7412-3XLB	3X-Large	25
 <b>HOODED COVERALL</b> Zipper Front, Attached Hood, Elastic Wrists and Ankles	<b>SN346</b>	7428-SB	Small	25
	<b>SN347</b>	7428-MB	Medium	25
	<b>SN348</b>	7428-LB	Large	25
	<b>SN349</b>	7428-XLB	X-Large	25
	<b>SN350</b>	7428-2XLB	2X-Large	25
	<b>SN351</b>	7428-3XLB	3X-Large	25
<b>SN352</b>	7428-4XLB	4X-Large	25	

# Clothing

## MICROPOROUS CLOTHING

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd<sup>2</sup> (63 grams)
- Colour: White

**Applications:** Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.

Description	Order No.	Size	Qty /Case
<b>COVERALL</b>			
Zipper front w/storm flap, elastic wrists and ankles	SEC807	Small	25
	SEC808	Medium	25
	SEC809	Large	25
	SEC810	X-Large	25
	SEC811	2X-Large	25
	SEC812	3X-Large	25
SEC813	4X-Large	25	
<b>HOODED COVERALL</b>			
Zipper front w/storm flap, attached hood, elastic wrists and ankles	SEC814	Small	25
	SEC815	Medium	25
	SEC816	Large	25
	SEC817	X-Large	25
	SEC818	2X-Large	25
	SEC819	3X-Large	25
SEC820	4X-Large	25	
<b>LAB COAT</b>			
Snaps 2 pockets, collar	SEC821	Small	30
	SEC822	Medium	30
	SEC823	Large	30
	SEC824	X-Large	30
	SEC825	2X-Large	30
	SEC826	3X-Large	30
SEC827	4X-Large	30	
<b>APRON</b>			
Sewn ties	SEC828	28" x 36" Long	100



## POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Front zipper for optimum fit
- 1.6 oz/m<sup>2</sup> fabric
- 50 coveralls per case

**Applications:** Food processing, laboratories/ pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments

Order No.	Size
SEC392	Medium
SEC393	Large
SEC394	X-Large
SEC395	2X-Large
SEC396	3X-Large
SEC397	4X-Large
SEC398	5X-Large



## POLYPROPYLENE PREMIUM COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Heavy-duty front zipper for optimum fit
- Protective front zipper flap
- Features front left breast pocket
- 1.85 oz/m<sup>2</sup> fabric
- 50 coveralls per case

**Applications:** Food processing, laboratories/ pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments

Order No.	Size
SEC399	Medium
SEC400	Large
SEC401	X-Large
SEC402	2X-Large
SEC403	3X-Large
SEC404	4X-Large
SEC405	5X-Large



## SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offer greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd<sup>2</sup> (60 grams)

**Applications:** Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.

Description	Order No.	Size	Qty /Case
<b>COVERALL</b>			
Zipper front w/storm flap collar	SEC829	Medium	25
	SEC830	Large	25
	SEC831	X-Large	25
	SEC832	2X-Large	25
	SEC833	3X-Large	25
	SEC834	4X-Large	25
Zipper front w/storm flap, elastic wrists and ankles	SEC835	Medium	25
	SEC836	Large	25
	SEC837	X-Large	25
	SEC838	2X-Large	25
	SEC839	3X-Large	25
	SEC840	4X-Large	25
<b>HOODED COVERALL</b>			
Zipper front w/storm flap, attached hood, elastic wrists and ankles	<b>WHITE</b>		
	SEC841	Medium	25
	SEC842	Large	25
	SEC843	X-Large	25
	SEC844	2X-Large	25
	SEC845	3X-Large	25
	SEC846	4X-Large	25
	<b>NAVY</b>		
	SEC847	Medium	25
	SEC848	Large	25
	SEC849	X-Large	25
	SEC850	2X-Large	25
	SEC851	3X-Large	25
	SEC852	4X-Large	25
<b>LAB COAT</b>			
Snaps 2 pockets, collar	SEC853	Medium	30
	SEC854	Large	30
	SEC855	X-Large	30
	SEC856	2X-Large	30
<b>SMOCK</b>			
Attached ties	SEC857	Large	50
	SEC858	X-Large	50
	SEC859	2X-Large	50



## SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: White
- Sold per package



Order No.	Description	Size	Qty /Pkg.
SEC385	Regular sole	Large	100
SEC386	Regular sole	X-Large	100
SEC387	Skid-free sole	Large	100
SEC388	Skid-free sole	X-Large	100

## NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free model has textured sole for improved traction
- Colour: Blue
- Sold per package



Order No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

## BOUFFANT CAPS

### NON-WOVEN

- Non-woven polypropylene
- Elasticized band for an optimum fit
- **Sold per package**



SEC376

Order No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100

### LINT-FREE

- Lint-free, lightweight non-woven material
- Elasticized band for an optimum fit
- Colour: White
- **Sold per package**



SEC380

Order No.	Size	Qty /Pkg.
SEC379	Medium 18"	100
SEC380	Large 21"	100

### LATEX-FREE

- Non-woven polypropylene
- Latex-free elasticized band for an optimum fit
- Ideal for individuals with latex sensitivities or allergies
- Colour: White
- **Sold per package**



SEC382

Order No.	Size	Qty /Pkg.
SEC381	Large 21"	100
SEC382	X-Large 24"	100

## HAIR NETS

- Fine polyester mesh
- Elasticized band for an optimum fit
- Colour: White
- **Sold per package**



SEC373

Order No.	Size	Qty /Pkg.
SEC372	Medium 18"	100
SEC373	Large 21"	100
SEC374	X-Large 24"	100

## BEARD NETS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- Covers beard and mustache
- One size fits all
- Colour: White
- **Sold per package**



SEC384

Order No.	Description	Colour	Qty /Pkg.
SEC383	One String Behind Head	White	100
SEC384	Two Strings, Behind Ears	White	100

## FINE NYLON NETS

- Bouffant style with elastic band to ensure a snug and comfortable fit
- Colour: White and brown
- **Sold per package**

SA657

Order No.	Size	Colour	Qty /Pkg.
SA656	Medium	White	100
SA657	Medium	Brown	100

## POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- Bib-style apron is 46" L x 35" W with waist ties
- Accepted for use in Canadian food processing facilities
- 100 per package
- **Sold per package**

Order No. SAQ708



## LIGHTWEIGHT VINYL APRONS

- Bib style
- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: 45" L x 36" W
- Thickness: 0.20mm
- Colour: Blue
- Accepted for use in Canadian food processing facilities

Order No. SEE888



## DENIM APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Includes one chest pocket and three waist pockets
- Dimensions: 38" L x 28" W
- Fabric weight: 10 oz.
- Colour: Blue
- Accepted for use in Canadian food processing facilities

Order No. SEE851



## COTTON CANVAS APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Dimensions: 36" L x 29" W
- Fabric weight: 10 oz.
- Colour: White
- Accepted for use in Canadian food processing facilities

Order No. SEE852



## NEOPRENE ON NYLON APRONS

- Lightweight 9-oz. neoprene on nylon
- Protects against splashes
- Resists most acids
- Sewn-on ties
- 48" L x 36" W
- Colour: Yellow



Order No.	Mfg. No.	Description
SAL277	1276	Neoprene



## LIGHTWEIGHT POLYURETHANE APRONS

- Bib style apron
- 48" L x 35" W
- 0.45 mm thick
- Colour: Yellow

Order No.	Description
SAL666	Polyurethane



## FLAME RETARDANT NEOPRENE ON POLYESTER APRONS

- Bib style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- 48" L x 35" W
- 0.45 mm thick
- CFIA approved
- Colour: Yellow

Order No.	Description
SAL663	Neoprene



## FLAME RETARDANT PVC ON POLYESTER APRONS

- Bib style apron
- Heavy duty features oil resistant and fire retardant material
- Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- 48" L x 36" W
- CFIA approved
- Colour: Yellow

Order No.	Description	Thickness mm
SAL660	Regular	0.35
SAL661	Oil/Fire Retardant	0.35
SAL662	Oil/Fire Retardant w/Reinforced Belly	0.45



## CA-43® APRONS

- Flame retardant PVC coating on polyester
- Fabric is tough and durable while offering protection from most chemical and acid exposures
- Durable waist and neck ties
- Reinforced grommets at tie points
- 48" L x 29" W
- Colour: Kelly green



Order No.	Mfg. No.
SAL595	A4348



## NITRILE ON POLYESTER APRONS

- Heavy-duty bib style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- 48" L x 35" W
- 0.45 mm thick
- CFIA approved
- Colour: Black

Order No.	Description
SAL664	Nitrile



## FLAME RETARDANT CANVAS APRONS

- Bib-style green flame retardant canvas apron
- Sewn-on ties
- 36" L x 30" W



Order No.	Mfg. No.	Description
SB912	AFC79	Canvas



# Clothing

## COTTON SLEEVES

- Knitted on both ends prevents debris from entering the sleeve
- Single ply
- Length: 8"
- Colour: Beige
- Sold individually

Order No. SAQ743



## POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- Elastic at both ends
- Length: 16"
- Colour: White
- 100 per bag
- Sold per bag

Order No. SEC406



## VINYL SLEEVES

- Completely heat sealed
- Made with 8-mil vinyl
- Elastic at both ends
- Length: 18"
- Colour: Blue
- Sold per pair

Order No. SB893  
Mfg. No. SLE8/BL



## TUBE STYLE COTTON SLEEVES

- Made wide for a better fit and greater comfort
- Length: 24"
- Colour: Beige
- Sold per pair

Order No. SAL755  
Mfg. No. S-24-WIDE



## NEOPRENE SLEEVES

- Medium weight neoprene construction
- Elastic at both ends
- Length: 18"
- Colour: Yellow
- Sold per pair

Order No. SA281  
Mfg. No. SLE11



## LIGHTWEIGHT VINYL SLEEVES

- Made with 0.20 mm vinyl
- Elastic cuffs
- Length: 18"
- Colour: Blue
- Accepted for use in Canadian food processing facilities
- Sold per pair

Order No. SAL665  
Mfg. No. 440020



## COTTON SLEEVES

- Elastic at both ends
- Length: 18"
- Colour: White
- 10 per package
- Sold per package

Order No. SAL705  
Mfg. No. 440030



## PVC ON POLYESTER SLEEVES

- These PVC on polyester sleeves are strong and flexible
- Sewn-in elastic at top with 1" wide elastic at bottom
- Length: 18"
- Colour: Green
- Sold per pair

Order No. SA282  
Mfg. No. SLE13



## NYLON MESH SLEEVES

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold per pair

Order No. SAM210



## FLAME RESISTANT CANVAS SLEEVES

- 100% cotton-flame retardant material
- Elastic at both ends
- Length: 18"
- Colour: Lime green
- Sold per pair

Order No. SB894  
Mfg. No. SLE12



## FLAME RESISTANT PVC/POLYESTER SLEEVES

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold per pair



Order No.	Mfg. No.	Description
SAL703	440040	Regular, 0.35 mm
SAL704	440050	Heavy-Duty, 0.45 mm



## KEVLAR® SLEEVES

- Tube style sleeves
- Resists burns, abrasions and cuts
- Available with or without thumb hole
- Available in both double ply and single ply, wide and regular fit
- Other sizes available
- Colour: Yellow
- Sold per pair



**JOMAC**  
CANADA

Order No.	Mfg. No.	Description	Length"
<b>WITHOUT THUMB HOLE</b>			
SAL745	SK-10	Double Ply, Regular Fit	10
SAL746	SK-10-WIDE	Double Ply, Wide Fit	10
SAL747	SK-14-1PLY-WIDE	Single Ply, Wide Fit	14
SAL748	SK-14	Double Ply, Regular Fit	14
SAL749	SK-14-WIDE	Double Ply, Wide Fit	14
SAL750	SK-18	Double Ply, Regular Fit	18
SAL751	SK-18-WIDE	Double Ply, Wide Fit	18
SAL752	SK-24-1PLY-WIDE	Single Ply, Wide Fit	24
SAL753	SK-24	Double Ply, Regular Fit	24
SAL754	SK-24-WIDE	Double Ply, Wide Fit	24

Order No.	Mfg. No.	Description	Length"
<b>WITH THUMB HOLE</b>			
SAL738	SK-10H	Double Ply, Regular Fit	10
SAL739	SK-10H-WIDE	Double Ply, Wide Fit	10
SAL740	SK-14H-1PLY-WIDE	Single Ply, Wide Fit	14
SAL741	SK-14H-WIDE	Double Ply, Wide Fit	14
SAL742	SK-18H-1PLY-WIDE	Single Ply, Wide Fit	18
SAL743	SK-18H	Double Ply, Regular Fit	18
SAL744	SK-18H-WIDE	Double Ply, Wide Fit	18

## SHOP COATS

- 7.5-oz. twill, 65% polyester/35% cotton
- Five concealed grippers
- One-piece notch lapel
- Two chest pockets and two lower pockets
- Side vent openings and back vent
- 43 3/4" length (based on size 42)



SEE231



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
Navy	No.	White	No.	
SEE232	KT30NV38	SEE242	KT30WH38	38
SEE233	KT30NV40	SEE243	KT30WH40	40
SEE234	KT30NV42	SEE244	KT30WH42	42
SEE235	KT30NV44	SEE245	KT30WH44	44
SEE236	KT30NV46	SEE246	KT30WH46	46
SEE237	KT30NV48	SEE247	KT30WH48	48

Other sizes available, call us today

## COVERALLS

- 7.5-oz. twill, 65% polyester/35% cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- Hemmed sleeves



SEE207



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
Navy	No.	Green	No.	
SEE208	CT10NV38	SEE220	CT10SG38	38
SEE209	CT10NV40	SEE221	CT10SG40	40
SEE210	CT10NV42	SEE222	CT10SG42	42
SEE211	CT10NV44	SEE223	CT10SG44	44
SEE212	CT10NV46	SEE224	CT10SG46	46
SEE213	CT10NV48	SEE225	CT10SG48	48

Other sizes available, call us today

## ARMGUARDS

- Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®, a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer than typical protective wear
- Compatible with most gloves
- Ambidextrous
- Length: 9"
- Sold individually



Order No.	Mfg. No.	Size
SAM145	AG10009S-S	Small
SAM146	AG10009S-M	Medium
SAM147	AG10009S-L	Large
SAM148	AG10009S-XL	X-Large



## DURAKAP INDUSTRIAL PANTS

- 7.5-oz. twill, 65% polyester/35% cotton
- Touchtex™ technology with superior colour retention, soil release, and wickability
- Traditional easy fit
- Folder-set waistband with outlet and button closure, for a comfortable fit
- Slack-style front pockets and two set-in hip pockets, left pocket has button closure



SEE183



Order No.	Mfg. No.	Order No.	Mfg. No.	Inseam*	Size
Navy	No.	Green	No.		
SEE186	PT20NV34	SEE198	PT20SG34	37	34
SEE187	PT20NV36	SEE199	PT20SG36	37	36
SEE188	PT20NV38	SEE200	PT20SG38	37	38
SEE189	PT20NV40	SEE201	PT20SG40	36	40
SEE190	PT20NV42	SEE202	PT20SG42	36	42

\* Inseams are unhemmed. Hemmed pants are available, please call for more details. Other sizes available, call us today

## INDUSTRIAL SOLID WORK SHIRTS

- 4.25-oz. poplin, 65% polyester/35% cotton
- Touchtex™ technology with superior colour retention, soil release, and wickability
- Two-piece, lined collar with sewn-in stays
- Six-button front with gripper at neck
- Two button-thru hex style pockets with bartacked pencil still on left pocket



SEE147



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
Navy	No.	Green	No.	
<b>SHORT SLEEVE</b>				
SEE148	SP24NVM	SEE157	SP24SGM	Medium
SEE149	SP24NVL	SEE158	SP24SGL	Large
SEE150	SP24NVXL	SEE159	SP24SGXL	X-Large
SEE151	SP24NV2XL	SEE160	SP24SG2XL	2X-Large
<b>LONG SLEEVE</b>				
SEE166	SP14NVM	SEE175	SP14SGM	Medium
SEE167	SP14NVL	SEE176	SP14SGL	Large
SEE168	SP14NVXL	SEE177	SP14SGXL	X-Large
SEE169	SP14NV2XL	SEE178	SP14SG2XL	2X-Large

Other sizes available, call us today

## WINTER LINERS

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.



### MILD COLD

Single twill layer with napped inside for mild cold.

Order No. SAJ553



### MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Order No. SAM456



### SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.

Order No. SAM455



## BALACLAVAS

- Polyester stretch fleece keeps head and neck warm
- Single wash, FR-treated
- Long length
- One size



Order No.	Mfg. No.
SEE075	16821



## WINTER LINERS

- Inner pockets at ears can hold warming packs for extra warmth
- Single wash, FR-treated
- One size



SEE070



SEE065



SEE068



## 6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size



Order No.	Mfg. No.	Description
SEE076	16810	Half Cap Style
SEE077	16815	Full Face Style

SEE076



SEE077



Order No.	Mfg. No.	Style No.	Layers	Lining	Length
SEE069	16850	6850	2	Fleece	Chin
SEE070	16852	6852	2	Fleece	Shoulder
SEE065	16863	6863	3	Fleece	Chin
SEE066	16867	6867	3	Fleece	Shoulder
SEE067	16950	6950	3	Sherpa Fleece	Chin
SEE068	16952	6952	3	Sherpa Fleece	Shoulder

## FLEECE MULTI-BANDS

- Polyester performance fabric with Microfleece
- Multiple style and usage configurations; wear it as a balaclava, neck-warmer, tuque, and more
- Anti-stink treatment helps workers remain unscented
- Stretchable, comfortable, and seam-free
- Machine washable
- One size

SED108

SED107



## OUTER LAYER THERMAL JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Armortex™ reinforcements protect heavy wear zones
- Multiple pockets, including back document and front cell
- Reflective accents help keep workers safe and visible
- Drawstring waist and adjustable cuffs



Order No.	Mfg. No.	Size
SEB753	41103	Medium
SEB754	41104	Large
SEB755	41105	X-Large
SEB756	41106	2X-Large
SEB757	41107	3X-Large



Order No.	Mfg. No.	Pattern
SED107	42311	Flames
SED108	42312	Skulls

## RZ PONCHOS

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all

Order No. SEH121



## RZ100 RAIN SUITS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams



Order No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large

## RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams



Order No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large

## RZ200 LONG COATS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically welded seams



Order No.	Size
SEH085	Small
SEH086	Medium
SEH087	Large
SEH088	X-Large
SEH089	2X-Large
SEH090	3X-Large
SEH091	4X-Large

## RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick high visibility yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements



Order No.	Size
SEH113	Small
SEH114	Medium
SEH115	Large
SEH116	X-Large
SEH117	2X-Large
SEH118	3X-Large
SEH119	4X-Large

# Clothing

## RZ500 FLAME RESISTANT RAIN SUITS



- 0.30 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance



Order No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large

## TRAFFIC RAINWEAR

- High visibility orange PVC on nylon
- Flame resistant, water repellent, has good abrasion resistance and is not affected by most chemical products and acids
- All seams are electronically sealed to prevent leakage
- 2" North-Brite™ reflective stripes
- Rust proof hardware
- Jacket, pants and hood are sold separately
- Jacket meets CSA standard Z96-09 Class 2, Level 2 requirements
- Meets CSA standard Z96-09 Class 3, Level 2 when worn with pants



**NORTH**

by Honeywell

Order No.	Mfg. No.	Size
<b>JACKET</b>		
SD458	TV7001HV/S	Small
SD459	TV7001HV/M	Medium
SD460	TV7001HV/L	Large
SD461	TV7001HV/XL	X-Large
SD462	TV7001HV/2XL	2X-Large
<b>PANTS</b>		
SD463	TV7002HV/S	Small
SD464	TV7002HV/M	Medium
SD465	TV7002HV/L	Large
SD466	TV7002HV/XL	X-Large
SD467	TV7002HV/2XL	2X-Large
<b>HOOD</b>		
SD468	AV7004HV	-

## RZ600 FLAME RESISTANT RAIN SUITS



- 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with ASTM standard D6413.08 for flame resistance of textiles



Order No.	Size
SEH106	Small
SEH107	Medium
SEH108	Large
SEH109	X-Large
SEH110	2X-Large
SEH111	3X-Large
SEH112	4X-Large

## TROOPER RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester stretch fabric
- 2" silver reflective stripes
- Tear, chemical, abrasion, and puncture-resistant
- Stretchy, breathable, washable, windproof and waterproof
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Order No.	Mfg. No.	Size
SEA669	RTS-FLY-M	Medium
SEA670	RTS-FLY-L	Large
SEA671	RTS-FLY-XL	X-Large
SEA672	RTS-FLY-2XL	2X-Large

## TOUGH & DRY RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester
- 2" silver reflective stripes
- Breathable, washable, windproof and waterproof
- Black at lower sleeves, cuffs, and waist for longer wear
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Order No.	Mfg. No.	Size
SEA600	RTS2-FLY-M	Medium
SEA601	RTS2-FLY-L	Large
SEA602	RTS2-FLY-XL	X-Large
SEA603	RTS2-FLY-2XL	2X-Large

## FLAME-RESISTANT DRESS UNIFORM SHIRTS

- 7-oz. Excel FR® ComforTouch, 88% cotton/12% nylon
- Banded, topstitched, button-down collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Placket front with button closure
- Tailored sleeve plackets
- Colour: Navy
- Arc Rating: ATPV 8.6 cal/cm², HRC 2



Order No.	Mfg. No.	Size
SED622	SLU2NVSM	Small
SED623	SLU2NVMD	Medium
SED624	SLU2NVLG	Large
SED625	SLU2NVXL	X-Large
SED626	SLU2NV2XL	2X-Large

Other colours and specialty long sizes are available, call today.

## FLAME-RESISTANT WORK PANTS

- 9-oz. Excel FR® ComforTouch™ twill 88% cotton/12% nylon
- Inner-lined waistband with button closure
- Multiple versatile pockets
- Arc Rating: ATPV 12.2 cal/cm², HRC 2

Order No.	Mfg. No.	Size	Length" (Inseam)
SED679	PLW2NV33	33	37
SED680	PLW2NV36	36	37
SED681	PLW2NV38	38	37
SED682	PLW2NV40	40	36
SED683	PLW2NV42	42	36
SED684	PLW2NV44	44	36



Other colours and specialty sizes are available, call today.

## FLAME-RESISTANT PREMIUM COVERALLS

- 6-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre
- 2-way concealed Nomex® taped brass break-away zipper
- Concealed snap at top of zipper and at neck
- Mandarin style, stand-up, two-way safety collar
- Concealed snap closure on cuff
- Elastic waist inserts
- Multiple versatile pockets
- Deep-pleated action back
- Side vent openings with concealed snap closure
- Colour: Royal blue
- Arc Rating: ATPV 5.1 cal/cm², HRC 1



Order No.	Mfg. No.	Size
SED726	CNB6RB38	38
SED727	CNB6RB40	40
SED728	CNB6RB42	42
SED729	CNB6RB44	44
SED730	CNB6RB46	46
SED731	CNB6RB48	48
SED732	CNB6RB50	50

Other colours and specialty sizes are available, call today.

## FLAME-RESISTANT WORK SHIRTS

- 7-oz. Excel FR® 100% cotton
- 2-piece lined collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Hemmed front with button closure
- 1-piece lined cuff with button closure
- Sleeve vent
- Colour: Navy
- Arc Rating: ATPV 7.7 cal/cm², HRC 1



Order No.	Mfg. No.	Size
SED634	SEW2NVSM	Small
SED635	SEW2NVMD	Medium
SED636	SEW2NVLG	Large
SED637	SEW2NVXL	X-Large
SED638	SEW2NV2XL	2X-Large

Other colours and specialty long sizes are available, call today.

## FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/15% polyamide Imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- Multiple versatile pockets
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm², HRC 2

Order No.	Mfg. No.	Size	Length" (Inseam)
SED693	PMU2NV33	33	37
SED694	PMU2NV36	36	37
SED695	PMU2NV38	38	37
SED696	PMU2NV40	40	36
SED697	PMU2NV42	42	36
SED698	PMU2NV44	44	36



Specialty sizes are available, call today.

## FLAME-RESISTANT CLASSIC COVERALLS

- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck
- Hemmed sleeves
- Multiple versatile pockets
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Navy Order No.	Mfg. No.	Royal Blue Order No.	Mfg. No.	Size
SED738	CEC2NV38	SED196	CEC2RB38	38
SED739	CEC2NV40	SED197	CEC2RB40	40
SED740	CEC2NV42	SED198	CEC2RB42	42
SED741	CEC2NV44	SED199	CEC2RB44	44
SED742	CEC2NV46	SED200	CEC2RB46	46
SED743	CEC2NV48	SED201	CEC2RB48	48
SED744	CEC2NV50	SED202	CEC2RB50	50

Other colours, sizes and specialty long sizes are available, call today.

# Clothing

## FLAME-RESISTANT PREMIUM COVERALLS W/REFLECTIVE TRIM

- 9-oz. Excel FR® ComforTouch twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on cuff and at top of zipper and at neck
- Elastic waist inserts
- Pockets: Two topstitched and lined front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets with single concealed snap closure, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm<sup>2</sup>, HRC 2



Back

Order No.	Mfg. No.	Size
SED783	CLBTRB38	38
SED784	CLBTRB40	40
SED785	CLBTRB42	42
SED786	CLBTRB44	44
SED787	CLBTRB46	46
SED788	CLBTRB48	48
SED789	CLBTRB50	50
SED790	CLBTRB52	52
SED791	CLBTRB54	54
SED792	CLBTRB56	56
SED793	CLBTRB58	58



Specialty sizes are available, call today.

## DELUXE FLAME-RESISTANT INSULATED BIB OVERALLS W/REFLECTIVE TRIM

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre, water repellent material
- 14.2-oz. quilted Nomex® insulation with wind and moisture barrier
- 2-way, extra heavy-duty Nomex® taped brass zipper front with concealed flap
- Full Nomex® taped ankle-to-hip brass zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- Five large patch pockets, hip pocket with closure
- Reinforced double knees
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Arc Rating: EBT 69.5 cal/cm<sup>2</sup>, HRC 4



Order No.	Mfg. No.	Size
SED224	BNNTRBSRG	Small
SED225	BNNTRBMRG	Medium
SED226	BNNTRBLRG	Large
SED227	BNNTRBXLRG	X-Large
SED228	BNNTRB2XLRG	2X-Large
SED229	BNNTRB3XLRG	3X-Large

Specialty sizes are available, call today.



## FLAME-RESISTANT PARKAS WITH REFLECTIVE STRIPES

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre water repellent material
- 14.2-oz. quilted flame-resistant Nomex® insulation with wind and moisture barrier
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs within hemmed sleeve end with hook-and-loop suppression tabs
- Multiple pockets
- Deep-pleated action back
- Elastic inserts at waist and across back
- Inside zipper guards on all zippers
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: EBT 69.5 cal/cm<sup>2</sup>, HRC 4



Order No.	Mfg. No.	Size
SED210	JNPTRBSRG	Small
SED211	JNPTRBMRG	Medium
SED212	JNPTRBLRG	Large
SED213	JNPTRBXLRG	X-Large
SED214	JNPTRB2XLRG	2X-Large
SED215	JNPTRB3XLRG	3X-Large
SED216	JNPTRB4XLRG	4X-Large

Specialty sizes are available, call today



## FLAME-RESISTANT PARKAS W/REFLECTIVE STRIPES

- Outer shell made from 7-oz. twill 88% cotton/12% nylon water repellent material
- 12-oz., 2-layer quilted flame-resistant modacrylic isolation
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs with hook-and-loop suppression tabs
- Pockets: Three large patch pockets with concealed snaps (lower pockets with hand warmers), one inside chest pocket, and one sleeve pocket
- Deep-pleated action back
- Elastic inserts at waist and across back
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Colour: Royal blue
- Arc Rating: ATPV 43.3 cal/cm<sup>2</sup>, HRC 4



Order No.	Mfg. No.	Size
SED217	JLPTRBSRG	Small
SED218	JLPTRBMRG	Medium
SED219	JLPTRBLRG	Large
SED220	JLPTRBXLRG	X-Large
SED221	JLPTRB2XLRG	2X-Large
SED222	JLPTRB3XLRG	3X-Large
SED223	JLPTRB4XLRG	4X-Large

Specialty sizes are available, call today.



## ARC FLASH PROTECTION KITS

- 8 cal/cm<sup>2</sup> kits include: 8 cal/cm<sup>2</sup> coveralls, faceshield with bracket, hard hat, and storage bag, balaclava-style hood, safety glasses, all in one storage bag
- 40 cal/cm<sup>2</sup> kits include: 40 cal/cm<sup>2</sup> coat, 40 cal/cm<sup>2</sup> bib overalls, 40 cal/cm<sup>2</sup> Pro-Hood®, and safety glasses, all in one storage bag
- Meets NFPA standard 70E



SED838



SED843

**SALISBURY**

by Honeywell

Order No.	Mfg. No.	Coverall Size	Hazard Risk Category
<b>8 CAL/CM<sup>2</sup> KITS</b>			
SED838	SKCA8L-1200	Large	2
SED839	SKCA8XL-AS1200	X-Large	2
SED840	SKCA82XL-AS1200	2X-Large	2
<b>40 CAL/CM<sup>2</sup> KITS</b>			
SED843	SK40L	Large	4
SED844	SK40XL	X-Large	4
SED845	SK402XL	2X-Large	4

Other sizes and colours available, call today

## ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS

- Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from FR materials
- Made from two layers of rib knit material
- Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm<sup>2</sup>

**Caution:** Arc flash hoods must be worn in combination with a faceshield in order to comply with the requirements of NFPA 70E

Order No. SED820  
Mfg. No. AFHOOD10



**SALISBURY**

by Honeywell

## LEATHER PROTECTOR GLOVES

- Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist, no cuff
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0
- Sold per pair

**SALISBURY**

by Honeywell



Goatskin Order No.	Mfg. No.	Cowhide Order No.	Mfg. No.	Fits Insulating Glove Size
SED865	ILPG10/7	SED871	ILP10/7	7 & 7.5
SED866	ILPG10/8	SED872	ILP10/8	8 & 8.5
SED867	ILPG10/9	SED873	ILP10/9	9 & 9.5
SED868	ILPG10/10	SED874	ILP10/10	10 & 10.5
SED869	ILPG10/11	SED875	ILP10/11	11 & 11.5

**Warning:** Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves.

Proper care of leather protectors is essential to user safety. Inspect the leather protectors when inspecting rubber gloves. Metal particles, imbedded wire, abrasive materials or any substance that could physically damage the rubber gloves must be removed from the protector before use.

## ARC FLASH PROTECTION FACESHIELDS

- Utilizes nanotechnology to provide a more transparent window for improved visibility
- Shield/window designed to be easily replaced without tools
- Absorbs >99.9% of harmful UV radiation
- 7 1/2" x 20" viewing area with extra light tint
- 0.06" thick
- Faceshield unit includes: Ventilation ribs that allow a natural convection air flow through the top of the faceshield to reduce fogging of the visor, lower CO<sub>2</sub> levels, and improve user comfort
- SED815 comes with a dielectric hardhat; the faceshield stows in a balanced, compact position, centred over the top of the hard hat when not needed
- ATPV rating of 12 cal/cm<sup>2</sup>
- Meets current ANSI standard Z87.1, CSA, and tested to ASTM standard F2178 specifications

SED816



SED815

**SALISBURY**

by Honeywell

Order No.	Mfg. No.	Description
SED816	AS1200	Unit w/Bracket
SED815	AS1200HAT	Unit w/Bracket and Hard Hat
SED817	AS1200FS	Replacement Faceshield

## FLAME RESISTANT ATTACHABLE TASK LIGHTS

- Arc tested FR task light features a high intensity long lasting white LED lamp with an overall brightness of 7 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- High intensity illumination is very useful when working up close
- Two AAA batteries provide 14-15 hours of high brightness



**SALISBURY**

by Honeywell

Order No.	Mfg. No.	Description
SED818	FLKIT	Attachable Task Light and Clip

The SED816 faceshield can hold two task lights. SED818 only contains one task light and one clip

## RUBBER INSULATING GLOVES

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903
- Sold per pair

**SALISBURY**

by Honeywell



Black Order No.	Mfg. No.	Red Order No.	Mfg. No.	Size	Length"
SED847	E011B7	SED856	E011R7	7	11
SED849	E011B8	SED858	E011R8	8	11
SED850	E011B8.5	SED859	E011R8.5	8.5	11
SED851	E011B9	SED860	E011R9	9	11
SED852	E011B9.5	SED861	E011R9.5	9.5	11
SED853	E011B10	SED862	E011R10	10	11
SED854	E011B10.5	SED863	E011R10.5	10.5	11
SED855	E011B11	SED864	E011R11	11	11

# Non-Sparking, Non-Magnetic Tools

Ampco non-sparking, non-magnetic, corrosion-resistant safety tools are FM approved. Made in the U.S.A. Backed by a limited lifetime warranty. Effectively limit sparking and meet OSHA's New Hazard Communication Standard stating that non-sparking tools are required with flammable liquids. Non-sparking tools for use in locations where flammable vapours and/or combustible residues are present. Non-sparking or intrinsically safe tools are also required and/or recommended by NFPA, MSHA and NIOSH. Ideal for petroleum, metalworking, paint finishing, and transportation applications. Also used in woodworking, fertilizer production, and grain handling where high levels of dust are

prominent. The metals used to make Ampco Safety Tools are highly conductive and should be grounded if there is a risk for static sparks.

**Non-sparking metal** - High-strength for impact and torque applications. Brinell hardness is 200 to 350. Tensile strength is 95 000 to 150 000 PSI.

**Beryllium Copper\*** Superior strength for impact and torque applications. Most effective material for tools with cutting edges or gripping teeth. Brinell hardness is 332 to 382. Tensile strength is up to 200 000 PSI.

\* All models made from non-sparking metal, some contain beryllium copper where indicated.

## WRECKING & PRYING BARS

Cast from a high-strength nickel-aluminum bronze. Ideal for handling potentially flammable or hazardous items.



Order No.	Description	Bar"	Overall Length"	Wt. lbs.
TP417	Crow Bar	5/8 Hex.	18	1.9
TP418	Crow Bar	3/4 Hex.	24	3.8
TP420	Crow Bar	7/8 Hex.	36	7.2
TP421	Pinch Bar w/Bent Chisel Tip	3/4 Hex.	18	2.3
TP423	Pinch Bar w/Bent Chisel Tip	1 Hex.	36	8.7
TP424	Pry Bar w/Straight Chisel Tip	1 1/4	60	18.8

## HAMMERS & MALLETS

Non-sparking metal construction, cast from a high strength nickel-aluminum bronze. Fibreglass handle for durability and vibration control.



Order No.	Description	Head Wt. lbs.	Face Dia."	Overall Length"
BB514	Curved-Claw Nail Hammer Smooth Striking Face	1.00	1	14
BB517	Curved-Claw Nail Hammer Smooth Striking Face	1.25	1	14
BB488	Ball Pein Hammer	1.00	1 1/4	14
BB489	Ball Pein Hammer	1.50	1 3/8	14
BB490	Ball Pein Hammer	2.00	1 1/4	14
BB498	Double-Face Engineer's Hammer	1.75	1 3/8	14
BB503	Double-Face Engineer's Hammer	2.25	1 3/8	14
BB504	Double-Face Engineer's Hammer	2.75	1 1/2	15
WI941	Sledge Hammer	5.00	2	33
WI943	Sledge Hammer	10.00	2 3/8	33
WI944	Sledge Hammer	15.00	2 3/4	33
WI945	Sledge Hammer	18.00	3	33
WI953	Mallet	2.00	1 1/2	14
WI954	Mallet	4.00	2	15
WI955	Mallet	6.00	2 1/4	15
BB497	Bricklayer's Hammer	1.50	3/4	14

## SAFETY FLANGE WEDGES


Cast from high strength nickel-aluminum bronze



Order No.	Mfg. No.	Dimensions		
		L"	x W"	x H"
TLV212	W-1	3 1/4	x 1/2	x 1/4
TLV213	W-2	3 1/4	x 3/4	x 1/2
TLV214	W-3	6	x 1	x 1/2
TLV215	W-4	6	x 1 1/2	x 3/4
TLV216	W-5	7	x 1 1/4	x 1/2

## SHOVELS & SCOOPS


Non-sparking metal construction. One-piece blade, hollow-socket shovels and scoops. High strength and manageable weight allow for continuous and effective use. Long-handled models have fibreglass handles and D-handled models have fibreglass handles with a plastic grip bar.



Order No.	Blade Dim. W" x H"	Handle Style	Overall Length"
<b>ROUND-POINT SHOVELS</b>			
TP509	9 x 11 1/4	D	37
TP510	9 x 11 1/4	Long	56 1/2
<b>SQUARE-POINT SHOVELS</b>			
TP511	9 x 11	D	37
TP512	9 x 11	Long	58
<b>SCOOP SHOVELS</b>			
TP513	14 x 17	D	40
TP514	14 x 17	Long	60 1/2

## FLOOR SCRAPERS

Cast from a high strength nickel-aluminum bronze  
Fibreglass handle sold separately



Order No.	Description	Blade Dim. L" x W"	Overall Length"
TP480	Scraper, Short Blade	1 1/2 x 3	7
TP483	Scraper, Short Blade	1 1/2 x 6	6 3/4
TP485	Scraper, Long Blade	2 1/2 x 4	9
TP487	Scraper, Long Blade	2 1/4 x 6	8 1/2
TP489	Plain Floor Scraper	6 3/4 x 6	6 3/4
TP469	Fibreglass Handle for Floor Scraper	-	65

## HAND SCRAPERS

Cast from a high strength nickel-aluminum bronze  
Choose from a variety of models



Order No.	Description	Blade Dim. L" x W"	Overall Length"
TP474	Spray Booth Scraper	4 x 3	9 1/4
TP475	Pick and Scaler Scraper	2 1/4 x 3	17 3/4
TP476	Hand Styler Scraper w/Plastic Handle	3 3/4 x 3 3/4	19
TP477	Deck Scraper w/Single Blade and Handle	- 1 1/2	15
TP478	Deck Scraper w/Blade on Each End	- 7/8	7 7/8



# Non-Sparking, Non-Magnetic Tools

## COMBINATION WRENCHES

- 15° angle and 12-point box



Order No.	Size"	Length"
TX692	3/8	6 5/16
TX693	7/16	7 1/4
TX694	1/2	7 1/4
TX695	9/16	8 1/4
TX696	5/8	8 7/8
TX697	11/16	10 1/8
TX698	3/4	10 1/8
TX699	7/8	13 1/4
TX700	15/16	13 1/4
TX701	1	13 1/4
TX702	1 1/16	17
TX703	1 1/8	17
TX704	1 1/4	19 1/2
TX705	1 5/16	16 15/16
TX706	1 3/8	21 1/4
TX707	1 7/16	21 1/4
TX708	1 1/2	22
TX709	1 5/8	22

## ADJUSTABLE WRENCHES



Order No.	Max Jaw Width"	Length"
TX679	15/16	6
TX680	1 1/8	8
TX681	1 5/16	10
TX682	1 1/2	12
TX683	1 11/16	15


## ADJUSTABLE PIPE WRENCHES

- Cast from nickel-aluminum bronze (beryllium copper teeth)
- Available with aluminum handles



Order No.	Jaw Material	Handle Material	Max Jaw Width"	Length"
TX684	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	1 15/16	8
TX685	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 1/2	10
TX686	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 13/16	14
TX687	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	3 3/16	18
TX688	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	4 1/4	24
TLV206	Nickel-Aluminum Bronze	Aluminium	2 1/2	10
TLV208	Nickel-Aluminum Bronze	Aluminium	3 3/16	18
TLV209	Nickel-Aluminum Bronze	Aluminium	4 1/4	24

## BUNG WRENCHES



UQ924




TX691



Order No.	Description	a"	b"	c"
UQ924	For 3/4 and 2" Bungs	2	2	12
TX691	For 22 Different Bung Sizes	2 1/2	2 1/4	15

## SCREWDRIVERS

- Shank made of beryllium copper



Order No.	Type	a"	b"	c"	Wt. lbs.
<b>STANDARD</b>					
TD625	-	1/8	6	9 1/2	0.12
TD613	-	5/16	3	6 1/2	0.14
TD614	-	5/16	6	10 1/8	0.3
TD615	-	3/8	8	13	0.5
TD616	-	3/8	12	17	0.64
<b>PHILLIPS</b>					
TD617	#1	-	3	6 1/2	0.12
TD618	#2	-	4	7 1/2	0.16
TD619	#3	-	6	10 1/8	0.3
TD620	#4	-	8	13	0.5
<b>CABINET-TIP</b>					
TD623	-	1/4	4	7 5/8	0.14
TD624	-	3/16	3 1/2	6 5/8	0.14
TD626	-	3/16	6	9 1/2	0.16
TD627	-	3/8	12	17	0.75

## 6-PC. SCREWDRIVER SETS

- Shank made of beryllium copper

Order No. TLZ291



Order No.	Description
TD613	Std Screwdriver 5/16" Tip, 3" Blade
TD614	Std Screwdriver 5/16" Tip, 6" Blade
TD615	Std Screwdriver 3/8" Tip, 8" Blade
TD617	#1 Phillips Screwdriver
TD618	#2 Phillips Screwdriver
TD619	#3 Phillips Screwdriver



## PLIERS

- Cast from a high-strength nickel-aluminum bronze
- Cushion-grip handle provides powerful leverage, comfort and added safety



TP457

Order No.	Description	Jaw Width"	Overall Length"
TP452	Combination Slip-Joint Pliers	5/16	6 1/2
TP453	Combination Slip-Joint Pliers	1/2	8
TP454	Lineman's Pliers w/Side Cutter	5/8	8 1/2
TP455	Tongue and Groove Pliers, 6 Positions	1 1/2	10
TP456	Tongue and Groove Pliers, 6 Positions	2 1/8	12
TP457	Long-Nose Pliers w/Side Cutter, 1/8" Jaw Tip	1/3	7



TP452

TP454

TP455

# Heat Stress Prevention

## CHILL-ITS® 6605 COOLING HEADBANDS & 6615 COOLING DEW RAGS

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth band
- Machine washable



SEC695



SEC678

Order No.	Mfg. No.	Colour
<b>HEADBANDS</b>		
SEC694	12425	Solid Blue
SEC695	12422	Camouflage
SEC697	12429	Flames
SEC698	12424	Navy Western

Order No.	Mfg. No.	Colour
<b>DEW RAGS</b>		
SEC675	12481	Solid Blue
SEC676	12478	Camouflage
SEC678	12485	Flames
SEC680	12480	Navy Western

## CHILL-ITS® 6200 COOLING VESTS

- Maintains a constant 58°F/14°C for up to four hours
- Comfortable cotton construction with hook and loop closure
- Flame resistant Banox FR3 fabric
- Phase change packs recharge in an iced cooler or freezer
- Non toxic, non carcinogenic, dielectric substance
- Inserts and vest sold separately



Order No.	Mfg. No.	Description	Size
SEB147	12100	Khaki Vest	Small/Medium
SEB146	12110	Khaki Vest	Large/X-Large
SEB149	12102	Phase Change Insert	Small/Medium
SEB148	12112	Phase Change Insert	Large/X-Large

## CHILL-ITS® 5155 & 5155HV LOW-PROFILE HYDRATION PACKS

- Keeps workers hydrated when they are away from water sources
- Nylon shell stands up to long term wear and tear
- Zip-up cap cover keeps debris and contaminants off
- Closed cell insulation keeps liquid cold or warm for hours
- Big mouth opening for simple filling and cleaning
- Capacity: 2 litres



Order No.	Mfg. No.	Colour
SEC701	13155	Black
SEC702	13156	Lime-Yellow

### COLOURS & PATTERNS

All colours not necessarily available in all styles.



## CHILL-ITS® 6700CT COOLING BANDANAS & 6710CT COOLING TRIANGLE HATS

- Advanced PVA towel material keeps you cool without the bulk
- Activates quickly and easily when run under water for one minute
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit
- Reusable, just re-soak
- One size



Order No.	Mfg. No.	Colour
<b>BANDANAS</b>		
SEC683	12566	Hi-Vis Lime
SEC684	12567	Blue
SEI645	12562	Camouflage
SEI646	12563	Red Western
SEI647	12564	Navy Western
SEI648	12568	Flames

SEC684



Order No.	Mfg. No.	Colour
<b>TRIANGLE HATS</b>		
SEC685	12586	Hi-Vis Lime
SEC686	12587	Blue
SEI649	12582	Camouflage
SEI650	12583	Red Western
SEI651	12584	Navy Western
SEI652	12588	Flames

SEC685



## CHILL-ITS® 6700 COOLING BANDANAS & 6710 COOLING TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated up to four hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak



Order No.	Mfg. No.	Colour
<b>BANDANAS</b>		
SEB128	12306	Navy Western
SEB136	12305	Red Western
SEB134	12304	Camouflage
SEB139	12341	Flames
SEB137	12307	Solid Blue

SEB128



Order No.	Mfg. No.	Colour
<b>TRIANGLE HATS</b>		
SAP942	12326	Navy Western
SAP941	12325	Red Western
SAP943	12324	Camouflage
SEC860	12327	Solid Blue

SAP942



## CHILL-ITS® 6602 COOLING TOWELS

- Dampen this synthetic space age towel to create a cooling aid significantly cooler than ambient air
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, reduces the effect of heat stress and fights fatigue
- Wear for hours, or wipe for quick relief
- Simply re-wet the towel to reactivate
- Machine washable



Order No.	Mfg. No.	Colour
SEB126	12420	Blue
SEI753	12439	Lime
SEI754	12441	Orange
SEI755	12442	Pink
SEI756	12438	Grey



## CHILL-ITS® 6665 COOLING VESTS

- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to four hours
- V-neck with zipper closure
- Quilted nylon outer layer
- Activated, polymer-embedded fabric inside
- Water-repellent liner and black cotton-poly elastic trim
- Lightweight, durable and washable
- 100% nylon
- Reusable, just re-soak



Order No.	Mfg. No.	Size
<b>HI-VIZ LIME-YELLOW</b>		
SAP936	12533	Medium
SAP937	12534	Large
SAP938	12535	X-Large
SAP939	12536	2X-Large
SEC687	12537	3X-Large

Order No.	Mfg. No.	Size
<b>GREY</b>		
SEC688	12543	Medium
SEC689	12544	Large
SEC690	12545	X-Large
SEC691	12546	2X-Large
SEC692	12547	3X-Large

## CHILL-ITS® 6670 & 6670CT COOLING NECK SHADES

- Water-repellent liner
- Hook and loop allows for easy attachment
- Reusable, just re-soak

Order No.	Mfg. No.	Colour
<b>STANDARD</b>		
SEC714	12525	Lime-Yellow
SEC715	12526	Grey
<b>W/COOLING TOWEL TECHNOLOGY</b>		
SEI653	12523	Lime-Yellow



## CHILL-ITS® 6650 COOLING HATS W/NECK SHADES

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth headband
- Wide panel neck protection
- Adjustable cinch cord for a great fit



SEC713



SEC712

Order No.	Mfg. No.	Colour
SEC712	12520	Lime-Yellow
SEC713	12521	Orange

## CHILL-ITS® 6717 HARD HAT PADS & SHADES

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to four hours
- Conveniently attaches to standard hard hat suspension with hook and loop closures
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Protects neck from harmful UV rays
- Reusable, just re-soak

Order No. SAP940  
Mfg. No. 12336



## HEAT STRESS STOP WATCHES

- Measures temperature and humidity, and calculates heat index as well as dew point
- Combines air temperature and relative humidity measurements in an attempt to determine the human-perceived equivalent temperature or "how hot it feels"
- Full LCD display with LED backlight
- Silent operation option
- Dual power: Solar panel and battery
- 1 ATM water resistant (IPX4 rated)

Order No. IA987  
Mfg. No. SW700



## HEAT STRESS METERS

- Measures indoor and outdoor WBGT (Wet Bulb Globe Temperature), Black Globe (TG) temperature, humidity, wet bulb, dew point and air temperatures
- Adjustable audible WBGT alarm setting
- Real time data logger with integral 2GB SD memory card (optional)
- RS232 and USB interface
- Temperature is measured in °C or °F

### SPECIFICATIONS

Indoor WBGT Range:	0° to 59 °C
Outdoor WBGT Range:	0° to 56 °C
TG Temp. Range:	0° to 80 °C
Air Temp. Range:	0° to 50 °C
Humidity Range:	5% to 95% RH

Order No. IA794  
Mfg. No. SD-2010



## HEAT STRESS METERS

- Wet Bulb Globe Temperature (WBGT) considers the effects of temperature, humidity and direct or radiant sunlight
- Heat stress index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (TG) monitors the effects of direct solar radiation on an exposed surface
- In/Out function displays the WBGT value with or without direct sun exposure
- View individual temperatures or indices in either °F or °C
- User adjustable WBGT threshold with audible alarm if threshold is exceeded
- Built-in RS-232 interface
- Tripod mount design for long term monitoring

### SPECIFICATIONS:

Air Temp. Range:	32 to 122°F (0.0 to 50.0°C)
Black Globe Temp. Range:	32 to 176°F (0.0 to 80.0°C)
WBGT Temp. Range:	32 to 122°F (0.0 to 50.0°C)
Humidity Range:	0 to 100% RH



Order No.	Mfg. No.	Description
IA639	8778	Heat Stress Meter
IA447	BS-6	Tripod
HX515	HR33	33% Humidity Calibration Standard
HX514	HR75	75% Humidity Calibration Standard
IA452	VZRS232BN	RS-232 Cable and Software



# Heat Stress Prevention

## SQWINCHER® LIQUID CONCENTRATE

- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



Order No.	Mfg. No.	Flavour	Bottle Size oz.	Bottle Yield Gal.	Qty /Box
SAF862	11025	Grape	64	5	6
SAP552	11027	Mixed Berry	64	5	6
SR933	11020	Lemonade	64	5	6
SR934	11021	Orange	64	5	6
SR935	11022	Fruit Punch	64	5	6
SR936	11023	Lemon Lime	64	5	6
SR937	11024	Tropical Cooler	64	5	6
SAN540	11011	Orange	32	2.5	12
SAF863	11012	Fruit Punch	32	2.5	12
QQ095	11013	Lemon-Lime	32	2.5	12
SAP553	11015	Grape	32	2.5	12
SAP554	11014	Tropical Cooler	32	2.5	12
SR918	11010	Lemonade	32	2.5	12

## SQWINCHER® QWIK STIK LITE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Sold per box



Order No.	Mfg. No.	Flavour	Pouch Size oz.	Pouch Yield oz.	Qty /Box
SAN505	11060100-OR	Orange	0.11	20	50
SAN506	11060102-FP	Fruit Punch	0.11	20	50
SAP496	11060101-MB	Mixed Berry	0.11	20	50
SEI282	11060453-SL	Strawberry Lemonade	0.11	20	50

## SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere
- Sold per box



SAF874



Order No.	Mfg. No.	Flavour	Packet Size oz.	Packet Yield oz.	Qty /Box
SAF872	11080	Lemonade	0.6	6	50
SAF873	11081	Fruit Punch	0.6	6	50
SAF874	11082	Lemon-Lime	0.6	6	50
SAF878	11086	Orange	0.6	6	50

## SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!
- Sold per box



Order No.	Mfg. No.	Flavour	Package Size oz.	Package Yield	Qty /Box
SAM804	11130	Various*	3	3-oz. Popsicle	150

\* Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.

## SQWINCHER® QWIK STIK KWIK PAK™

- Plastic container has a snap lock and hold four of each flavour of the Qwik Stiks
- Ideal size fits almost anywhere including pockets, glove compartments, first aid kits, tool boxes and vending machines
- Multiple flavours help to reduce flavour fatigue to ensure the worker enjoys the drink and hydrates properly
- Can be refilled from the 50 Qwik Stik bag, controlling consumption
- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water and shake
- Cost effective and convenient for people on the go
- Each Qwik Pak contains 16 assorted 0.11 oz. Qwik Stiks, yielding 20 oz. each

Order No. SEI283  
Mfg. No. 11QWKP-MF



## INDUSTRIAL WATER COOLERS

- Heavy-duty blow molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw-on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for three gallons and up, holds 200 cups



NI653



Order No.	Mfg. No.	Description	Wt. lbs.
NI653	1683-01-11	3 Gallons	5.4
ON611	1685-01-11	5 Gallons	7.5
ON607	1841106	5 Gallons w/Dispenser	7.5
NI656	1610-01-11	10 Gallons	10.9
NI657	8257-UN-92	Universal Cup Dispenser	0.82

## HINGED KNEE PADS

- Cover flexes with knee to keep pad snug and debris out
- Hard cap cover for extra durability
- Premium removable cover for quick cleaning, with a Coolmax® liner for dry comfort
- Flame laminated inner sponge for added comfort
- Two velcro straps for easy donning
- One size fits all
- **Sold per pair**

**Order No. SEB486**  
Mfg. No. 18210



## FOAM KNEE PADS

- Durable copolymer foam padding provides excellent protection and value
- Form fitted, lightweight molded pad with ribbed kneeling surface
- Light-duty copolymer single velcro strap
- One size fits all
- **Sold per pair**

**Order No. SEB475**  
Mfg. No. 18200



## ALL TERRAIN COMFORT KNEE PADS

### SHORT CAP INJECTED GEL

- Short cap design for lightweight, mobile protection
- Lower strap with buckle closure, upper elastic strap with velcro closure
- 10 mm injected gel and PU foam for long lasting comfort
- Snap on cap is easily removable for 2-in-1 kneepad
- Great for multiple surfaces
- **Sold per pair**

**Order No. SEB478**  
Mfg. No. 18355



### LONG CAP INJECTED GEL

- Long cap design optimizes stability
- Breathable, wide elastic strap with velcro closure
- 10 mm injected gel and PU foam for long lasting comfort
- Strap design uses calf muscle to eliminate discomfort behind knee
- **Sold per pair**

**Order No. SEB477**  
Mfg. No. 18345



### HONEYCOMB GEL

- Lightweight gel protection and stability
- Lower strap and elastic sleeves eliminate irritation
- 10 mm honeycomb gel and EVA foam for lightweight comfort
- Upper and lower elastic sleeves hold knee pad in place
- Lower elastic strap with velcro closure
- One size fits all
- **Sold per pair**

**Order No. SEB123** Short Cap  
Mfg. No. 18357

SEB123



**Order No. SEB124** Long Cap  
Mfg. No. 18347

SEB124



## HARD SHELL KNEE PADS

- Hard, durable, shell caps with tough fabric
- Thick foam padding and adjustable closures
- Ideal for professional trades
- **Sold per pair**



Order No.	Mfg. No.	Description
TN240	KP-300	Heavy-Duty Leather Knee Pad
TN241	KP303	Hard Shell Knee Pad

## KNEELING PADS

- Comfort for static kneeling situations
- Closed cell foam is non-conductive, resistant to petroleum and silicon-free
- Convenient handle included



SEB125

Order No.	Mfg. No.	Dimensions"
SEB125	18380	14 x 21 x 1
SEB479	18385	16 x 28 x 1
SEB480	18390	18 x 36 x 1

# Ergonomics

## FLEXIBLE KNEE PADS

- Lightweight molded knee pad
- High density foam padding
- Nylon top cover
- Abrasion resistant plastic cover attached with grommets
- Adjustable double elastic straps
- Hook and loop closure
- **Sold per pair**

**Order No. SEE110**  
**Mfg. No. 827-00**



## PLASTIC CAP KNEE PADS

- Foam padding with nylon top cover
- Ribbed surface helps prevent slipping
- Sewn-on ribbed plastic cover is non-marring
- Top elastic strap and bottom webbing strap with plastic buckle closure
- **Sold per pair**

**Order No. SEE112**  
**Mfg. No. 826-00**



## WELDING KNEE PADS

- Made of heat resistant leather
- Flexible non-skid cap designed to stand up to the everyday demands of the welding environment
- Ideal for welding as well as high heat applications such as smelters and foundries
- **Sold per pair**

**Order No. SM777**  
**Mfg. No. 6991-01Q**



## LEATHER KNEE PADS

- Tough abrasion-resistant leather for maximum protection and soft cushion back for comfort
- Elastic straps with velcro closures ensure a secure fit
- Resistant to heat and fire
- Ideal for welders or any construction application such as concrete work
- **Sold per pair**

**Order No. SAL218**  
**Mfg. No. 6991**



## THERMO WRAP WRIST SUPPORTS

- Non-porous rubberized material captures body heat
- Lining wicks away moisture which helps prevent skin irritation
- Increases circulation and provides compression and support
- Loops around thumb
- Hook and loop closure



Order No.	Mfg. No.	Measurement"
<b>SEE128</b>	TS226SS	4.5 to 6.25
<b>SEE129</b>	TS226M	6.5 to 7.5
<b>SEE130</b>	TS226LXL	7.75 to 10

## ELASTIC WRIST RESTRAINERS

- Limits the wrist from over flexing and over extending to help prevent repetitive strain injuries
- Flexible spiral stays provide support
- Loops around thumb to keep in place
- Elastic strap with hook and loop closure
- Double straps has stays on palm and dorsal side



Left Order No.	Mfg. No.	Right Order No.	Mfg. No.	Measurement"
<b>SEE139</b>	EL41SL	<b>SEE143</b>	EL41SR	4.5 to 5.5
<b>SEE140</b>	EL41ML	<b>SEE144</b>	EL41MR	6.5 to 7.5
<b>SEE141</b>	EL41LL	<b>SEE145</b>	EL41LR	7.5 to 8.5
<b>SEE142</b>	EL41XLL	<b>SEE146</b>	EL41XLR	8.5 to 11

## UNIVERSAL ELASTIC WRIST SUPPORTS

- Absorbs impact-induced vibrations before reaching the elbow
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure

**Order No. SEE126**  
**Mfg. No. ERWW**



## THERMAL WRIST WRAPS

- Relieves stress, strains, swelling and tendinitis by providing a wrist joint compression support
- Allows for free hand movement
- Jersey covered neoprene retains body heat
- Hook and loop closure

**Order No. SEE127**  
**Mfg. No. ER101**



## TENNIS ELBOW BRACES

- Supports the upper forearm during activities involving repeated hand motion
- Provides relief and prevention of pain related to muscle strain, tendinitis, repetitive motion, carpal tunnel syndrome, lateral epicondylitis
- Adjustable strap with hook and loop closure

Order No.	Mfg. No.	Measurement"
SEE114	EL5002S	9 to 10.5
SEE115	EL5002M	11 to 12
SEE116	EL5002L	12 to 14
SEE117	EL5002XL	14 to 16.5



## BACK SUPPORTS - PREVENTS PAINS, STRAINS, INJURIES & REDUCES FATIGUE. PROTECT YOURSELF!

Improves lifting technique and encourages correct posture when lifting, standing, sitting or driving. Delivers firm comfortable broad lower back and abdominal support by enhancing intra-abdominal pressure to equalize stress away from spine. All models are machine washable.

### PROFLEX® 2000SF PERFORMANCE SPANDEX

- Patented Sticky Fingers® stays deliver firm, continuous lower back and abdominal support, and have greater durability and gripping properties than industry-standard, rubber-tracked tape
- Patented contoured design comfortably hugs the body and naturally positions support on wearer
- 1 1/4" premium woven elastic suspenders are adjustable and detachable to improve comfort and fit
- Power panel positioner keeps elastic bands close to sides for ease of use and will not fall out of reach when not in use
- Woven cinch tabs are reinforced to stand up to daily wear
- Durable Spandex body cloth provides an ideal combination of breathability and consistent stretch
- Adjustable two-stage closure helps remind wearers to lift properly
- Colour: Black

Order No.	Mfg. No.	Size
SAI207	11281	X-Small
SAI208	11282	Small
SAI209	11283	Medium
SAI210	11284	Large
SAI211	11285	X-Large
SAI212	11286	2X-Large
SAI213	11287	3X-Large
SAI214	11288	4X-Large



### PROFLEX® 1505 LOW-PROFILE WEIGHT LIFTERS BACK SUPPORTS

- Flexible soft foam core provides support when lifting
- Low-profile design allows for superior mobility
- 6.25" (16 cm) low-profile tapered design
- Nylon jersey body fabric
- Easy cam buckle closure system
- Rubber track webbing
- Colour: Black

**Applications:** Material handling, construction, warehousing/distribution, maintenance, freight/baggage, assembly/fabrication, landscaping/grounds

Order No.	Mfg. No.	Size
SEI856	11491	Small
SEI857	11492	Medium
SEI858	11493	Large
SEI859	11494	X-Large
SEI860	11495	2X-Large



## BACK SUPPORTS

- Reduces risk of lower back injury and offers added support
- Encourages proper lifting posture
- Adjustable two-stage straps permit optimal level of tension
- Double closure on cinch strap permits more adjustment options
- Adjustable elastic suspenders for maximum comfort and fit
- 8" reinforced primary belt

Order No.	Size
SEE905	Small
SEE906	Medium
SEE907	Large
SEE908	X-Large
SEE909	2X-Large



## SIZING CHARTS

Measure around the waist.

A back support should fit snugly around the waist but not too tightly that it can't be cinched to a comfortable closure when ready to lift.



### ERGODYNE®

Size	Fits Waist	Size	Fits Waist
X-Small	22" to 25" (56-64 cm)	X-Large	38" to 42" (97-107 cm)
Small	25" to 30" (64-76 cm)	2X-Large	42" to 46" (107-117 cm)
Medium	30" to 34" (76-86 cm)	3X-Large	46" to 52" (117-132 cm)
Large	34" to 38" (86-97 cm)	4X-Large	52" to 58" (132-147 cm)

### ZENITH SAFETY PRODUCTS®

Size	Fits Waist	Size	Fits Waist
Small	28" to 35"	X-Large	45" to 54"
Medium	33" to 42"	2X-Large	50" to 57"
Large	38" to 48"		



# Inspector Gloves

## NYLON INSPECTION GLOVES

- Lint-free nylon yarn offers premium product protection
- Maximum dexterity and sensitivity
- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Hemmed cuff provides secure fit
- Case Qty: 600
- **Sold per pair**

**Applications:** Electronics inspection lines and assembly, paint line inspection, low lint applications

Order No.	Size
SEE791	Ladies
SEE792	Men's



## PREMIUM STRING KNIT GLOVES

- Cotton/nylon/spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- Premium dexterity and sensitivity
- Case Qty: 300
- **Sold per pair**

Order No.	Size
SED611	Small
SED612	Medium
SED613	Large



## POLY/NYLON STRING KNIT GLOVES

- A string knit polyester/nylon blend glove with knit wrist
- Commonly known as the "Fisherman's Glove" it is ideal for food processing, will not absorb liquids therefore remaining lightweight even when wet
- Case Qty: 360
- **Sold per pair**

Order No.	Size
SEF199	Medium
SEF200	Large



## COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 100% heavyweight cotton
- Case Qty: 600
- **Sold per pair**

**Applications:** General inspection lines, assembly, glove liner

Order No.	Size
SEE787	Ladies
SEE788	Men's



## POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- **Sold per pair**

**Applications:** Parts handling, maintenance, assembly, glove liner, food processing

Order No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large



## POLY/COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 80% cotton and 20% polyester blend
- **Sold per pair**

**Applications:** General inspection lines, assembly, glove liner

Order No.	Cuff	Size	Qty /Case
<b>LIGHTWEIGHT LISLE</b>			
SEE783	Unhemmed	Ladies	1200
SEE784	Unhemmed	Men's	1200
<b>MEDIUM WEIGHT</b>			
SEE785	Hemmed	Ladies	600
SEE786	Hemmed	Men's	600
<b>MEDIUM WEIGHT</b>			
SEE789	Knit Wrist	Ladies	600
SEE790	Knit Wrist	Men's	600



SEE783



SEE786



SEE787

## PARADE/WAITER'S GLOVES

- Seaming detail on back
- 100% white cotton
- Hemmed cuff provides secure fit
- Case Qty: 600
- **Sold per pair**

Order No.	Size
SEE793	Small
SEE794	Medium
SEE795	Large
SEE796	X-Large





## WHITE POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7 gauge
- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted
- version extends wear life
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- **Sold per pair**

**Order No.** **Size**

### ONE SIDE DOTTED

<b>SAN489</b>	Small
<b>SAN490</b>	Medium
<b>SAN491</b>	Large
<b>SAN492</b>	X-Large

### BOTH SIDES DOTTED

<b>SAN493</b>	Small
<b>SAN494</b>	Medium
<b>SAN495</b>	Large
<b>SAN496</b>	X-Large



## NATURAL POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted
- version extends wear life
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- **Sold per pair**

**Applications:** General maintenance, shipping and receiving, assembly and parts handling

**Order No.** **Size**

### SINGLE SIDE DOTTED

<b>SEE938</b>	X-Small
<b>SEE939</b>	Small
<b>SEE940</b>	Medium
<b>SEE941</b>	Large
<b>SEE942</b>	X-Large

### BOTH SIDES DOTTED

<b>SEE943</b>	Small
<b>SEE944</b>	Medium
<b>SEE945</b>	Large
<b>SEE946</b>	X-Large



## KEVLAR® KNIT GLOVES W/PVC DOTS

- 100% Kevlar® knit gloves with PVC dots on both sides provide quality cut protection when grip is necessary
- Ambidextrous design
- Excellent dexterity and comfort
- Continuous cuff
- Blue on yellow
- Case Qty: 144
- **Sold per pair**

**Applications:** Automotive, sheet metal and metal stamping

<b>Order No.</b>	<b>Mfg. No.</b>	<b>Size</b>
<b>SQ279</b>	1811	Small
<b>SQ280</b>	1810	Large



## COTTON CANVAS DOTTED PALM GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 240
- **Sold per pair**

**Applications:** Material handling, automotive, assembly and construction

<b>Order No.</b>	<b>Size</b>
<b>SEE947</b>	Small
<b>SEE948</b>	Large



## DOTTED MEDIUM WEIGHT KEVLAR® KNIT GLOVES

- 100% Kevlar® string type
- Continuous cuff
- PVC dots provide increased grip on wet or dry surfaces
- Blue on yellow
- Case Qty: 120
- **Sold per pair**

<b>Order No.</b>	<b>Mfg. No.</b>	<b>Size</b>
<b>SAJ924</b>	1887-S	Small
<b>SAJ925</b>	1887-M	Medium
<b>SAJ926</b>	1887-L	Large



## MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life
- Case Qty: 240
- **Sold per pair**

<b>Order No.</b>	<b>Size</b>
<b>SAM662</b>	Small
<b>SAM663</b>	Large



# Canvas/Leather Gloves

## COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- **Sold per pair**

**Applications:** Material handling, automotive, assembly, construction



SEE848

Order No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large



## BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth
- **Sold per pair**

**Applications:** Light-duty material handling, assembly, automotive, and winter glove liner



SEE949



Order No.	Description	Size	Qty /Case
SEE949	Slip-On Style, Red Fleece Lining	Large	144
SEE950	Knit Wrist	Large	300

## SALT & PEPPER JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 300
- **Sold per pair**

**Applications:** Light-duty material handling, assembly, automotive, winter glove liner



Order No.	Size
SEE951	Large
SEE952	X-Large

## ORIGINAL SUPER GREEN KING™ GLOVES

- Unique extra heavy weight cotton flannel
- High quality fabric allows for repeated launderings with minimal colour loss
- Excellent comfort and warmth
- Snug green and white knit wrist maintains stretch even after numerous washing
- Size: Large
- Case Qty: 12
- **Sold per pair**

**Order No. SED899**  
**Mfg. No. SGK**



## SUPERIOR QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff for ultimate protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



Order No.	Size
SEC139	Ladies
SEB100	Medium
SA619	Large
SEB101	X-Large
SEB102	2X-Large

## SUPERIOR QUALITY LINED GRAIN COWHIDE FITTERS GLOVES

- Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



SM583



Order No.	Description	Size	Qty /Case
SAS502	Superior Quality	Ladies	120
SM582	Superior Quality	Medium	120
SAJ023	Superior Quality	Large	120
SAP232	Superior Quality	X-Large	60
SM583	Superior Quality, 4" Gauntlet Cuff	Large	120
SAP223	Premium Quality, Double Palm & Index	Large	120
SAP233	Premium Quality	Large	120

## PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined palm improves dexterity
- Full split leather 4" gauntlet cuff provides superior protection
- Size: Large
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SM592



Order No.	Description
SI842	Cowhide, Split Back
SM592	Cowhide Back

## STANDARD QUALITY GRAIN COWHIDE FITTERS GLOVES

- Smooth grain cowhide leather construction
- Excellent comfort and durability
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather tipped fingers and knuckle strap provides increased protection
- SAO051 has an unlined palm for improved dexterity and sensitivity
- SAO052 has a cotton lined palm keeping hands dry
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



SAO051



Order No.	Description	Size
SAO051	Unlined Palm	Large
SAO052	Cotton Lined Palm	Large

## GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



YC386



Order No.	Description	Size
YC386	Standard Quality, Safety Cuff	Large
SAJ497	Better Quality, Safety Cuff	Large
SEC594	Better quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

## GRAIN COWHIDE ROPERS GLOVES

- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Adjustable snap back
- Smooth leather finish
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck driver use, construction and farm equipment operators



Order No.	Size
SM588	Small
SM589	Medium
SM590	Large
SM591	X-Large

## SMOOTH GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



Order No.	Size
SAN270	Large

## GRAIN COWHIDE DRIVERS GLOVES

- Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- Unlined palm
- Provides a snug fit and a good sense of touch
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck driver use, construction and farm equipment handling



Order No.	Size
SM584	Small
SM585	Medium
SM586	Large
SM587	X-Large

## PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Premium cow grain palm and index leather construction
- Top split cowhide leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability
- Case Qty: 72 • **Sold per pair**

Order No.	Size
SEE287	Small
SEE288	Medium
SEE289	Large
SEE290	X-Large
SEE291	2X-Large



# Leather Gloves

## SUPERIOR QUALITY SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap provides increased protection
- Launderable PE cuff on **SAP226**
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SAP227



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SAS503</b>	Rubberized Cuff	Ladies	120
<b>SG281</b>	Rubberized Cuff	Medium	120
<b>SD602</b>	Rubberized Cuff	Large	120
<b>SD603</b>	Rubberized Cuff	X-Large	120
<b>SAP229</b>	Rubberized Cuff	2X-Large	120
<b>SAP298</b>	Rubberized 4" Gauntlet Cuff	Large	60
<b>SAP227</b>	Rubberized Cuff, Premium Quality	Large	120
<b>SAP226</b>	PE Cuff	Large	120

## SUPERIOR QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Unlined palm improves dexterity
- Good abrasion resistance
- Full split leather cuff provides superior protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SAL253



**ZENITH**  
Safety Products

SAL592

Order No.	Description	Size
<b>SAL592</b>	2" Cuff	Large
<b>SAL253</b>	4" Cuff	Large

## SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Patch palm design delivers added savings
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SAN382



**ZENITH**  
Safety Products

Order No.	Description	Size
<b>SAN636</b>	Better Quality, Denim Cuff	Large
<b>SAN382</b>	Better Quality, Striped Cuff	Large
<b>SAP231</b>	Better Quality, Striped Cuff	X-Large
<b>SAP225</b>	Superior Quality, Striped Cuff	Large

## SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Heavy-duty material handling, fabrication and metal handling

SM579



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SM578</b>	Outside Double Palm & Index Finger	Large	120
<b>SM579</b>	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
<b>SD604</b>	Outside Double Palm, Index Finger & Finger Tips	Large	60
<b>SE349</b>	Inside Double Palm & Index Finger	Large	120

## SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- **Sold per pair**

Order No.	Size
<b>SED160</b>	Large



## SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SAP224



SM576



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SAN638</b>	Standard Quality	Large	120
<b>SM575</b>	Better Quality	Large	120
<b>SAP228</b>	Better Quality	X-Large	60
<b>SM576</b>	Better Quality, 4" Gauntlet Cuff	Large	60
<b>SAP224</b>	Superior Quality	Large	120

## SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist eliminates dirt and debris from entering the glove
- **Sold per pair**

**Applications:** Material handling, automotive, assembly and construction



SM572



SM573

Order No.	Description	Size	Qty /Case
SM572	Standard Quality, White Back, Patch Palm	Large	144
SN266	Better Quality, White Back	Ladies	120
SAP274	Better Quality, White Back	Medium	300
SA616	Better Quality, White Back	Large	144
SAP294	Better Quality, White Back	X-Large	300
SM573	Better Quality, White Back, Full Index Finger	Large	300
SAP297	Better Quality, Stripped Back	Large	300
SAP296	Superior Quality, White Back	Large	120
SEI496	Rubber Cuff, Kevlar, Blue	Large	120

## SPLIT PIGSKIN FITTERS GLOVES

- Performs better than cowhide grain or split leather in wet applications
- Superior comfort and breathability
- Good abrasion resistance
- Better dexterity than cowhide leather
- Absorbent cotton lined palm
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication and construction



SM580

Order No.	Size
SAO156	Large
SAP353	X-Large



## SPLIT BACK DRIVERS GRAIN PALM GLOVES

- Grain leather provides excellent dexterity and abrasion resistance and is resistance to oil and water
- Features unlined palm with a split leather back
- Gunn-cut design with keystone thumb and elastic back
- Ideal for use in construction, machine operation, utility work, and many other general applications
- Case Qty: 120
- **Sold per pair**



Order No.	Size
SAJ651	Small
SAJ652	Medium
SAJ653	Large
SAJ654	X-Large

## GRAIN PIGSKIN FITTERS GLOVES

- Smooth grain pigskin leather construction
- Performs better than cowhide grain or split leather in wet applications
- Superior comfort and breathability
- Good abrasion resistance
- Better dexterity than cowhide leather
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication and construction



SAP222

Order No.	Description	Size	Qty /Case
SM580	Standard Quality, Safety Cuff	Large	120
SAP222	Premium Quality, Rubberized Cuff	Large	120



## BISON DRIVERS GLOVES

- Premium grain bison leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, unlined palm and provide a snug fit for a great sense of touch
- Bison leather is tougher than cowhide and offers better tear and abrasion resistance
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment
- Case Qty: 72
- **Sold per pair**



Order No.	Size
SEA795	Medium
SEA796	Large
SEA797	X-Large

# Lined Gloves

## GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium grain cowhide leather construction
- Full fleece covered foam lining provides excellent warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction



Order No.	Size
SM611	Large



## COTTON FLEECE GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Full cotton fleece provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



Order No.	Size
SEA198	Large



## GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Smooth grain leather finish
- Full acrylic boa lining provides superior warmth
- Patch palm design delivers added savings
- Excellent abrasion resistance
- Safety cuff provides added protection
- Resists oil and water absorption better than split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



Order No.	Size
SAP290	Large



## GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



SAO053

Order No.	Description	Size
SAO053	Rubberized Safety Cuff	Large
SEI681	Rubberized Safety Cuff, Patch Palm	Large



## SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**

Order No.	Size
SED428	Large



## GOAT GRAIN PREMIUM QUALITY GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Case Qty: 72
- **Sold per pair**

Order No.	Size
SEB752	Small
SEB733	Medium
SEB734	Large
SEB735	X-Large
SEB736	2X-Large



## THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



**ZENITH®**  
Safety Products

Order No.	Description	Size	Qty /Case
SAS501	Premium, 100-g Thinsulate™	Ladies	120
SM613	Premium, 100-g Thinsulate™	Large	60
SEH040	Premium, 100-g Thinsulate™	Large	72
SAP246	Standard, 40-g Thinsulate™	X-Large	72
SEI642	Standard, Patch Palm, 40-g Thinsulate™	Large	72

## COWHIDE DRIVERS & ROPERS FLEECE-LINED GRAIN GLOVES

- Smooth top grain cowhide all leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full cotton fleece lining provides moderate warmth
- **Drivers'** style comes with elastic wrist
- **Ropers'** style comes with adjustable strap with snap
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck drivers, operators of construction and farm equipment

**ZENITH®**  
Safety Products



Order No.	Description	Size
SM616	Drivers	Small
SM617	Drivers	Medium
SM618	Drivers	Large
SM619	Drivers	X-Large
SAP250	Drivers	2X-Large
SAP215	Ropers	Small
SAP216	Ropers	Medium
SAP217	Ropers	Large
SAP218	Ropers	X-Large

## GOAT GRAIN PREMIUM QUALITY FLEECE LINED GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth
- Case Qty: 72
- **Sold per pair**



**ZENITH®**  
Safety Products

Order No.	Size
SEE313	Medium
SEE314	Large
SEE315	X-Large

## SPLIT COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Rugged split cowhide leather construction
- Full cotton fleece lining provides moderate warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Safety cuff provides good protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



Order No.	Size
SD613	Large
SAP299	X-Large

**ZENITH®**  
Safety Products

## SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Full fleece covered foam lining provides excellent warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction

**ZENITH®**  
Safety Products

Order No.	Size	Colour
SAP240	Medium	Red
SAP241	Large	Yellow
SAP242	X-Large	Blue



SAP241

# Lined Gloves

## THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

- Premium split cowhide leather construction
- Full Thinsulate™ lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Thinner lining than acrylic boa provides better dexterity
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



Order No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72

SAN637



SAL544



SM609



SAP249



## SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium split cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction

SD614



SAP247



Order No.	Size
SD614	Large
SAP247	X-Large



## SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**



Order No.	Size
SED161	Large



## SUPERIOR QUALITY GRAIN COWHIDE FULL COTTON FLEECE LINED GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**



Order No.	Size
SEH145	Medium
SEB613	Large



## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PALM GLOVES

- Full cotton fleece lining provides moderate warmth
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



Order No.	Size
SR521	Large
SAM023	X-Large





## GRAIN PIGSKIN FITTERS THINSULATE™-LINED GLOVES

- Full 100-g Thinsulate™ lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- Sold per pair

**Applications:** Extreme cold material handling, fabrication and construction



SAP251



SM615

Order No.	Size
SM615	Large
SAP251	X-Large



## GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Safety cuff provides good protection
- Sold per pair

**Applications:** Moderate cold material handling, fabrication and construction



## GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Full Boa lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 72
- Sold per pair

**Applications:** Extreme cold material handling, fabrication and construction



Order No.	Description	Size	Qty/Case
SAP295	Safety Cuff	Large	72
SEI571	1 1/2" Safety Cuff	Large	120
SEI572	1 1/2" Safety Cuff	X-Large	120



Order No.	Description	Size
SAP300	Superior Quality, Rubberized Cuff	Large



## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 120
- Sold per pair

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



SD605



SAP245

Order No.	Size
SM610	Ladies
SD605	Large
SEF236	Large
SAP245	X-Large



SM610