**Strip Curtain Doors** 

Everything you need in one package to install your own strip curtain door and save money!

### ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple-to-follow installation instructions are included in every package.

- 1 Determine inside width and height of door opening. NOTE: If mounting on door above lintel, measure from floor to mounting height.
- 2 Select type of PVC material required: STANDARD or LOW TEMP. Standard recommended for temperatures from -23°C to 66°C. Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.
- 3. Select from the standard sizes listed in the chart below. NOTE: If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.
- 4. Special size doors and hanging applications are available upon request.
- 5. For overhead doors, please call one of our sales representatives for assistance.



#### INTERIOR DOORS

# ΗH

#### CONVEYORS



#### DOCKS



**Customize it to** 

your specifications.



- heat/cooling loss
- **Reduce noise pollution** Provides the ideal
- accoustical barrier around noisy equipment

#### Provide extra safe passage

• People can see and be seen so there is less chance of accidents

#### Control smoke.

dust and sprays Strip curtains can control in-plant contaminants to improve employee environment

#### Low maintenance

- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol

#### FIXED MOUNTING SYSTEM

Order No. Description KF001 Complete 4' Aluminum Angle Mount



#### **IN-STOCK DELIVERY**

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

#### EASY TO ORDER

It is easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

STANDARD	TANDARD DOOR SIZES									
Order No.	Order No.	Strip	Doc	or Ope	ning	Wt.				
Standard	Low Temp.	Dimensions	W'	x	Η̈́'	lbs.				
KF022	KF004	8"	4	х	7	25				
KF023	KF005	(8" x 0.080)	5	х	8	35				
KF024	KF006		6	х	8	40				
KF026	KF008	12"	8	х	8	80				
KF025	KF007	(12" x 0.120)	8	х	10	100				
KF020	KF002		10	х	10	125				
KF021	KF003		12	х	12	175				

NOTE: Doors with 8" strips have 2" standard overlap Doors with 12" strips have 4" standard overlap


#### **REPLACEMENT STRIPS - 5 PER CARTON**

Order No. Standard	Order No. Low Temp.		
KF032	KF013	8" x 0.080 x 8'	15
KF029	KF011	12" x 0.120 x 12'	45

every package.

Order No.	Order No.		Strip		Wt.
Standard	Low Temp.	Colour	Dimensions	Roll'	lbs.
KF033	KF014	Clear	8" x 0.080	300	99
ML959*	-	Dark Amber	8" x 0.080	300	105
KF030	KF012	Clear	12" x 0.120	200	150
KF031	-	Clear	16" x 0.160	100	140

\*For welding applications





# **Crowd Control**

# FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive
- up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"
- Tape length: 7'
- Recommended post spacing: 6'6"

#### STANDARD FREE-STANDING BARRIERS



#### SAFETY FREE-STANDING BARRIERS



Description	Tape Colour	Tape Length'
Yellow Post w/Cassette	Yellow	7
Yellow Post w/Cassette	Yellow	7
	(Caution Do Not E	nter)
Yellow Post w/Cassette	Yellow	7
	(Attention Ne Pas E	ntrer)
Yellow Receiver Post	-	-
EELS		
Yellow Post w/Cassette	Yellow	7
Yellow Receiver Post	-	-
	Yellow Post w/Cassette Yellow Post w/Cassette Yellow Post w/Cassette Yellow Receiver Post EELS Yellow Post w/Cassette	Description         Colour           Yellow Post w/Cassette         Yellow           Yellow Receiver Post         -           EELS         Yellow           Yellow Post w/Cassette         Yellow

### WALL MOUNT BARRIERS

- Wall mount barrier is ideal where floor space is essential
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H
- Tape length: 7'

	SED813	

SEI760



Order		Таре	
No.	Description	Colour	
SAS233	Black Wall Mount	Black	
SED813	Stainless Steel Wall Mount	Black	
SAS234	Replacement Wall Receiver	-	





Locking mechanism

prevents accidental



Order No.	Description	Tape Colour	Tape Length'
SAS226	Stainless Steel Post w/Cassette	Red	7
SAS227	Black Post w/Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-
WITH WH	EELS		
SEI760	Stainless Steel Post w/Cassette	Red	7
SEI762	Black Post w/Cassette	Black	7
SEI761	Stainless Steel Receiver Post	-	-
SEI763	Black Receiver Post	-	-

27	4	

# **Crowd Control**

Wall Mounts

### **BUILD YOUR OWN CROWD CONTROL BARRIERS**

- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
  Tape length: 7'





 Posts
 Tape Cassettes
 Bases


 Caution Do Not Enter
 Attention Ne Pas Enter
 Image: Caster in the pas Enter

#### FREE-STANDING CROWD CONTROL BARRIERS:

- 4-way connection permits all posts to receive
- up to three tapes from any direction
- Receiver post without tape cassette for use at the end of a line of posts
- Assembled height: 35"
- Recommended post spacing: 6'6"

# TO BUILD YOUR OWN FREE-STANDING CROWD CONTROL BARRIER FOLLOW THESE INSTRUCTIONS:

- 1. Select a post style.
- 2. Select a base style. You will need one
- base for every post ordered
- 3. Select a Tape Cassette. The quantity required will depend on your setup.
- 4. Order an Empty Cassette for any posts that will be used as a receiver or a wall receiver if mounting to a wall.




#### WALL MOUNT BARRIERS:

- Ideal where floor space is essential
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H

# TO BUILD YOUR OWN WALL MOUNT BARRIER FOLLOW THESE INSTRUCTIONS:

1. Select a Wall Mount style. You only need one Wall Mount since the receiver for the other side is included.

2. Select a Tape Cassette.



# **COMPONENTS FOR FREE-STANDING & WALL MOUNT BARRIERS**

POSTS				TAPE CASS	ETTES	
Order No.	Sty	le		Order No.	Colour	Tape Length'
SEC868	Stainless	s Steel		SAW917	Red	7
SEC869	Blac	ck		SAW918	Black	7
SEC870	Yello	w		SAW995	Yellow	7
BASES		BASES W/\	WHEELS	SEB179	Yellow w/Caution Do Not Enter	7
Order No.	Style	Order No.	Style	SEC956	Yellow w/Attention Ne Pas Entrer	7
				- SEC362	Blue	7
	inless Steel, Tapered	SEI757*	Stainless Steel	SEC363	Green	7
SAS314	Black, Tapered	SEI758**	Black	SEC364	Black w/White stripe	7
SAS316	Yellow, Flat	SEI759	Yellow	SEC365	Yellow and Black stripes	7
WALL MOU	NTS			EMPTY CAS	SETTES	
Order No.	Sty	le		Order No.	Description	
SEC360	Blac	ck		SEC361	For Receiver Posts	
SEC497	Stainless	s Steel		SAS234	Wall Receiver	

\*For use with SEC868 post. Outer rim is black steel. \*\*For use with SEC869 post.

# ADVANCE TENSABARRIER®

- Use for indoor and outdoor applications
- Design ensures easy setup and guick storage
- Smooth 2.5" post contains the SlowRetract® belt cassette for a seamless look and maximum safety
- Locking belt receivers prevent accidental release of the belt
- · 4-way connecting system allows up to three receivers to attach to a post
- Dimensions: 36" H, tube dia. 2.5", base dia. 14", belt: 7.5' L x 2" W
- Material: Steel
- Receiver post without cassette also available
- · Additional tape colour and size options and custom printing available upon request

#### **POST/TAPE COMBINATION**

Order	Mfg.	Tube	Таре	
No.	No.	Colour	Colour	Message
<b>SEH483</b>	889B-33-21-STD-NO-RGX-C	Red	Red/White	Caution Do Not Enter
SEH484	889B-33-33-STD-NO-B9X-C	Black	Black/Yellow	Caution Do Not Enter
SEH485	889B-33-35-STD-NO-YAX-C	Yellow	Black/Yellow	Caution Do Not Enter
<b>SEH486</b>	889B-33-21-STD-NO-D4X-C	Red	Black/Yellow Diagonal	Stripe -
SEH487	889B-33-33-STD-NO-D4X-C	Black	Black/Yellow Diagonal	Stripe -
<b>SEH488</b>	889B-33-35-STD-NO-D4X-C	Yellow	Black/Yellow Diagonal	Stripe -
SEH489	889B-33-35-STD-NO-Y5X-C	Yellow	Yellow	-

# **OUTDOOR TENSABARRIER®**

- Tube constucted of UPVC in white, red or yellow mounted on PVC grey base
- · Lightweight when empty for easy transportation
- · Fill base with water or sand for stability
- Weather resistant
- Post: 37" H; tube O.D.: 2.5"; base: 15" diameter
- 4-way retractable tape cassette
- Additional tape colour options and custom printing available upon request

Order	Mfg.	Tube	Таре	Таре
No.	No.	Colour	Colour	Length
POST/TAP	E COMBINATION			
SAM967	885-35-STD-NO-D4X-C	Yellow	Yellow/Black Diagonal	7'6"
SAM968	885-32-STD-NO-D4X-C	White	Yellow/Black Diagonal	7'6"
SAM969	885-21-STD-NO-D4X-C	Red	Yellow/Black Diagonal	7'6"
SF979	885-35-STD-NO-YAX-C	Yellow	Yellow w/Black Message - Caution Do Not Enter	7'6"
POST/TAP	E COMBINATION STRIPED	)		
SF980	885-32-MAX-NO-D3X-C	Red	Red/White Diagonal	13'
SF981	885-21-MAX-NO-D3X-C	White	Red/White Diagonal	13'
SF982	885-35-MAX-NO-D4X-C	Yellow	Yellow/Black Diagonal	13'
RECEIVER	POSTS			
SF983	885-32-32-RCV	Red	-	-
SF984	885-21-21-RCV	White	-	-
SF985	885-35-35-RCV	Yellow	-	-



### STOWAWAY® POST KITS

- The take-it-anywhere, store-it-anyplace TensaBarrier®
- Multi-purpose, for indoor or outdoor use
- Quick and easy set-up/break-down
- Compact, lightweight and portable; four posts to a bag
- Each post is 36" high with a base width of 22 3/4"; belt length is 13'
- Safety yellow UPVC tube and black powder coated legs
- with vello Storage b

ow and black safety striped belt bag included		TENSATO	R°	-Imabed	
Mfg. No.	Tube Colour	Tape Colour		-	
SA1-4PK-MAX-NO-B9-C	Yellow	Yellow/Black Diagonal			

# **REPLACEMENT CASSETTES** FOR ADVANCE, OUTDOOR & STOWAWAY® TENSABARRIER®

•	Cassettes are	4-way and	quick retracti	ng
-	Les also al a a dia se a		a la la valta val	

 Includes tape, spring mechanism, receiver and tape end piece

Order	Mfg.			Таре	Таре
No.	No.	0	Descriptior	n Colour L	.ength
SAM970	CASSETTE-STD-NO-D	)4X-C	Striped	Yellow/Black Diagonal	7'6"
SF987	ADV144-YA	Cautio	on Do Not	Enter Yellow w/Black Message	7'6"
SF988	CASSETTE-MAX-NO-	D3X-C	Striped	Red/White Diagonal	13'
SF989	CASSETTE-MAX-NO-	D4X-C	Striped	Yellow/Black Diagonal	13'



Order No. **SAQ143** 



#### **TENSATOR®**

RECEIVER POSTS						
Order No.	Mfg. No.	Tube Colour				
<b>SEH490</b>	889B-21-21-RCV	Red				
SEH491	889B-32-33-RCV	Black				
SEH492	889B-35-35-RCV	Yellow				

TENSATO	R®
---------	----

#### TENSABARRIER® WALL MOUNTED UNITS SF959 Wall Receptacle • Handsomely styled wall-mounted TensaBarrier® Designed for indoor use where only a limited area of traffic control is necessary Available in chrome or impact resistant ABS plastic casing with tape Wall receptacle is in black only Magnetic case recommended for warehouses Wall receptacle included with all TensaBarrier<sup>®</sup> wall-mounted units **TENSATOR®** SF970 Case Order Mfg. Tape Tape No. No. Description Colour Length **SF968** 897-15-S-1P-NO-L5X-C Black and Chrome Case Blue 15' SEI733 **SF969** 897-15-S-21-NO-R5X-C Black and Red Case 15' Red SF970 897-15-S-33-NO-S3X-C Black Case Black w/White Stripe 15'

Black w/Yellow Dia Stripe

Black w/Yellow Dia Stripe 7.5

Black w/Yellow Dia Stripe 13'

15'

Black Case w/Magnetic Backing

Black Case

Black Case

Wall Receptacle

STAN	'(Fil	ONS

898CLIP

 Effective for crowd control, defining walkways, and brings awareness to potential hazards

897-15-M-33-NO-D4-C

896-STD-33-NO-D4-C

896-MAX-33-NO-D4-C

- Use indoors/outdoors
- Suitable for manufacturing facilities, schools, churches, restaurants, military bases, office buildings, events, parks and much more
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Recyclable

**SEI733** 

**SEI734** 

**SEI735** 

SF959

- Base can be filled with sand for additional stability
- Medium and heavy-duty options available
- Medium-duty: The chain can be attached on the enclosed C-hook or be ran in a continuous
- Heavy-duty: Attach the chain to the stanchion with
- the enclosed C-hook and base can be attached to floor

Order No.	Mfg. No.	Colour	Base Diameter"	Pole Diameter"	Overall Height"	Empty Weight Ibs.	Filled with Sand Ibs.
MEDIUM-D	ЈТΥ						
SEI663	96402	Yellow	14	2.5	40	2.6	6.6
SEI664	96403	Black	14	2.5	40	2.6	6.6
SEI665	96401	White	14	2.5	40	2.6	6.6
HEAVY-DU1	Υ						
SEI666	99902	Yellow	16	3	41	3.1	12
SEI667	99903	Black	16	3	41	3.1	12
SEI668	99905	Red	16	3	41	3.1	12

# **CHAINS**

- Durable 2" link plastic chain
- Connects to stanchion or post
- with master links or S-hooks
- Use indoors/outdoors
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Lightweight, strong and durable
- Recyclable
- Sold per foot

#### MASTER LINKS

- Used to connect two lengths of plastic chain and to repair chain
- Made of acetal plastic containing UV inhibitors

### S-HOOKS

- Allows you to hang or connect plastic chain in a variety of applications
- Made of acetal plastic containing UV inhibitors

Yellow Order No.	Mfg. No.	Black Order No.	Mfg. No.	White Order No.	Mfg. No.	Red Order No.	Mfg. No.	Description	Size"
SG197	50002-100	SEI669	50003-100	SEI670	50001-100	SEI671	50005-100	Chain (per foot)	2
SG200	50702	SEI672	50703	SEI673	50701	SEI674	50705	Master Link	2
SG203	50302	SEI675	50303	SEI676	50301	SEI677	50305	"S" Hook	2













#### Use furniture polish to clean mirrors. Glass cleaner will damage surface.

Wt.

lbs.

3

4

9

17

5.5

8

18

35

### DOME MIRRORS

Maximize safety at a glance. Safety mirrors in quarter, half or full dome reduce the chances of accidents due to blind corners in the plant or warehouse. Constructed of heavy-duty acrylic for durability. All mirrors have a black protective edge.

HALF DOME 180°

Dia."\*

18

24

33

48

18

24

33

48

Order

SA731

**SA734** 

**SA737** 

SA740

SAO967

**SAQ968** 

SAO969

**OPEN TOP** 

No.

#### **Ideal Locations:**

FULL DOME 360°

Order

**OPEN TOP** 

SA732\*\*

SA735\*\*

SA738\*\*

SA741\*\*

SAO963

**SAQ964** 

SA0965

SAQ966

**CLOSED TOP** 

No.

- 360° 4-way intersections
- 180° "T" intersections
- 90° Corner intersections

Dia."\*

18

24

33


48

18

24

33

44



QUARTER DOME 90°

Dia."\*

18

24

33

48

Order

**SA736** 

SA739

**SA742** 

No. SA733



SA732



SA731

Wt.

lbs.

1.35

1.9

7

17.5



SAQ970 \* The dimensions listed are that of a full dome \*\* Comes with hanging hardware

CLOSED TOP

### **DROP-IN CEILING PANEL DOME MIRRORS**

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile

Wt.

lbs.

7

6.5

15

33

84

8.7

19.8

41

• Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Order No. SAR052 Mfg. No. 2000DD22-M1

### **CONVEX MIRRORS**

- · Prevent accidents and increase surveillance with a lightweight acrylic convex mirror
- Adjustable mounting hardware included with each mirror
- 100° viewing angle and mounted ball and swivel
- Telescoping arm adjusts from 15" to 21"
- · For indoor or outdoor use

#### ORS

Order No.	Mfg. No.	Dia."	Wt. Ibs.	Order No.	Mfg. No.	Dia."
INDOO	R		OUTDO	OR		
SA725	1000CI12	12	2	SA720	1100CE12	12
SA726	1000CI18	18	3	SA721	1100CE18	18
SA727	1000Cl26	26	6	SA722	1100CE26	26
SA728	1000CI30	30	7	SA723	1100CE30	30
SA729	1000Cl36	36	9	SA724	1100CE36	36



Wt. lbs.

# ROUNTAGULAR **CONVEX MIRRORS**

- The top and bottom of these convex mirrors have been rimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex, but takes up less space
- Use when mounting space is limited such as lower ceilings or overhangs
- Exteriors models are enclosed

#### RALSTON MI ORS

Order No.	Mfg. No.	Dim."	Wt. Ibs.
INDOOR	1		
SAQ971	1300TM18	12 x 18	3.5
SAQ972	1300TM26	18 x 26	4.75
SAQ973	1300TM30	20 x 30	6.7
SAQ974	1300TM36	24 x 36	9.3



Order No.	Mfg. No.	Dim."	Wt. Ibs.
OUTDO	DR		
SAQ975	1300TME18	12 x 18	4.7
SAQ976	1300TME26	18 x 26	8
SAQ977	1300TME30	20 x 30	12.5
SAQ978	1300TME36	24 x 36	18.3



- RALSTON MI ORS





# Mirrors

# FLAT MIRRORS

- · Ideal for locations where accurate depth perception is essential
- Mirrors are made of acrylic and galvanised steel back
- Framed mirrors have an aluminum edge
- Arm adjusts from 15" to 21"
- Ball and swivel, and telescoping arm and bracket are included with each mirror

### RALSTON MITTORS



Order No.	Mfg. No.	Dim."	Order No.	Mfg. No.	Dim."
UNFRAI	MED		FRAME	D	
SA744	3000FL1212	12 x 12	SA749	3000FF1212	12 x 12
SA745	3000FL1218	12 x 18	SA750	3000FF1218	12 x 18
SA746	3000FL1824	18 x 24	SA751	3000FF1824	18 x 24
SA747	3000FL2430	24 x 30	SA752	3000FF2430	24 x 30
SA748	3000FL3036	30 x 36	SA753	3000FF3036	30 x 36

# REAR VIEW MIRRORS

- Designed for use on forklifts.
- delivery trucks or other transit vehicles Helps eliminate dangerous blind spots
- 2 3/4" x 7" rectangular convex mirror
- Complete with mounting bracket
- Adjustable swivel mount
- Order No. SED112

Mfg. No. 2100RV2X3

RALSTON MI ORS

# ROUND INSPECTION MIRRORS

- 2 1/4" round inspection mirror
- Telescoping handle: 7", extends to 36"
- Handle has non-slip, black cushion grip

Order No. SED113 Mfg. No. 309S1

# 1 1/2" ROUND GLASS **INSPECTION MIRRORS**

- 4 1/2" telescoping handle extends to 24"
- Shaft made of chrome-plated brass
- · Handle has a pocket clip with a non-slip black cushion grip

Order No. TLV720 Mfg. No. 306TR



# **INSPECTION MIRRORS &** MAGNETIC RETRIEVER TOOLS

- 2" x 2" rectangular glass mirror
- 5/16" diameter magnet with 2-lb. lift · Chrome-plated brass telescoping
- handle 6 1/4", extends to 28'

Order No. TLV723 Mfg. No. 301G240



# **TRUCK INSPECTION MIRRORS**

- Ideal for inspecting top
- of semi-trailers or rail cars • One-piece, triple-extension handle
- made of durable anodised aluminum Mirror head is easily detachable and
- comes with mirror protection cover Unit collapses down for easy
- storage (fits in the trunk of most vehicles)
- · Handle adjusts from 4' 3" to over 13'
- Convenient 2-piece grip for easy manoeuvring
- Complete unit weighs less than 5 lbs.

Order	Mfg.		
No.	No.	Decription	Dia."
SAK284	P-120FTIM	Flat	12



# SECURITY INSPECTION MIRRORS

- 8" convex mirror for wider viewing area
- 40" handle with adjustable angle
- Lightweight

#### Order No. SAQ807

Mfg. No. 2100ML5086



### RALSTON

# **READ RITE™ INSPECTION MIRRORS**

- · Allows the user to see a non-inverted image in difficult viewing locations
- 3 1/2" x 2" rectangular stainless steel mirror • Non-slip, solvent-resistant telescoping
- handle 15 1/2", extends to 28 1/2" Shaft made of stainless steel

Order No. TLV722 Mfg. No. 390SS

# RECTANGULAR GLASS **INSPECTION MIRRORS**

- Non-slip, solvent-resistant telescoping handle 6 1/2", extends to 36 1/2"
- · Shaft made of stainless steel

• 2" x 1 1/4"

Order No. TLV721 Mfg. No. 315

MAG-MAT

# RECTANGULAR INSPECTION MIRRORS

- · Facilitates inspection of inaccessible work pieces and machines
- 2" x 3 3/4" rectangular steel mirror • Telescoping handle: 10 3/4", extends to 26"
- Order No. SED114

Mfg. No. 005562











# AISLE MARKING TAPE

- PVC tape made from a durable 6-mil thick vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface
- Matte smooth conformable tape that is great for marking hazards on floors, walls and equipment
- Commonly used in aisle demarcation, colour coding and pipe banding applications
- 108' per roll

Order No.	Mfg. No.	Width"	Colour
SAL689	PST221	2	Blue
SAL688	PST218	2	Orange
SAL684	PST211	2	Green
SAL685	PST212	2	Red
SAL686	PST213	2	White
SAL683	PST210	2	Yellow
SAL687	PST215	2	Black
SAL696	PST321	3	Blue
SAL695	PST318	3	Orange
SAL691	PST311	3	Green
SAL692	PST312	3	Red
SAL693	PST313	3	White
SAL690	PST310	3	Yellow
SAL694	PST315	3	Black





#### **RECOMMENDED GUIDELINES**

Blue:	General Information
White:	Traffic and
	Housekeeping
Orange:	Warning
	/Hazardous Biohazard
Yellow:	Caution

Order No.

Mfg. No.

Green:	Safety and First Aid Equipment
	Lyuipinein
Black:	Boundaries
Red:	Fire Protection
	/Danger/Stop
Stripes:	Hazard/Warning

Width"

Colour

# HAZARD WARNING TAPE

#### NON-LAMINATED

- PVC tape will quickly bring attention to any workplace hazard
   Made from a 6-mil conformable vinyl film with a rubber
- Made from a 6-mil conformable vinyl film with a rubber adhesive system to adhere to most any clean, dry surface
- Smooth semi-matte surface
- Ideal for floors, walls, pipes and equipment
- 108' per roll

#### LAMINATED

- PVC tape with a durable, clear laminating film over top
- Smooth gloss finish will resist wear and is easily cleaned
- Over lamination improves tape's ability
- to withstand heavy abrasion
- 108' per roll

#### **RECOMMENDED GUIDELINES**

Red/White: Fire Protection Equipment

Yellow/Black: Physical Hazards

Black/White: Traffic and Housekeeping

Green/White: Safety and First Aid Equipment

# FLOOR TAPE APPLICATORS

- Designed for applying tape accurately and securely to floors and ground in straight line only
- Use with tape rolls up to 4" diameter



IN	0	И	®

Order	Mfg.	Max. Roll	Overall
No.	No.	Diameter''	Height"
SED019	WTD-200	4	39



INCOM



**INCOM** 

# **COLOURED VINYL ARROWS & DOTS**

- Great choice for marking direction of travel or demarcation of hazards
  - Commonly used for production work flow,
- inventory management and pedestrian directional aids • Arrows and dots are all made from a durable
- solid coloured vinyl so there is no print to wear off
  Adhesive backing
- Custom sizes and colours available upon request

Order No.	Mfg. No.	Colour		
ARROW 4	ARROW 4" - 100 PER ROLL			
SAS533	VA400W	White		
SAS534	VA400K	Black		
SAS535	VA400G	Green		
SAS536	VA400R	Red		
SAS537	VA400B	Blue		
SAS538	VA400Y	Yellow		
CIRCLE 3" - 500 PER ROLL				
SAS539	VA300W	White		
SAS540	VA300K	Black		
SAS541	VA300G	Green		
SAS542	VA300R	Red		
SAS543	VA300B	Blue		
SAS544	VA300Y	Yellow		



# PREMIUM GRADE ANTI-SKID TAPE & CLEATS

- Constructed from a thick PVC base laver impregnated with an aggressive 60-grit mineral abrasive compound
- Backing has an aggressive acrylic adhesive system for longevity
- · Forms a strong, water-proof bond to most any clean, dry surface while still being temporarily repositionable during the application process
- Great choice for both indoor and outdoor environments
- Offers highest wear resistance and weather ability
- · Excellent chemical and oil resistance
- for a wide variety of applications
- Recommended for long term and OEM applications
- Certified by the National Flooring Safety Institute 101-A "High Traction", and meets or exceeds OSHA 1910.24 and 1910.26
- RoHS compliant and lead free

GATOR GRIPtape

60' roll



#### Order Mfg. No. No. Width" BLACK **NC910** SG3101B 1 NC383 SG3102B 2 NC385 SG3104B 4 NC386 SG3106B 6 NC381 SG3112B 12 CLEAR NC912 SG3601CL 1 SG3602CL NC913 2 NC914 SG3604CL 4 NC915 SG3606CL 6



#### PREMIUM GRADE TRACTION CLEATS

- · Pre-cut to give a finished look to your floor or equipment
- Sold per package

Order	Mfg.		D	)in	ı.	Qty
No.	No.	Description	W"	х	L"	/Pkg.
NB396	SG3125BS	Cleat	3/4	х	24	50
SAS551	SG3132BS	Cleat	3	х	24	50
NB395	SG3126BS	Cleat	6	х	24	50
SAS552	SG3134BS	Cleat	6	х	30	50
NB394	SG3127BS	Squares	5 1/2	х	5 1/2	50
SAS553	SG3126BHV	Black Cleat w/Yellow Stripe	6	х	24	10
SAS554	SG3126REF	Black Cleat w/Reflective Yellow Stripe	9 6	х	24	10

# ENGINEER GRADE REFLECTIVE TAPE

- Offer vibrant daytime visibility with reflective properties for night time use
- Rated for use outdoors for a 7-year life span
- Aggressive adhesive that will adhere to almost any clean, dry, smooth surface
- Hazard striped products have a protective lamination to ensure the printed stripe will not wear off
- · Comes with removable release liner
- · Not intended for flexible vehicle graphics
- 30' roll



PREMIUM GRADE
<b>COLOURED ANTI-SKID TAPE</b>

- Effective way to offer visual warning of a slip and fall hazard
- Surface is an aggressive mineral abrasive compound on a thick PVC liner
- Adheres to most any clean, dry surface with an acrylic adhesive system
- Tape and adhesive are water, chemical and oil resistant for use in both indoor and outdoor applications
- Effective anti-slip protection on stair nosing
- Tape meets NFSI 101-A "High Traction" and meets or exceeds OSHA 1910.24 and 1910.26 60' roll

•	00	1011
-		

Order	Mfg.	
No.	No.	Width"
RED/WH	IITE	
SI747	SG3802RW	2
BLACK/	YELLOW	
SI749	SG3902YB	2
YELLOW	1	
SK377	SG3302Y	2
RED		
SK379	SG3502R	2



# GLOW IN THE DARK TAPE

- · Protect your workers during darkness or evacuation
- Glow in the dark material automatically absorbs energy from
- any light source · Vinyl coated on one side with a pressuresensitive adhesive
- · Perfect to locate emergency equipment and identify evacuation routes
- during emergency situations 30' rolls •

00	10115	
2-4-		

Order	Mfg.	
No.	No.	Width"
PLAIN		
NC938	523522P	2
NC939	523524P	4
NC940	523526P	6
BLACK STR	RIPES	
SAS545	GT230BK	2
SAS546	GT430BK	4
SAS547	GT630BK	6
RED STRIP	ES	
SAS548	GT230RD	2
SAS549	GT430RD	4
SAS550	GT630RD	6







Mfg.		
No.	Width"	Colour
RST106	2	Black/Yellow
RST107	2	Red/White
RST101	2	White
RST102	2	Red
RST104	2	Yellow
RST105	2	Orange
	No. RST106 RST107 RST101 RST102 RST104	No.         Width"           RST106         2           RST107         2           RST101         2           RST102         2           RST104         2





# 3M<sup>™</sup> SAFETY-WALK<sup>™</sup> SLIP RESISTANT TAPE

The easy, economical way to help prevent slips and falls,

and help meet OSHA and ADA requirements.

#### **GENERAL PURPOSE**

- · Mineral-coated, slip-resistant material
- features a highly durable surface · Low-profile design reduces trip hazard

#### CONFORMABLE

· High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces

#### MEDIUM RESILIENT

- Resilient, non-mineral, slip-resistant material
- Soft surface is suitable for bare feet




Order	Mfg.	lfg. Dim.		ı.		
No.	No.	Colour	Description	W	х	L
GENERA	L PURPOSE					
NG063	F-610-BLK-1X60	Black	Roll	1"	х	60
NG064	F-610-BLK-2X60	Black	Roll	2"	х	60
NG065	F-610-BLK-6X60	Black	Roll	6"	х	60
NG069	F-630-SYL-1X60	Yellow	Roll	1"	х	60
NG070	F-630-SYL-2X60	Yellow	Roll	2"	х	60
CONFOR	MABLE					
NG073	F-510-BLK-2X60	Black	Roll	2"	х	60
NG074	F-510-BLK-4X60	Black	Roll	4"	х	60
NG075	F-510-BLK-6X60	Black	Roll	6"	х	60
NG077	F-530-SYL-2X60	Yellow	Roll	2"	х	60
NG078	F-530-SYL-4X60	Yellow	Roll	4"	х	60
NG079	F-530-SYL-6X60	Yellow	Roll	6"	х	60
MEDIUN	I RESILIENT					
NG081	F-310-BLK-1X60	Black	Roll	1"	х	60
NG082	F-310-BLK-2X60	Black	Roll	2"	х	60
NG083	F-310-BLK-6X60	Black	Roll	6"	х	60
NG085	F-370-GRY-1X60	Grey	Roll	1"	х	60
NG086	F-370-GRY-2X60	Grey	Roll	2"	х	60
NG087	F-370-GRY-6X60	Grey	Roll	6"	х	60

Knut

# SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents
- impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C





**MN382** 

**MN383** 

**MN384** 

	1 Metre	5 Metres
Style	Order No.	Order No.
А	KH866	KH865
B*	KH868	KH867
С	KH870	KH869
D	KH872	KH871
E	KH952	KH953
F	KH954	KH955
G*	KH956	KH957
H	KH958	KH959

\* Does not have peel-away adhesive. Held by pressure fit.



#### **CORNER ACCESSORIES** Makes a neat corner where two foam

bumper guards protection profiles meet.



MN379	MN381	MN380	MN382
Order			
No.	Descri	ption	
MN379	2 Way - Use v	vith Profile A	
MN380	3 Way - Use v	vith Profile A	
MN381	2 Way - Use v	vith Profile E	

3 Way - Use with Profile E

2 Way - Use with Profile H

3 Way - Use with Profile H

1 024 (26mm)

# **MARKING FLAGS**

- · For surveying, construction and agriculture
- Mark location of underground sprinklers, pipes and lines
- 2 1/2" x 3 1/2"
- Available with 21" and 30" staff
- 100 flags per bundle
- Sold per bundle



Order No.	Mfg. No.	Colour
WITH 21" ST	AFF	
SAQ792	15079	Orange Fluorescent
SAQ793	15080	Red Fluorescent
SAQ794	15081	Pink Fluorescent
SAQ795	15082	Lime Fluorescent
SAQ796	15084	Yellow
WITH 30" ST	AFF	
SAQ797	15042	Lime Fluorescent
SAQ798	15064	Pink Fluorescent
SAQ799	15089	Orange Fluorescent
SAQ800	15093	Red Fluorescent

### PENNANTS

- · Ideal to draw attention to construction sites, work areas and events
- Vinyl-coated with tensile strength of 107 lbs.
- · Available with printed legend or solid colours
- With Legend; red background printed "Danger Keep Out"
- Legend pennant dimensions: 12" x 18" on a 60' string
- Solid colours available in red, orange, vellow or multi-coloured
- Solid colour dimensions: 9" x 12" on a 60' string
- Standard 50 pe



luaru 50	permants	
string		
	CANCED	CLSC
	GANGES REAL	NUT I
	OUT/	

Order	Mfg.		
No.	No.	Message	
PENNANT W	/LEGEND		
NG127	03-406	Red w/Danger Keep Out	
COLOURED F	PENNANTS		
NG128	03-400-60	Red	
NG129	03-402-60	Orange	
SEI875	03-405-60	Yellow	
NG132	03-403-60	Multicolour	



# BARRICADE TAPE СН



#### ECONOMY GRADE

- · Cost effective way to restrict entry to hazardous areas
- Made of 1.5-mil standard grade polyethylene
- · Ideal for both indoor and temporary outdoor usage
- 3" x 1000' roll

Order	Mfg.		
No.	No.	Description	Colour
SED020	19000	Caution	Black on Yellow
SED021	19004	Do Not Enter	Black on Yellow
SED022	19041	Attention	Black on Yellow
SED023	19005	Danger	Black on Red



#### **STANDARD**

- A fast and effective way to restrict entry to hazardous areas
- · Made of 2-mil standard grade polyethylene
- · Ideal for both indoor and temporary outdoor usage
- 3" x 1000' roll

Order	Mfg.		
No.	No.	Description	Colour
SAJ606	16000	Caution	Black on Yellow
SAJ607	16004	Caution Do Not Enter	Black on Yellow
SED024	16009	Caution Construction Area	Black on Yellow
SED026	16005	Danger Do Not Enter	Black on Red
SAJ608	16041	Attention	Black on Yellow
SAJ609	16003	Danger	Black on Red

# FLAGGING TAPE

- · Superior visibility when laying out boundaries
- Economical and reusable
- 1 3/16" wide
- Fluorescent colour tape are 150' long, standard colour tape are 300' long





Order	Mfg.		
No.	No.	Colour	
1 3/16" x 150	•		
SAM827	17000	Orange Fluorescent	
SAM828	17001	Lime Fluorescent	
SAM829	17002	Red Fluorescent	
SAM830	17003	Pink Fluorescent	
SAM831	17004	Green Fluorescent	
SAM832	17005	Yellow Fluorescent	
1 3/16" x 300	r		
SAM833	17023	Standard Blue	
SAM834	17027	Standard Black	

# **Traffic Cones & Vehicle Safety**

# PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M<sup>™</sup> high intensity collars High density interlocking base
- offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

Order		Wt.
No.	Description	lbs.
TRAFFIC	CONE	
SEB768	12"	2
<b>SEB769</b>	18"	3.3
SEB771	28"	7
TRAFFIC	CONE W/COLLAR	
SEB770	18" W/6" Collar (QC, ON, AB)	3.3
<b>SEB772</b>	28" W/6" and 4" Collars	7
	(QC, ON, AB)	
SEB826	28" W/4" Collar (ON, AB)	7

# **COLOURED CONES**

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- · Ideal for parking lots, sporting events, festivals and crowd delineation
- · Choice of six colour coding options
- Height: 18"
- · Weight: 3 lbs.
- Order No. Colour **SEH134** Red White **SEH135 SEH136** Blue Yellow **SEH137 SEH138** Orange **SEH139** Green

# **TRAFFIC CONE HOLDERS**

- · Bolts to vehicle bumper
- Conserves valuable
- inside storage space • Holds 18" and 28" cones only
- Order No. SB832 Mfg. No. 03-500-99

# TENSACONE TOPPERS

- Transforms your line of traffic cones
- maintenance and engineering applications, or anywhere where a temporary barrier is required

TC114-30-MAX-NO-D3X-C

Over 40 colour choices or custom printing options available

2

# **TRAFFIC CONES**

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in
- hot and cold environments
- Fluorescent orange color provides high visibility Available with 6" and 4" reflective collars
- High-density interlocking base
- offers maximum stability
- Meets Minister of Transport regulations for Québec, Ontario and Alberta

Order No.	Height"	Collar	Wt. Ibs.
<b>SEF026</b>	18	6" (QC, ON, AB)	3.15
<b>SEF027</b>	28	4" (ON, AB)	6.75
<b>SEF028</b>	28	6" & 4" (QC, ON, AB)	6.75

# **RECESSED CONE**

- One-piece wide body design and construction
- · Easier stacking no pinch points with collars
- Increased durability for reflective sheeting; recessed collars resist direct wear
- Protected reflective translates into longer service life lowering overall usage costs
- 28" cone with 6" reflective collar on top and 4" reflective collar on bottom
- Weight: 7 lbs.
- Meets MUTCD standards

Order No. SAQ093 Mfg. No. 03-500-10OR

# PACK & POP™ **COLLAPSIBLE CONES**

- · Constructed of orange waterproof nylon
- Internal light has two settings: steady burn and flashing
- Cone light endures 100000 flashes or 36 hours of steady burn
- Collapses flat for easy storage
- Replaceable lithium battery
- · Sold in packs of four with one carrying bag included
- Meets MUTCD standards

Order	Mfg.	
No.	No.	Height"
SAR385	03-501-06	18
SAR386	03-501-02	28







**SAQ141** 



SEB772







# **PREMIUM DELINEATOR POSTS**

- Standard 42" high post with
- indentations for easier grip • 100% LDPE construction offers
- maximum flexibility and durability
  Superior temperature resistance in hot and cold environments
- Fluorescent orange colour
- provides high visibility • Two pre-applied 4" 3M™ high
- intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

Description	lbs.
Delineator Post Only	1.5
Rubber Base	12
Post and Base Kit	14
	Rubber Base

# TRAFFIC CONTROL SIGNS

- Double-sided hand-held traffic sign
- Directs traffic by signaling the desired warning towards oncoming vehicles
- STOP legend red with white legend and border
- SLOW legend fluorescent yellow/ green with black legend and border
- Size: 18" x 18"
- Available in hi-intensity or EGR sheeting
- Meets 2001 MTO TC-22 standards for Ontario
- Meets MUTCD regulations for all provinces except ON & QC
- Optional 81" orange plastic handle available



ZENTH

SEC153

Order	Mtg		_
No.	No.	Description	Туре
SEJ662	03-835	Sign – MUTCD Regulated	ERG
SEJ663	03-836	Sign – MUTCD Regulated	Hi-intensity
SO101	03-858ON	Sign – MTO TC-22 Regulated	Hi-intensity
SEI644	03-824	81" Plastic Handle	-

# **MUNICIPAL TRAFFIC SIGNS**

- Octagon shaped paddle sign
- Engineer grade reflective material
- Ideal for school crossing guards and low speed construction areas
- English version available
- with a 18" sign and 9" plastic polygrip handle included
- French version available with a 15" sign and a 10" aluminum handle with rubber grip
- Meets MUTCD regulations



No.	No.	Description
SEI474	03-855	STOP/STOP Sign w/handle
SEI475	03-852	STOP/SLOW Sign w/handle
SC504	PTF001P	ARRÊT/ ARRÊT Sign w/handle
SC505	PTF002P	ARRÊT/LENTEMENT Sign w/handle

# **Traffic Cones & Vehicle Safety**

### **CHANNELIZER CONES**

- 42" high channelizer cone is made of high impact orange polyethylene
- Comes with a 4" and 6" reflective collar for improved visibility
- Unique shaped handle makes it easy to transport
- Cone dimensions: 4" at top tapering to 8" at bottom
- Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately

Order	Mfg.	
No.	No.	Description
<b>SEI476</b>	03-770-42-64	Channelizer Cone
<b>SEE893</b>	03-752-10	10-lb. Square Base
SC104	03-752-16	16-lb. Octagon Base

# TRAFFIC SAFETY FLAGS

- For use as hand or vehicle flags
- Comes with 24" or 36" wooden staff
- Use 36" wooden staff with moving vehicles
- Flag size: 18" x 18"
- Available in knitted, vinyl or throw away vinyl
- Knitted flag: Heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging
- Vinyl flag: Fluorescent vinyl blend with heat-sealed hem
- Throw away vinyl flags sold as a case of 100
- Colour: Red/Orange



# SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- UL approved
  Sold per package





Order	Mfg.		🕥 Qty
No.	No.	Description	/Pkg.
20 MINU <sup>-</sup>	TES		
SAI373	2720	Spike	72
SAI374	9240	Wire Stand	72
30 MINU <sup>-</sup>	TES		
SAI375	2730	Spike	36
SAI376	9340	Wire Stand	36




SEI476

# **Traffic Cones & Vehicle Safety**

# **SNOW, SAFETY & WARNING FENCES**

- Made from non-toxic, polyethylene mesh fencing
- Ideal for temporary or permanent enclosures
- Won't rust, rot or corrode
- Strong and long lasting





Order	Mfg.					Wt.
No.	No.	Description	Colour	Roll'	Mesh"	lbs.
SEJ112	64712204	Sentry Lightweight Diamond Safety Fence	Orange	4 x 50	1.46	11.5
SC155	64312204	Sentry HD Diamond Safety Fence	Orange	4 x 50	2.36	17
SEJ113	82094004	Guardian Warning Barrier Fence	Orange	4 x 50	1.75	4.5
SC156	2A110017	Square Net Plus Mesh Safety Fence	Orange	4 x 100	2	18
SC157	90701804	Saf-T-Sno Oval Mesh Snow Fence	Orange	4 x 50	3.8	21
SEJ113	82119004	Sno-Guard Lightweight Snow Fence	Orange	4 x 50	1.8	8.5
SEJ114	82119006	Sno-Guard Lightweight Snow Fence	Green	4 x 50	1.8	8.5

# AIRPORT WINDSOCKS

- Made of strong
- vinyl-coated nylon fabric
- Dayglow orange colour
- Hardware package includes hemi-rings, bolts, nuts, machine screws and half rings (sold separately)
- Dimensions: 18" opening x 8' L



# SNOW FLAGS

- Used to locate important fittings that are covered with snow such as fire hydrants, water valves and natural gas valves
- Flags are made out of high visibility 9" x 12" low temperature triangular shaped red flag fabric
- Available with 6' fibreglass poles

Order No.	Mfg. No.	Description
SEI609	03-WS-8	8' Airport Windsock
SEI610	03-WS-8HO	Hardware Package
SEI611	03-WS-8KT	Windsock & Hardware Kit
-		

Order No.	Mfg. No.	Description	Pole'
NO.	NO.	Description	Fule
SH420	03-229-3454	Flag	6

### REFLECTIVE WALKWAY STICKS

- Impact resistant and flexible fibreglass construction
- Durable in all types of weather conditions
- Reflective strips provide 360° visibility and stand out during night-time or day-time use
- Tapered end for easy installation, opposite end has a protective cap



# LIFESAFE

Order	Mfg.	Description	Qty
No.	No.		/Pkg.
SH409	RE9712	4' Safety Yellow Stick, 6" Reflective Band	12

# DRIVEWAY "T" POSTS

- Strong, durable and reusable posts
- Used for snow clearing, parking lot or roadway markers
- Bright colour and reflective material on both sides offer excellent visibility day or night
- Will not rust
- Tough enough to be driven into the ground with a sledge hammer
- Auto impact resistant
- Standard size: 5

Reflective Strips On Both Sides!

# **LIFE SAFE**

Order No.	Mfg. No.	Description	Qty /Pkg.
SH407	RE94706	Lime Strip	6
SH408	RE88906	Red/Silver Strip	6



# SLOW MOVING VEHICLE SIGNS

Available in two styles. Heavy duty, aluminum backed triangle mounts easily using screwholes provided. Self-adhesive decal triangle mounts quickly to any smooth, clean surface. Meets all provincial and federal specifications.

Order No.	Description
SC153	Aluminum Sign
SC154	Self-Adhesive Sign

# INDUSTRIAL TRIANGULAR REFLECTOR KITS

- Set of three triangular flares in
- reusable storage container • Constructed of molded polypropylene plastic with
- red acrylic plastic reflectors • Air-flow design helps
- reduce wind resistance • Meets FMVSS-125 standards

#### Order No. SAV007



### **PARKING CURBS**

- 1-piece lightweight 100% recycled rubber
- · Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or
- plastic; will not chip, crack or deform
- Black with bright yellow reflective
- stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 6" W x 4" H



Order No.	Length	Spikes Required	Weight Ibs.	ZENTH
PARKING C	URB			Safety Products
SEH140	3'	3	20	
SEH141	6'	4	35	
REBAR SPI	(E			
SEH144	14"	-	-	

# **Traffic Cones & Vehicle Safety**

### **HIGHWAY BANNERS**

- Screened "WIDE LOAD" on one side and "OVERSIZE LOAD" on reverse, made of durable material
- Black on yellow 18" x 96", complete with 5' tie down ropes



# **OVERSIZE LOAD**

Order		Dimensions
No.	Description	W" x H"
SC150	Wide Load/Oversize Load	96 x 18

CHOCKED BEFORE

LOADING AND UNLOA

SAT137

# WHEEL CHOCK ACCESSORIES

#### SECURITY CHAIN

- 18' steel chain attaches chock to dock
- Prevents misplacement and theft
- Zinc plated for
- corrosion resistance
- Diameter: 0.14" (3 mm)
- Working load limit: 255 lbs. (116 kg)
- Weight: 4 lbs.
- Includes hook
- Order No. KH027

#### CAUTION SIGN

10" x 14" adhesive vinyl. Black letters on yellow field. Wt. 6 oz. **Order No. SAT137** English

Order No. SEE554 French

### HEAVY DUTY RUBBER WHEEL CHOCKS

- Highly resistant to abrasion, impacts, corrosion, sun, salt, ozone and oil
- Steel ring on back
- Dimensions:
- 9 1/2" L x 6 1/2" W x 8 1/2" H
- Weight: 10 lbs.

Order No. KH032

### RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil
- Handle on back for easy placement
- 9 7/8" L x 7 1/8" W x 7 1/2" H
- Weight: 9.5 lbs.
- Order No. KH893

# WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock



FTHE LITHINGS ANALY

LE CHARGEMENT ET

**SEE554** 





# **Traffic Cones & Vehicle Safety**

# BARRICADE LIGHTS

- LED Light source with 3-way photo cell technology
- High clarity polycarbonate lens provides extreme durability
- Attaches to most barricades and channelizers
- Meets all MUTCD and ITE specifications
- Amber coloured

#### **D-CELL BARRICADE LIGHT**

- Three modes: flash, steady, off
- · Pushing on the mode switch changes the light from a flashing type "A" to a steady burn type "C" and back again
- Requires four easy to install D batteries (not included)

Order No. SEI701 Mfg. No. AC4D

#### **REPLACEMENT BATTERIES** SOLD AS A PACK OF 12

Order No. XB875 Mfg. No. EN95

# PORTABLE INTERLOCKING BARRIERS

- · Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars is 7<sup>th</sup>

# • Rail diameter is 1 5/8" · Weight: 56 lbs. **SEE396** ZENTH SEE395 Order

No.	Description		
SEE395	Galvanized Finish		
SEE396	Safety Yellow Finish		

# VERSA-GUARD® GATES

- · Constructed of steel and aluminum
- · Free-standing design allows setting up quickly wherever and whenever they are needed
- · Protects workers or customers from injuries
- Collapsed design also allows unit to store easily •
- · Painted black and yellow to provide high visibility





Order	Expanded		Number		Wt.
No.	Width'	Height"	of Posts	Description	lbs.
SE921	11	37	2	With Stationary Feet	25
<b>SEE437</b>	11	39	2	With 3" Locking Casters	29
<b>SEE438</b>	15	37	3	With Stationary Feet	35
<b>SEE439</b>	15	39	3	With 3" Locking Casters	39
MN471	-	-	-	Wall Mounting Brackets	1.2

# PLASTX™ A-FRAME BARRICADE

- Ideal as a temporary or long term solution to cordon off areas
- Patented Plastx<sup>™</sup> will not rot, rust, crack or peel and is chemical resistant
- ADA compliant to MUTCD standards
- For a complete unit order two legs and one board, add a second board for increased stability

#### PLASTX<sup>™</sup> A-FRAME BARRICADE LEG

- Mounting holes will accommodate all manufactured boards
- Holds up to two 8' L x 2" W x 8" H boards
- 26" L x 2" W x 42" H
- Available in white or orange

#### PLASTX<sup>™</sup> A-FRAME BARRICADE T-BOARD

- 7 years UV package protects against deterioration
- Made of extruded grade PVC
- · Available with hi-intensity stripes or engineer grade stripes
- 8' L x 2" W x 8" H
- Available in black and orange stripes or white and orange stripes

Order Mfg. No. No.		Colour		
<b>BARRICADE LEG</b>				
SEI202 97-01-004		White		
SEI203	97-01-004O	Orange		
T-BOARD				
SEI204 97-01-029B-02		Black and Orange Stripe		
SEI205	97-01-029-02	White and Orange Stripe		

# PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

- · For indoor use
- Two 5" non-marking wheels
- · Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- · Easy to store
- Open: 13' L x 1" W x 40" H Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved

colour and graphics

Order No. SAJ714

Mfg. No. 9S11

# EZ-SPAN™ EXPANDABLE PLASTIC BARRICADES

- Made of durable recyclable polypropylene
- Expandable barricade provides an attractive, visible warning barrier
- Rugged enough for outdoor use and it is weatherproof, maintenance free and contains no parts that will rust or corrode
  - Expands up to 11 1/2', folds down to a compact 16 1/2" x 3' high
- Plastic feet will not scratch
- or mar expensive floors Weighs only 15 lbs,
- lightweight enough to be carried and deployed by one person For use in lobbies or
- any public area during maintenance or construction

Order No. SAQ195





**SEI204** 

SEI202

# **Barriers & Partitions**

# PERIMETER GUARDS

- · Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16"
- base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- · Safety yellow or Kleton blue finish





#### **MESH STYLE KITS**

Blue	e Yellow		Dimensions			Wt.	
Order No.	Order No.	Description	W"	х	Η"	lbs.	
KH945	RL848	Starter Section	48	х	48	46	
KH946	RL849	Add-On Section	48	х	48	34	
KH947	RL850	Starter Section	96	х	48	65	
KH948	RL851	Add-On Section	96	х	48	53	

Note: Includes assembly fasteners, floor anchors and post caps

#### MESH STYLE INDIVIDUAL COMPONENTS

Blue	Yellow		Dim	ensi	ons	Wt.
Order No.	Order No.	Description	W	х	Н	lbs.
KD036	KD130	Mesh Panel	4'	х	4'	20
KD037	KD131	Mesh Panel	8'	х	4'	39
KH861	KD129	Post Universal	49	1/2"	Н	13
KD053	KH860	Post Universal	:	99" H	ł	22

#### HARDWARE REQUIRED

Order No.	Description
KD001	Floor Anchors (Two per Post)
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)
MMB721	5/16" Hex Nut (One Nut for Each MMH262)
KD116	Post Caps (One per Post)



#### TUBULAR STYLE


Order	Dimensions			Wt.	
No.	Description	W'	х	Η"	lbs.
KD132	Starter Section	4	х	49 1/2	45
KD133	Add-On Section	4	х	49 1/2	32
KD134	Starter Section	8	х	49 1/2	66
KD135	Add-On Section	8	х	49 1/2	53

#### HARDWARE REQUIRED

Order No.	Description	
KD001	Floor Anchors (2 per post)	
KD116	Post Caps (1 per post)	

### SAFETY GUARDS

- · Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



Urder	Dimensions		vvt.	
No.	W"	х	Η"	lbs.
KD127	24	х	18	65
KH855	36	х	18	75
KD128	48	х	18	85
KD136	24	х	42	95
KD856	36	х	42	110
KD139	48	х	42	115

# **HEAVY-DUTY** STEEL BOLLARDS

- · Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



Order		Wt.
No.	Height"	lbs.
KD125	24	30
KH857	36	40
KD126	48	50

# **UPRIGHT PROTECTORS**

- · Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- · 4 pre-drilled holes made for 1/2" anchors (not included)
- · Safety yellow powder coated finish



Order	O.A. Dimensions				Wt.	
No.	W"	х	D"	х	Η"	lbs.
KH858	7	х	7	х	12	12
RB925	7	х	7	х	18 1/4	15



#### Customise it to your specifications.



# **Speed Bumps**

# **SPEED BUMPS**

- 1-piece lightweight 100% recycled rubber
- · Resistant to corrosion, moisture, oil and weather variations
- Perfect for speed reduction in parking lots, school zones
- and areas with heavy pedestrian traffic • Black with bright yellow reflective stripes
- for maximum daytime visibility
- Reflectors offer maximum night time visibility
  Easily installed with 14" rebar spike for
- permanent or temporary installation
- 11" W x 2 1/4" H

Order		Spikes	Weight
No.	Length	Required	lbs.
SPEED BUMP			
SEH142	4'	5	35
SEH143	6'	4	55
REBAR SPIKE			
SEH144	14"	-	-



### SPEED BUMPS

- Lightweight, durable speed bump is designed to help keep speed levels down
- Made with 100% recycled plastic, they are impervious to road chemicals and corrosion
- Molded-in colour, which eliminates the need for painting traffic marks
- Can be installed side by side to create lengths of 6, 9, 12 feet or more
- Dirt is easily removed with either soap and
- water or a commercial solvent • Lightweight: 3-bolt anchoring sys
- Lightweight; 3-bolt anchoring system facilitates relocation
- Hardware included
- Safety yellow

#### SPECIFICATIONS:

Dimensions: 36" L x 10 1/2" W x 2" H Securing Holes: Countersunk 1/2" diameter

Order		Wt.
No.	Length'	lbs.
SEC432	3	35

# **CAR STOPS**

- Durable, bring order to parking lots
- Solid colouring throughout means they never need painting and will retain an attractive appearance
- Made with 100% recycled plastic, they are protected against damages brought on by road chemicals, deterioration and corrosion, eliminating the danger of exposed reinforcing rods seen in traditional concrete car stops
- Predrilled and can be installed by one person
- Hardware sold separately
- 6' length available in safety yellow,
- handicap blue and cement grey4' length available in safety yellow only



Specifica	tions:			4'	6'
Width:	6" at base	Hardware:	• 1/2" x 8"		
			lag screws	2	3
	2" at top		<ul> <li>9/16" washers</li> </ul>	2	3
			<ul> <li>Expanding</li> </ul>		
			nylon anchors	3	3
Height:	4"	Securing	Countersunk		
		holes:	1/2" diameter		



Yellow Order No	Mfg. . No.	Blue Order No.	Mfg. No.	Grey Order No.	Mfg. No	Ľ	Wt. Ibs.
CAR STO	PS						
SE102	7040	-	-	-	-	4	29
SE105	7050	SE106	7052	SE107	7053	6	41
HARDWA	RE	•		•			
Order No. Mfg. No.		fg. No.	Description			W	. Ibs.
SE108	70	56 For 4' Car Stops				1	
SE109	70	)55	For 6	Car Stops			1





# **Cable Protectors**

Female end cap

·B Male end ca

# **MODULAR CABLE & HOSE PROTECTION SYSTEMS**

#### FEATURES:

- Polyurethane construction, non-conductive material
- 36" length per lineal protector
- Five bar tread plate surface
- Safety warning symbols
- molded into protector
- Modular interlocking design
- · Recessed carrying handle
- · Patented T-Connectors to extend to any length
- Universal safety colours

#### BENEFITS:

- Weather and abrasion resistant;
- high load-bearing capacity
- Insulates electrical cables from human contact
- Increases traction
- · Lightweight; easy to transport, set-up, breakdown, and store; multi-length applications
- · Allows for moving with ease
- High visibility

# HECKE

Order No.	Description	A L"	B W"	C H"	D Channel W"	E Channel H"	Max. Load lbs. per tire at 21°C	Wt. Ibs.	
EXTRA HI	EAVY-DUTY								
KH687	5-Channel Protector	36	20	2 5/16	1 1/4	1 1/4	20150	25	
KH688	5-Channel End Caps (Female)	7 1/2	20	2 5/16	1 1/4	1 1/4	20150	3.5	
	5-Channel End Caps (Male)	5 1/4	20	2 5/16	1 1/4	1 1/4	20150	3.5	
KH691	4-Channel Protector	36	20	2 5/16	1 5/6	1 1/4	20150	26	
KH692	4-Channel End Caps (Female)	7 1/2	20	2 5/16	1 5/6	1 1/4	20150	3.5	
	4-Channel End Caps (Male)	5 1/4	20	2 5/16	1 5/6	1 1/4	20150	3.5	
KH695	3-Channel Protector	36	20	3 1/16	2 1/4	2 1/4	14210	28	
KH696	3-Channel End Caps (Female)	8 1/4	20	3 1/16	2 1/4	2 1/4	14210	4	
	3-Channel End Caps (Male)	6	20	3 1/16	2 1/4	2 1/4	14210	4	
KH699	2-Channel Protector	36	22	4 1/8	3 1/4	3 1/4	10880	33	
HEAVY-D	UTY GENERAL PURPOSE								
KH700	5-Channel Protector	36	17 1/4	1 15/16	1 5/16	1 5/16	10500	22	
KH701*	5-Channel End Caps	4 3/4	17 1/4	1 15/16	1 5/16	1 5/16	10500	2.7	
KH702	1-Channel Protector	36	11 1/2	1 5/8	1 1/4	1 1/4	11700	13	

\*Female and male end cap included

# LIGHT-DUTY 5-CHANNEL SYSTEMS

- Gripper<sup>®</sup> connector system
- · Made from tough, high impact absorbing, non-conductive polyurethane
- · Resistant to oil, fuels and lubricants
- Recessed carrying handle molded
- in to the underside of the protector • Capacity: 5000 lbs. per tire at 21°C
- Safety green and yellow colour




Order		Overall Dimensions		Channel Dim	Wt.		
No.	Description	A L"	B W"	C H"	D Dia."	E H"	lbs.
KH981	5-Channel Protector	36	16 4/9	1 3/5	1 1/4	1 1/4	12.75
KH986	3-Channel Protector	36	18 1/5	2 1/4	2 1/4	2 1/4	23

# **INDUSTRIAL CORD COVERS**

- Protect your cables from foot and vehicular traffic
- Constructed from non-conductive vulcanized rubber
- Suitable for indoor and outdoor use
- · Withstands car and light truck traffic up to 5000 lbs. per axle
- Stronger and longer lasting than PVC covers
- Excellent in temperatures from -40°C to 150°C
- · Black with yellow safety stripe

5'	10'				Char	nnel
Order No.	Order No.	Description	W"	Η"	W"	Η"
KH907	KH908	1 Channel	3 1/4	3/4	3/4	1/2
KH909	KH910	1 Channel	3	1	1	3/4
KH911	KH912	2 Channels	5 1/2	1 1/8	7/8	3/4
KH913	-	1 Channel	6	1 7/8	1 1/2	1 1/2





KH702



KH699

Þ 튜 ⊤c

KH700



**T-connector** systems



EQUIPMENT

# WHAT IS THE CSA STANDARD FOR HIGH VISIBILITY SAFETY APPAREL (HVSA)?

CSA Standard Z96-09 is the standard for HVSA. It provides a standard for the elements that go in to the construction of an HVSA garment, which includes two types of materials: fluorescent background materials for daytime visibility, and retro-reflective tape for nighttime visibility. CSA also provides a standard for the design of the garment, according the three different classes.

#### **BACKGROUND MATERIAL**

Colours for background material can be fluorescent yellowgreen, fluorescent orange-red or fluorescent red. These change in FR garments, which cannot hold fluorescent dyes because of the materials used. In these cases the material must be bright yellow-green or bright orange only. The requirements can be found in the CSA standard table 2a for fluorescent materials and table 2b for bright (FR) materials.

#### **RETRO-REFLECTIVE STRIPE**

If the retro-reflective stripe is going to be coloured, it can be fluorescent yellow-green, fluorescent red-orange or fluorescent red. Otherwise, it should be a standard retro-reflective of either white or silver striping. Retro-reflective stripes can either be level 2, level 1, or level FR, depending on the class of the garment required. The minimum performance levels for these stripes can be found in tables 5, 6, and 7 of the CSA standard Z96-09.

#### DESIGN

#### Class 1


A Class 1 garment provides minimal visibility. The retro-reflective material must consist of two vertical stripes on the front, an "X" on the back, and a horizontal band around the waist. The horizontal band may optionally continue between the two vertical stripes on the front. Fluorescent background material is not mandatory on a Class 1 garment

#### Class 2

A Class 2 garment has the same requirements for retro-reflective tape as a Class 1. A Class 2 garment also provides full coverage of the upper torso with fluorescent background material, including over the shoulders, front, back and sides. Coverage on the side of the torso under the arms must cover at least 50% of the length of the entire garment.

#### Class 3

A class 3 garment includes all of the same requirements as a Class 2 garment, with the addition of retro-reflective bands on each limb. Additional fluorescent background material is not necessarily required, but will provide greater surface area for improved daytime visibility.



292

# **TRAFFIC VESTS**

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" vellow reflective stripes
- · Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Order		
No.	Size	
SEF093	Medium	
SEF094	Large	
SEF095	X-Large	
SEF096	2X-Large	

# CSA COMPLIANT TRAFFIC SAFETY VESTS

- · Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

# ZENTH

#### Order Colour Size No. **SEB698** Orange Medium **SEB699** Orange Large **SEB700** Orange X-Large 2X-Large **SEB701** Orange **SEB702** Lime-Yellow Medium **SEB703** Lime-Yellow Large **SEB704** Lime-Yellow X-Large Lime-Yellow **SEB705** 2X-Large

#### MESH SURVEYORS SAFETY VESTS

- · Fluorescent orange
- sports mesh knit fabric
- Contrasting yellow trim for daytime visibility
- 2" reflective stripes
- 5-point tear-away
- Two lower pockets
- Upper radio pocket
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

Order	Mfg.	
No.	No.	Size
SAR618	SS5-ORS-M	Medium
SAR619	SS5-ORS-L	Large
SAR620	SS5-ORS-XL	X-Large
SAR621	SS5-ORS-2XL	2X-Large



# **High-Visibility Safety Apparel**

# **CSA COMPLIANT 5-POINT TEAR-AWAY** TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Order		
No.	Size	18
SEF097	Medium	
SEF098	Large	
SEF099	X-Large	
SEF100	2X-Large	

# CSA COMPLIANT SURVEYOR TRAFFIC SAFETY VESTS

- · Lightweight and comfortable
- fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for
- easy quick release • Safety D-ring access slot
- Two velcro sealed pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

# Order

No.	Size	
SEF101	Medium	
SEF102	Large	
SEF103	X-Large	
SEF104	2X-Large	

### **SAFETY VESTS WITH CONTRASTING STRIPE**

- Fluorescent lime-yellow
- wicking polyester fabric
- 4" fluorescent orange/silver tape
- 5-point tear-away •
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

		3416110644
Order	Mfg.	
No.	No.	Size
SAR636	SE3-FLY-M	Medium
SAR637	SE3-FLY-L	Large
SAR638	SE3-FLY-XL	X-Large
SAR639	SE3-FLY-2XL	2X-Large



ZENTH





# **POLYCOTTON SAFETY VESTS**

- · Fluorescent lime-yellow poly/cotton twill
- 2" silver reflective stripes
- Two radio loops
- Two lower pockets with flaps
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Order	Mfg.		
No.	No.	Size	A
SEA619	SP2-FLY-M	Medium	Winter of
SEA620	SP2-FLY-L	Large	
SEA621	SP2-FLY-XL	X-Large	A
SEA622	SP2-FLY-2XL	2X-Large	N. A

# INSULATED SAFETY VESTS

- Polyurethane-coated polvester outer shell
- 2" silver reflective stripes
- Insulated for extra warmth
- in the fall and winter • Waterproof, windproof,
- breathable and washable Two outside pockets lined with polar fleece
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Order	Mfg.		
No.	No.	Colour	Size
SEB281	VT2-FLY-M	Lime-Yellow	Medium
SEB282	VT2-FLY-L	Lime-Yellow	Large
SEB283	VT2-FLY-XL	Lime-Yellow	X-Large
SEB284	VT2-FLY-2XL	Lime-Yellow	2X-Large
SEB276	VT2-ORS-M	Orange	Medium
SEB277	VT2-ORS-L	Orange	Large
<b>SEB278</b>	VT2-ORS-XL	Orange	X-Large
SEB279	VT2-ORS-2XL	Orange	2X-Large

# **CSA COMPLIANT T-SHIRTS**

- Fluorescent lime-green 100% polyester
- "bird's eye" mesh material • 3" fluorescent orange/silver
- dual reflective stripes
- Upper left breast pocket
- with velcro closure Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



ucts	and the second second second second
Size	
Medium	
Large	a dan
X-Large	
2X-Large	
	<b>Size</b> Medium Large X-Large

# **POLYESTER SAFETY VESTS**

- · Fluorescent polyester fabric
- available in lime-yellow or orange
- 2" silver reflective stripes Zippered front
- Machine washable • Meets CSA standard Z96-09 Class 2,
  - Level 2 requirements

Order No.	Mfg. No.	Colour	Size
<b>SAR632</b>	SI1-FLY-M	Lime-Yellow	Medium
<b>SAR633</b>	SI1-FLY-L	Lime-Yellow	Large
<b>SAR634</b>	SI1-FLY-XL	Lime-Yellow	X-Large
SAR635	SI1-FLY-2XL	Lime-Yellow	2X-Large
SAR627	SI1-ORS-M	Orange	Medium
<b>SAR628</b>	SI1-ORS-L	Orange	Large
<b>SAR629</b>	SI1-ORS-XL	Orange	X-Large
<b>SAR630</b>	SI1-ORS-2XL	Orange	2X-Large

atet

ate<del>4</del>

Size

Medium

Large

X-Large

2X-Large



### FIRE RETARDANT **SAFETY VESTS**

- Bright orange fire retardant treated cotton fabric
- 2" silver reflective tape
- · Contrasting yellow trim for daytime visibility
- Machine washable
- Meets CSA standard
- Z96-09 Class 2, Level 2 FR requirements

Mfg.

No.

SF1-ORS-M

SF1-ORS-L

SF1-ORS-XL

SF1-ORS-2XL



# SPORTS MESH SAFETY T-SHIRTS

- Fluorescent lime-yellow sports mesh knit fabric
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09

cofo-

Class 2, Level 2 requirements

Sound safetywear			
Order No.	Mfg. No.	Size	
SAV013	KS1-FLY-M	Medium	
SAV014	KS1-FLY-L	Large	
SAV015	KS1-FLY-XL	X-Large	
SAV016	KS1-FLY-2XL	2X-Large	)







SEB281



Order

**SAR655** 

**SAR656** 

**SAR657** 

**SAR658** 

No.

SAV009

# **POLYCOTTON SAFETY T-SHIRTS**

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

safe**t** sound

Lime-Yellow Order No.	Mfg. No.	Orange Order No.	Mfg. No.	Description	Size
SAV009	KP1-FLY-M	SEA659	KP1-ORS-M	Short Sleeve	Medium
SAV010	KP1-FLY-L	<b>SEA660</b>	KP1-ORS-L	Short Sleeve	Large
SAV011	KP1-FLY-XL	SEA661	KP1-ORS-XL	Short Sleeve	X-Large
SAV012	KP1-FLY-2XL	SEA662	KP1-ORS-2XL	Short Sleeve	2X-Large
SEA708	KP4-FLY-M	SEA713	KP4-FLY-M	Long Sleeve	Medium
SEA709	KP4-FLY-L	SEA714	KP4-FLY-L	Long Sleeve	Large
SEA710	KP4-FLY-XL	SEA715	KP4-FLY-XL	Long Sleeve	X-Large
SEA711	KP4-FLY-2XL	SEA716	KP4-FLY-2XL	Long Sleeve	2X-Large

# POLYCOTTON SAFETY CREWNECK SWEATSHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Order	Mfg.		
No.	No.	Colour	Size
<b>SEA604</b>	KC4-FLY-M	Lime-Yellow	Medium
<b>SEA605</b>	KC4-FLY-L	Lime-Yellow	Large
<b>SEA606</b>	KC4-FLY-XL	Lime-Yellow	X-Large
SEA607	KC4-FLY-2XL	Lime-Yellow	2X-Large
<b>SEA609</b>	KC4-ORS-M	Orange	Medium
<b>SEA610</b>	KC4-ORS-L	Orange	Large
SEA611	KC4-ORS-XL	Orange	X-Large
<b>SEA612</b>	KC4-ORS-2XL	Orange	2X-Large

# SAFETY HOODED SWEATSHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Hood with draw string
- Front pouch pocket
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

# soletz sound

Order	Mfg.		
No.	No.	Colour	Size
<b>SAR663</b>	KC5-FLY-M	Lime-yellow	Medium
<b>SAR664</b>	KC5-FLY-L	Lime-yellow	Large
<b>SAR665</b>	KC5-FLY-XL	Lime-yellow	X-Large
<b>SAR666</b>	KC5-FLY-2XL	Lime-yellow	2X-Large
<b>SAR659</b>	KC5-ORS-M	Orange	Medium
<b>SAR660</b>	KC5-ORS-L	Orange	Large
SAR661	KC5-ORS-XL	Orange	X-Large
SAR662	KC5-ORS-2XL	Orange	2X-Large

# JOURNEYMAN 3-IN-1 SAFETY JACKETS

- 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
  Premium 300 Denier Ripstop polyester material gives
- good abrasion, puncture, rip, and snag resistance
- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements

Orange Order No.	Mfg. No.	Lime-Yellow Order No.	Mfg. No.	Size
SEF133	6400JO-S	SEF140	6400JG-S	Small
SEF134	6400JO-M	SEF141	6400JG-M	Medium
SEF135	6400JO-L	SEF142	6400JG-L	Large
SEF136	6400JO-XL	SEF143	6400JG-XL	X-Large
SEF137	6400JO-2XL	SEF144	6400JG-2XL	2X-Large
SEF138	6400JO-3XL	SEF145	6400JG-3XL	3X-Large
SEF139	6400JO-4XL	SEF146	6400JG-4XL	4X-Large





**SEA713** 




### RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick Hi-Viz yellow triple layer laminated PVC/polyester/PVC
- 3M<sup>™</sup> Scotchlite<sup>™</sup> reflective material for maximum visibility
- 2" reflective stripes
- · Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- · Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements



#### Order No. **SEC310 SEC311**





### WINTER PARKAS

- Fluorescent lime-yellow polyurethane coated polyester outer shell
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof and windproof
- Warm insulation with wicking liner •
- Outer pockets lines in polar fleece for extra warmth
- Zippered, removable insulated hood with drawstring and velcro closure at neck
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



# **3-IN-1 INSULATED PARKAS**

- Fluorescent lime-yellow polyurethane coated polyester outer and inner shells
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added
- protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof, and waterproof
- · Outer shell is a mesh lines rain jacket with two slash pockets and a hood that stores in the collar
- · Inner shell is an insulated winter liner with two front pockets with flaps, two inside pockets, and an inside cell phone
- pocket, all secured with velcro · Inner shell also has removable sleeves to convert to a vest
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Order	Mfg.		
No.	No.	Size	
SEA562	PT2-FLY-M	Medium	
SEA563	PT2-FLY-L	Large	
SEA564	PT2-FLY-XL	X-Large	
SEA565	PT2-FLY-2XL	2X-Large	

### **TROOPER RAIN SUITS**

- Fluorescent lime-yellow polyurethane coated polvester stretch fabric
- 2" silver reflective stripes
- · Tear, chemical, abrasion, and puncture-resistant
- Stretchy, breathable, washable, windproof and waterproof
- Seams sealed and welded
- · Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard
- Z96-09 Class 3, Level 2 requirements

296

Order	Mfg.	
No.	No.	Size
SEA669	RTS-FLY-M	Medium
SEA670	RTS-FLY-L	Large
SEA671	RTS-FLY-XL	X-Large
SEA672	RTS-FLY-2XL	2X-Large



**SEA602** 

**SEA603** 

RTS2-FLY-XL

RTS2-FLY-2XL

Order	Mfg.	
No.	No.	Size
SEA557	PTX-FLY-M	Medium
SEA558	PTX-FLY-L	Large
SEA559	PTX-FLY-XL	X-Large
SEA560	PTX-FLY-2XL	2X-Large



<ul> <li>Fluoresc polyuret</li> <li>2" silver</li> <li>Breathal windpro</li> <li>Black at and wais</li> <li>Seams s</li> <li>Velcro a</li> <li>Hood en</li> <li>Meets C Z96-09 0</li> </ul>	ent lime-yellow hane coated p reflective strip ble, washable, of and waterpr lower sleeves, st for longer we ealed and weld djustment on la closed in colla SA standard	olyester ves coof cuffs, ear ded eg cuff	4	
Order No.	Mfg. No.	Size		1
SEA600 SEA601	RTS2-FLY-M RTS2-FLY-L	Medium Large	- 5	

X-Large

2X-Large

# WINDBREAKERS

- Fluorescent lime-yellow polyurethane coated polyester windbreaker with mesh lining
- 2" silver reflective stripes Breathable, waterproof
- and windproofRibbed cuffs and waistband
- Zippered slash
- pockets on both sides
  Machine washable; do not dry clean
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



SEA677

Order	Mfg.	
No.	No.	Size
<b>SEA677</b>	WT1-FLY-M	Medium
<b>SEA678</b>	WT1-FLY-L	Large
SEA679	WT1-FLY-XL	X-Large
<b>SEA680</b>	WT1-FLY-2XL	2X-Large
-		

# INSULATED SAFETY COVERALLS & OVERALLS

- Insulated fluorescent polyurethane-coated polyester shell available in lime-yellow or orange
- 2" silver reflective stripes
- Features storm cuffs and
- leg zippers from hip to ankle • Breathable, waterproof
- and windproof
- Machine washable
- Coveralls meet CSA standard Z96-09 Class 3, Level 2 requirements
- Overalls meet CSA standard Z96-09 Class 2, Level 2 requirements
- Overalls meet CSA standard Z96-09 Class 3, Level 2 requirements when worn with the appropriate retroreflective on the arms

# safe**+**

Order No.	Mfg. No.	Colour	Size
COVERA	LLS		
SEB563	CO8-FLY-M	Lime-Yellow	Medium
SEB564	CO8-FLY-L	Lime-Yellow	Large
SEB565	CO8-FLY-XL	Lime-Yellow	X-Large
SEB566	CO8-FLY-2XL	Lime-Yellow	2X-Large
SEB568	CO8-ORS-M	Orange	Medium
SEB569	CO8-ORS-L	Orange	Large
SEB570	CO8-ORS-XL	Orange	X-Large
SEB571	CO8-ORS-2XI	Orange	2X-Large
OVERAL	LS		
SEA729	IV1-FLY-M	Lime-Yellow	Medium
SEA730	IV1-FLY-L	Lime-Yellow	Large
SEA731	IV1-FLY-XL	Lime-Yellow	X-Large
SEA732	IV1-FLY-2XL	Lime-Yellow	2X-Large
SEA737	IV1-ORS-M	Orange	Medium
SEA738	IV1-ORS-L	Orange	Large
SEA739	IV1-ORS-XL	Orange	X-Large
SEA740	IV1-ORS-2XL	Orange	2X-Large



SEB563

**REVERSIBLE WINDBREAKERS** 

- Reversible to black
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

Order	Mfg.	
No.	No.	Size
SEA687	WT2-FLY-M	Medium
<b>SEA688</b>	WT2-FLY-L	Large
SEA689	WT2-FLY-XL	X-Large
<b>SEA690</b>	WT2-FLY-2XL	2X-Large

#### REVERSIBLE WINDBREAKERS WITH ZIP-IN BLACK FLEECE JACKET

- Reversible to black
- Zip-in black fleece jacket
- Meets CSA standard Z96-09

Class 2	l, Level 2 requ	irements
Order	Mfg.	
No.	No.	Size
SEA718	WT6-FLY-M	Medium
SEA719	WT6-FLY-L	Large
SEA720	WT6-FLY-XL	X-Large
SEA721	WT6-FLY-2XL	2X-Large


SEA718

# WANT TO STAND OUT IN A CROWD?

Customizing a garment or vest to suit your needs will give you a distinctive edge.

Have an idea of what you want? Call us today and we'll work with you to build the garment you have in mind.

Include contrasting fluorescent or non-fluorescent material to make your garment truly unique



297

# GLOWEAR POWER-CAP™

- Two ultra-bright LEDs in the brim, and two additional LEDs concealed under brim (C.U.B. Technology<sup>™</sup>) deliver hands-free illumination in dark work spaces
- Choose two brim LEDs for illumination up to 50', two C.U.B. LEDs for close-up tasks, or all four for maximum visibility
- On/Off switch located conveniently under brim
- Four long-life lithium batteries (included) provide more than 30 hours of continuous light, and are easily replaceable
- Available with or without GloWear logo
- One size

Order	Mfg.		
No.	No.	Colour	
SEC725	23272	Black	
SEC727	23270	Lime-Yellow	
SEC731	23271	Orange	

Other colours available. Also available without GloWear logo, please call for details.

# **ARM & LEG BANDS**

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- · Available in various lengths



No.	Length"	
SEF122	10	
SEF123	12	
SEF124	13 1/2	
SEF125	15	
SEF126	17	
SEF127	19	

# HIGH VISIBILITY **FLEECE TOQUES**

- Fluorescent lime-yellow or orange
- 100% polyester fleece

ZENTH

Order

- One size fits all
- Machine washable

Order No.	Mfg. No.	Colour
SEA779	F07-FLY	Lime-Yellow
SEB590	FO7-ORS	Orange


# HARD HATS KITS

- Silver reflective with coloured chevrons, increasing visibility from all angles
- Acrylic adhesive offering dielectric properties
- Reflexite reflective tape
- Three strips per kit
- Standard chevron colours: red, blue, white, black, green, other available upon request

Order No.	Mfg. No.	Size	
	0		-
SEA703	HH1-RD	Red	
SEA704	HH1-BL	Blue	<u> </u>
SEA705	HH1-WH	White	<u> </u>
SEA706	HH1-BK	Black	SO
SEA707	HH1-GR	Green	SAFETY

# TRAFFIC HARNESSES

- 2" lime-yellow/silver reflective stripes
- · Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability






# ZENOTH

Order		
No.	Size	
SEF117	Medium	
SEF118	Large	
SEF119	X-Large	
SEF120	2X-Large	
SEF121	3X-Large	

# LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control<sup>™</sup> technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- · Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



SAO691



### HIGH VISIBILITY SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Superior quality
- Good abrasion resistance
  100-g Thinsulate<sup>™</sup> liner
- provides superior warmth
  Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Size: Large
- Case Oty: 72
- Sold per pair
- Order No. SED161



### HIGH VISIBILITY NATURAL RUBBER ACRYLIC LINED GLOVES

- · Latex palm coating
- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits
- breathability and limits perspirationFluorescent yellow shell and blue
- coating offer maximum visibilityCrinkle finish coating provides
- superior wet and dry grip
- Accepted for use in Canadian food processing facilities
- Case Oty: 60
- Sold per pair

**Applications:** Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance

Order No.	Size	
SEC797	7	
SEC798	8	
SEC799	9	÷
SEC800	10	ZEN
SEC801	11	Safety Products

### HIGH VISIBILITY THERMAL WATERPROOF GLOVES

- 40-g 3M<sup>™</sup> Thinsulate<sup>™</sup> insulation
- Hipora breathable waterproof and windproof liner
- 3M<sup>™</sup> Scotchlite<sup>™</sup> reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with
- hook and loop closure
- Reinforced fingertips
- Machine washable
- Case Oty: 6
- Sold per pair

# **Applications:** Lifting, packing, shipping and traffic directing

Mfg.		
No.	Size	
16412	Small	
16413	Medium	
16414	Large	">>TENACION
16415	X-Large	ergody
16416	2X-large	Lo WURK GE
	No. 16412 16413 16414 16415	No.         Size           16412         Small           16413         Medium           16414         Large           16415         X-Large

# **High-Visibility Safety Apparel**

# HIGH VISIBILITY GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate<sup>™</sup> liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Size: Large
- Case Qty: 72
- Sold per pair

Order No. SED428



# HIGH VISIBILITY SPLIT COWHIDE FITTERS GLOVES

- Superior quality
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Size: Large
- Case Qty: 120
- Sold per pair

Order No. SED160



### POWERFLEX® T° HIGH VISIBILITY YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation
- for cold environmentStrong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm coated crinkle finish
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- Sold per pair

Applications: Fishing industry, cold storage winter transportation, unheated warehouses yard and field work, freight handlingCaution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Order No.	Size	Ansell
SEA278	7	
SEA279	8	
SEA280	9	
SEA281	10	
SEA282	11	



